

2021 PCP QRP Measures and Definitions

2021 Program Measure	Program Measure Definition	Medicare			Medicaid			Commercial
		Star Recognition	Model Practice	Medical Home	Quality Recognition	Model Practice	Medical Home	Model Practice
Access to Medical Records ¹	Cooperation with all Humana medical record review requests without additional cost to Humana. Cooperation is defined as (one or more of the following): <ul style="list-style-type: none"> • Self-service or Onsite Access: Healthcare providers mail/fax medical records directly to Humana or allows Humana onsite access to medical records • Remote Access: Providers give Humana the ability to log into the practice EMR remotely at any time • Electronic Connection: Providers connect directly through an EMR, third-party population health management platforms or FTP access 		✗	✗				
Admissions Per Thousand (APT)	Providers must meet the performance standard for admissions per 1,000 for group's overall assigned/attributed patient population.							✗
Adults' Access to Preventive/Ambulatory Health Services	The percentage of members 20 years and older who had an ambulatory or preventive care visit within the measurement period.				✗	✗		
Annual Wellness Visit/Initial Preventive Physical Examination	Provider must ensure all assigned/attributed patients have an Annual Wellness Visit (AWV) or Initial Preventive Physical Examination (IPPE) within the measurement year.		✗	✗				
Avoidable Hospitalization per Thousand ²	The total number of acute inpatient and observation visits with a principal diagnosis related to diabetes, COPD, hypertension, heart failure, community-acquired pneumonia, urinary tract infection, asthma in younger adults and amputation in diabetics, as defined by the Agency for Healthcare Research and Quality within the measurement period per 1,000 Humana-covered assigned/attributed patients 18 years or older.		✗	✗				
Breast Cancer Screening	The percentage of women 52 to 74 years old who had one or more mammograms within the measurement period or 15 months prior to the measurement period.	✗	✗	✗	✗	✗		✗

¹ If Humana reimburses the provider or the provider's contracted vendor for the cost of providing medical records, the provider will **not** be eligible for a reward on this measure.

² Display measure only

2021 PCP QRP Measures and Definitions

2021 Program Measure	Measure Definition	Medicare			Medicaid			Commercial
		Star Recognition	Model Practice	Medical Home	Quality Recognition	Model Practice	Medical Home	Model Practice
Cervical Cancer Screening	<p>The percentage of assigned/attributed patients who are female and are 21 to 64 years of age who were screened for cervical cancer using either of the following criteria:</p> <ul style="list-style-type: none"> • Women 21-64 who had a cervical cytology performed within the measurement period or two years prior to the Measurement Period • Women 30-64 who had a cervical high risk human papillomavirus (hrHPV) test within the measurement period or four years prior to the measurement period • Women 30-64 who had a cervical cytology/high risk human papillomavirus (hrHPV) co-testing performed within the measurement period or four years prior to the measurement period 				✕	✕		✕
Child and Adolescent Well Care Visits ¹ (Total)	The percentage of patients who are 3–21 years of age within the measurement period and who had at least one Well-Care visit with a PCP within the measurement period.				✕	✕		
Childhood Immunizations Status ^{1,2} (Combination 3)	<p>The percentage of children who turn 2 years old within the measurement period must complete the following series of vaccinations:</p> <ul style="list-style-type: none"> • Four (4) diphtheria, tetanus and acellular pertussis (DTaP) vaccinations with different dates of service on or before the child's 2nd birthday • Three (3) polio (IPV) vaccinations with different dates of service on or before the child's 2nd birthday • One (1) measles, mumps and rubella (MMR) vaccination on or between the child's 1st and 2nd birthdays • Three (3) haemophilus influenza type B (HiB) vaccinations with different dates of service on or before the child's 2nd birthday • Three (3) hepatitis B (HepB) vaccinations with different dates of service on or before the child's 2nd birthday • One (1) chicken pox (VZV) vaccination on or between the child's 1st and 2nd birthdays • Four (4) pneumococcal conjugate (PCV) vaccination with different dates of service on or before the child's 2nd birthday 				✕	✕		✕

¹Applicable to the pediatric category only

²Influenza vaccine omitted for this measure for the commercial LOB

2021 PCP QRP Measures and Definitions

2021 Program Measure	Measure Definition	Medicare			Medicaid			Commercial
		Star Recognition	Model Practice	Medical Home	Quality Recognition	Model Practice	Medical Home	Model Practice
Colorectal Cancer Screening	The percentage of patients 50 to 75 years old who have had one or more appropriate screenings for colorectal cancer. Appropriate screenings are defined by any of the following: <ul style="list-style-type: none"> Fecal occult blood test within the measurement period Flexible sigmoidoscopy within the measurement period or the four years prior to the measurement period Colonoscopy within the measurement period or the nine years prior to the measurement period FIT-DNA (commonly referred to by the brand name Cologuard) within the measurement period or the two years prior to the measurement period CT colonography within the measurement period or four years prior to the measurement period. 	✗			✗	✗		
Controlling High Blood Pressure	The percentage of members 18–85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled (<140/90 mm Hg) within the measurement period.				✗	✗		
Depression Screening ^{1,2}	The percentage of eligible patients 12-21 who were screened for clinical depression within the measurement period.							✗
Diabetes Care – Blood Sugar Controlled	The percentage of diabetic patients 18 to 75 whose most recent A1c level within the measurement period was less than or equal to 9%.	✗	✗	✗	✗	✗		
Diabetes Care – HbA1c Testing	The percentage of diabetic patients 18 to 75 years old who had an HbA1c test within the measurement period.							✗
Diabetes Care – Kidney Disease Monitoring	The percentage of diabetic patients 18 to 75 years old with diabetes (type 1 or type 2) who had a kidney function test within the measurement period.	✗	✗	✗				

¹Applicable to the pediatric category only

²Display measure only

2021 PCP QRP Measures and Definitions

2021 Program Measure	Measure Definition	Medicare			Medicaid			Commercial
		Star Recognition	Model Practice	Medical Home	Quality Recognition	Model Practice	Medical Home	Model Practice
Emergency Room Visits per Thousand (ER/K)	The emergency room utilization ratio is based on the total number of ER visits not resulting in an inpatient admission or observation stay within the measurement period per 1,000 Humana-covered assigned/attributed patients.		✗	✗				✗
Immunizations for Adolescents ¹ (Combination 2)	The percentage of adolescents who turn 13 within the measurement period must complete the following series of vaccinations: <ul style="list-style-type: none"> One (1) of meningococcal vaccination on or between the patient's 11th and 13th birthdays One tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccination on or between the patient's 10th and 13th birthdays Two (2) human papillomavirus (HPV) vaccinations with dates of service at least 146 days apart on or between the patients 9th and 13th birthdays or three (3) HPV vaccines with different dates of service on or between the patient's 9th and 13th birthdays 				✗	✗		✗
Immunizations – Influenza ¹	The percentage of eligible patients 1-21 who had the influenza (flu) vaccination completed within the measurement period.							✗
Lead Screening for Children ¹	The percentage of children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning by their 2 nd birthday.				✗	✗		
Medication Adherence	The percentage of patients 18 years old and older who fill their prescription(s) for cholesterol (e.g., statins), diabetes (e.g., noninsulin antidiabetics) and/or hypertension (e.g., angiotensin-converting enzyme [ACE] inhibitors, angiotensin receptor blockers [ARBs], direct renin inhibitors [DRIs]) management often enough to cover 80 percent or more of the time they are supposed to be taking the medication.	✗	✗	✗				✗
Medication Reconciliation Post-Discharge	The percentage of patients whose medication therapies were reviewed and reconciled in the outpatient medical record within 30 days after leaving the hospital	✗						

¹Applicable to the pediatric category only

2021 PCP QRP Measures and Definitions

2021 Program Measure	Measure Definition	Medicare			Medicaid			Commercial
		Star Recognition	Model Practice	Medical Home	Quality Recognition	Model Practice	Medical Home	Model Practice
Patient Experience Rating ¹	The average score of post-PCP-visit telephone surveys from Humana with questions aligned with the following four categories: <ul style="list-style-type: none"> • Getting Care Quickly • Getting Needed Care • Coordination of care • Patient discussion with the healthcare provider 	✗	✗	✗				
30-Day Readmission Rate ²	The percentage of acute inpatient admissions to an acute inpatient facility occurring within 30 days of the discharge date of the previous acute inpatient admission within the measurement period. The only exception to this is a same-day transfer.		✗	✗				
Statin Use in Persons with Diabetes (SUPD)	The percentage of patients between 40 and 75 years old who received at least two diabetes medication fills and a statin medication within the measurement period.	✗	✗	✗				
Weight Assessment & Counseling for Nutrition & Physical Activity ³	The percentage of eligible members 3-17 years of age who had a visit with a PCP within the measurement period and had evidence of: <ul style="list-style-type: none"> • Body Mass Index (BMI) percentile documentation • Counseling for nutrition • Counseling for physical activity 							✗
Well-Child Visit ³	The percentage of eligible members who have completed the recommended number of visits within the measurement period as listed below: <ul style="list-style-type: none"> • 0 – 15 months – Six or more well-child visits with a PCP during the first 15 months of life • 15 – 30 months – Two or more well-child visits with a PCP on different dates of service between the child's 15-month plus 1 day and the 30-month birthday. • 3 – 21 years old – One well care visit with a PCP or OB-GYN 							✗

¹Medicare Advantage Star Recognition program will measure the Getting Care Quickly category **only**.

²This calculation includes inpatient admissions to any facility exclusive of, but not limited to, psychiatry, maternity, skilled nursing facility, long-term acute care hospital and rehabilitation admissions. The 30-day readmission rate is calculated based on the measurement period.

³Applicable to the pediatric category only

2021 PCP QRP Measures and Definitions

2021 Program Measure	Measure Definition	Medicare			Medicaid			Commercial
		Star Recognition	Model Practice	Medical Home	Quality Recognition	Model Practice	Medical Home	Model Practice
Well-Child Visits in the First 15 Months of Life ¹ (six or more visits)	The percentage of members who turned 15 months old within the measurement period and who had at least six Well-Child visits with a PCP during their first 15 months of life.				✕	✕		
Well-Child Visits for Ages 15 Months to 30 Months ¹ (two or more visits)	The percentage of members who turned 30 months old within the measurement period and who had at least two Well-Child visits with a PCP on different dates of service between the child's 15-month birthday plus 1 day and the 30-month birthday.				✕	✕		

¹Applicable to the pediatric category only