

2024

# Prescription Drug Guide

## Humana Formulary

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

Humana Premier Rx Plan (PDP)

Formulary 24490 Version 17

This formulary was updated on 11/01/2024. For more recent information or other questions, please contact Humana with any questions at 1-800-281-6918 or for TTY users, 711, five days a week April 1 – September 30 or seven days a week October 1 – March 31 from 8 a.m. – 8 p.m. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day 7 days a week, by visiting **Humana.com**.

For a complete list of Contract/PBP numbers this document relates to, please see the final page of this document.

# Humana<sup>®</sup>



# Welcome to Humana!

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means Humana. This document includes a list of the drugs (formulary) for our plan which is current as of November 2024. For an updated formulary, please contact us on our website at [Humana.com/PlanDocuments](https://www.humana.com/PlanDocuments) or you can call the number below to request a paper copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the Humana Medicare formulary?

A formulary is the entire list of covered drugs or medicines selected by Humana. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. Humana worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. Humana will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

### **What if you are affected by a Drug List change?**

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of November 2024. We will update the printed formularies each month and they will be available on **[Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist)**.

To get updated information about the drugs that Humana covers, please visit **[Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist)**.

Please contact Humana Customer Care with any questions at **1-800-281-6918 (TTY: 711)**, five days a week April 1- September 30 or seven days a week October 1 – March 31 from 8 a.m. – 8 p.m. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day 7 days a week, by visiting **[Humana.com](https://www.humana.com)**.

### **How do I use the formulary?**

There are two ways to find your drug in the formulary:

#### **Medical condition**

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

#### **Alphabetical listing**

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 90. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of six tiers.

Humana covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Generic:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Preferred Generic drugs
- **Tier 3 - Preferred Brand:** Generic or brand drugs that the plan offers at a lower cost to you than Tier 4 Non-Preferred drugs
- **Tier 4 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 3 Preferred Brand drugs
- **Tier 5 - Specialty Tier:** Some injectables and other high-cost drugs
- **Tier 6 - Select Care Drugs:** Select generic and brand drugs used to treat certain chronic conditions

### How much will I pay for covered drugs?

Humana pays part of the costs for your covered drugs and you pay part of the costs, too.

### The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Customer Care to find out what your costs are.**

### Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** Humana requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from Humana before you fill your prescriptions. If you do not get approval, Humana may not cover the drug.
- **Quantity Limits (QL):** For some drugs, Humana limits the amount of the drug that is covered. Humana might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, Humana requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Humana may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Humana will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted to Humana that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to Humana at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist) to get more information about the restrictions applied to specific covered drugs.

You can ask Humana to make an exception to these restrictions or limits. See the section "**How do I request an exception to the Humana formulary?**" on page 6 for information about how to request an exception.

### **What if my drug is not on the formulary?**

If your drug is not included in this list of covered drugs, visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist) to see if your plan covers your drug. You can also call Customer Care and ask if your drug is covered.

If Humana does not cover your drug, you have two options:

- You can ask Customer Care for a list of similar drugs that Humana covers. Show the list to your doctor and ask them to prescribe a similar drug that is covered by Humana.
- You can ask Humana to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

### **What is a compounded drug?**

A compounded drug is used to provide drug therapies that are not commercially available as FDA-approved finished products in the same dose, formulation, and/or combination of ingredients, but are instead created by a pharmacist by combining or mixing ingredients to create a prescription medication customized to the needs of an individual patient. While some compounded drugs may be Part D eligible, most compounded drugs are non-formulary drugs (not covered) by your plan. You may need to ask for and receive an approved coverage determination from us to have your compounded drug covered.

### **How do I request an exception to the Humana formulary?**

You can ask Humana to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, Humana will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception.

**When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

**Will my plan cover my drugs if they are not on the formulary?**

You may take drugs that your plan does not cover. Or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary *or*
- You have limited ability to get your drugs *and*
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, Humana will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. Humana will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

**Transition extension**

Humana will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

## CenterWell Pharmacy™

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. CenterWell Pharmacy is the preferred cost-sharing mail order pharmacy for many Humana MAPD and prescription drug plans (PDP). You can have your maintenance medicines, specialty medicines, or supplies mailed to a place that is most convenient for you. You should get your new prescription by mail in 7 – 10 days after CenterWell Pharmacy has received your prescription and all the necessary information. Refills should arrive within 5 – 7 days. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.



## For More Information

For more detailed information about your Humana prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

Please contact Humana Customer Care with any questions at **1-800-281-6918 (TTY: 711)**, five days a week April 1 – September 30 or seven days a week October 1 – March 31 from 8 a.m. – 8 p.m. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day 7 days a week, by visiting **Humana.com**.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

# Humana Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Humana. If you have trouble finding your drug in the list, turn to the Index that begins on page 90.

Your Humana plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 89.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**GC** - Tier 1 or Tier 2 drugs that are covered in the gap

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

**LA** - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

**AV** - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

**CI** - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

**PDS** - Preferred Diabetic Supplies; BD and HTL-Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. Humana may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

| DRUG NAME                                                                                                 | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| <b>ANALGESICS</b>                                                                                         |      |                                     |
| acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION <b>DL</b> | 3    | QL(2700 per 30 days)                |
| acetaminophen-codeine 300-15 mg TABLET <b>DL</b>                                                          | 3    | QL(390 per 30 days)                 |
| acetaminophen-codeine 300-30 mg TABLET <b>DL</b>                                                          | 3    | QL(360 per 30 days)                 |
| acetaminophen-codeine 300-60 mg TABLET <b>DL</b>                                                          | 3    | QL(180 per 30 days)                 |
| BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM <b>DL</b>                       | 4    | QL(60 per 30 days)                  |
| buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY <b>DL</b>     | 4    | PA,QL(4 per 28 days)                |
| celecoxib 100 mg, 200 mg CAPSULE <b>GC,MO</b>                                                             | 2    | QL(60 per 30 days)                  |
| celecoxib 400 mg, 50 mg CAPSULE <b>GC,MO</b>                                                              | 2    | QL(60 per 30 days)                  |
| diclofenac sodium 1 % GEL <b>MO</b>                                                                       | 3    | QL(1000 per 30 days)                |
| diclofenac sodium 100 mg TABLET, ER 24 HR. <b>GC,MO</b>                                                   | 2    |                                     |
| diclofenac sodium 25 mg TABLET, DR/EC <b>MO</b>                                                           | 3    |                                     |
| diclofenac sodium 50 mg TABLET, DR/EC <b>GC,MO</b>                                                        | 2    |                                     |
| diclofenac sodium 75 mg TABLET, DR/EC <b>GC,MO</b>                                                        | 2    |                                     |
| ec-naproxen 500 mg TABLET, DR/EC <b>GC,MO</b>                                                             | 2    |                                     |
| endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>                                      | 3    | QL(360 per 30 days)                 |
| etodolac 200 mg, 300 mg CAPSULE <b>MO</b>                                                                 | 3    |                                     |
| etodolac 400 mg, 500 mg TABLET <b>MO</b>                                                                  | 3    |                                     |
| etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>                                               | 4    |                                     |
| fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr PATCH. 72 HR. <b>DL</b>                   | 4    | QL(20 per 30 days)                  |
| fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE <b>DL</b>                        | 5    | PA,QL(120 per 30 days)              |
| fentanyl citrate 200 mcg LOZENGE <b>DL</b>                                                                | 4    | PA,QL(120 per 30 days)              |
| fentanyl citrate (pf) 50 mcg/ml SOLUTION <b>DL</b>                                                        | 4    | BvsD,QL(720 per 30 days)            |
| flurbiprofen 100 mg TABLET <b>GC,MO</b>                                                                   | 2    |                                     |
| hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>                                | 3    | QL(390 per 30 days)                 |
| hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>                                | 3    | QL(360 per 30 days)                 |
| hydrocodone-acetaminophen 10-325 mg/15 ml, 10-325 mg/15 ml(15 ml) SOLUTION <b>DL</b>                      | 4    | QL(2700 per 30 days)                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                      | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------|------|-------------------------------------|
| hydrocodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>          | 3    | QL(360 per 30 days)                 |
| hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION <b>DL</b>  | 4    | QL(5520 per 30 days)                |
| hydrocodone-ibuprofen 10-200 mg, 5-200 mg TABLET <b>DL</b>     | 4    | QL(150 per 30 days)                 |
| hydrocodone-ibuprofen 7.5-200 mg TABLET <b>DL</b>              | 3    | QL(150 per 30 days)                 |
| hydromorphone 2 mg, 4 mg TABLET <b>DL</b>                      | 3    | QL(360 per 30 days)                 |
| hydromorphone 8 mg TABLET <b>DL</b>                            | 3    | QL(240 per 30 days)                 |
| ibu 400 mg, 600 mg, 800 mg TABLET <b>GC,MO</b>                 | 1    |                                     |
| ibuprofen 100 mg/5 ml SUSPENSION <b>GC,MO</b>                  | 2    |                                     |
| ibuprofen 400 mg TABLET <b>GC,MO</b>                           | 1    |                                     |
| ibuprofen 600 mg, 800 mg TABLET <b>GC,MO</b>                   | 1    |                                     |
| indomethacin 25 mg, 50 mg CAPSULE <b>GC,MO</b>                 | 2    |                                     |
| indomethacin 75 mg CAPSULE, ER <b>MO</b>                       | 4    |                                     |
| ketorolac 10 mg TABLET <b>MO</b>                               | 4    | QL(20 per 30 days)                  |
| meloxicam 15 mg TABLET <b>GC,MO</b>                            | 1    | QL(30 per 30 days)                  |
| meloxicam 7.5 mg TABLET <b>GC,MO</b>                           | 1    | QL(60 per 30 days)                  |
| methadone 10 mg TABLET <b>DL</b>                               | 4    | QL(240 per 30 days)                 |
| methadone 10 mg/5 ml SOLUTION <b>DL</b>                        | 3    | QL(1800 per 30 days)                |
| methadone 10 mg/ml CONCENTRATE <b>DL</b>                       | 3    | QL(360 per 30 days)                 |
| methadone 5 mg TABLET <b>DL</b>                                | 4    | QL(480 per 30 days)                 |
| methadone 5 mg/5 ml SOLUTION <b>DL</b>                         | 3    | QL(3600 per 30 days)                |
| methadone intensol 10 mg/ml CONCENTRATE <b>DL</b>              | 3    | QL(360 per 30 days)                 |
| morphine 10 mg/5 ml SOLUTION <b>DL</b>                         | 3    | QL(2700 per 30 days)                |
| morphine 10 mg/ml SOLUTION <b>DL</b>                           | 4    | BvsD,QL(360 per 30 days)            |
| morphine 100 mg TABLET ER <b>DL</b>                            | 3    | QL(180 per 30 days)                 |
| morphine 15 mg TABLET ER <b>DL</b>                             | 3    | QL(120 per 30 days)                 |
| morphine 15 mg, 30 mg TABLET <b>DL</b>                         | 3    | QL(180 per 30 days)                 |
| morphine 20 mg/5 ml (4 mg/ml) SOLUTION <b>DL</b>               | 3    | QL(1350 per 30 days)                |
| morphine 200 mg TABLET ER <b>DL</b>                            | 3    | QL(90 per 30 days)                  |
| morphine 30 mg, 60 mg TABLET ER <b>DL</b>                      | 3    | QL(120 per 30 days)                 |
| morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION <b>DL</b> | 3    | QL(540 per 30 days)                 |
| nabumetone 500 mg, 750 mg TABLET <b>GC,MO</b>                  | 1    |                                     |
| naproxen 250 mg, 375 mg TABLET <b>GC,MO</b>                    | 1    |                                     |
| naproxen 375 mg, 500 mg TABLET, DR/EC <b>GC,MO</b>             | 2    |                                     |
| naproxen 500 mg TABLET <b>GC,MO</b>                            | 1    |                                     |
| naproxen sodium 275 mg, 550 mg TABLET <b>MO</b>                | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                          | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------|------|-------------------------------------|
| oxycodone 10 mg, 15 mg, 5 mg TABLET <b>DL</b>                                      | 3    | QL(360 per 30 days)                 |
| oxycodone 20 mg, 30 mg TABLET <b>DL</b>                                            | 3    | QL(360 per 30 days)                 |
| oxycodone 20 mg/ml CONCENTRATE <b>DL</b>                                           | 4    | QL(270 per 30 days)                 |
| oxycodone 5 mg CAPSULE <b>DL</b>                                                   | 4    | QL(360 per 30 days)                 |
| oxycodone 5 mg/5 ml SOLUTION <b>DL</b>                                             | 4    | QL(5400 per 30 days)                |
| oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>           | 3    | QL(360 per 30 days)                 |
| oxycodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>                                | 3    | QL(360 per 30 days)                 |
| oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION <b>DL</b>                           | 4    | QL(1800 per 30 days)                |
| piroxicam 10 mg, 20 mg CAPSULE <b>MO</b>                                           | 3    |                                     |
| sulindac 150 mg, 200 mg TABLET <b>GC,MO</b>                                        | 2    |                                     |
| tramadol 100 mg TABLET <b>DL</b>                                                   | 4    | QL(120 per 30 days)                 |
| tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. <b>DL</b>                        | 4    | ST,QL(30 per 30 days)               |
| tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE <b>DL</b>            | 4    | ST,QL(30 per 30 days)               |
| tramadol 50 mg TABLET <b>DL,GC</b>                                                 | 2    | QL(240 per 30 days)                 |
| tramadol-acetaminophen 37.5-325 mg TABLET <b>DL,GC</b>                             | 2    | QL(240 per 30 days)                 |
| XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. <b>DL</b> | 3    | QL(60 per 30 days)                  |
| <b>ANESTHETICS</b>                                                                 |      |                                     |
| lidocaine 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>                                  | 4    | PA,QL(90 per 30 days)               |
| lidocaine hcl 2 % JELLY <b>MO</b>                                                  | 3    |                                     |
| lidocaine hcl 2 % JELLY IN APPLICATOR <b>MO</b>                                    | 3    |                                     |
| lidocaine hcl 2 % SOLUTION <b>GC,MO</b>                                            | 2    |                                     |
| lidocaine viscous 2 % SOLUTION <b>GC,MO</b>                                        | 2    |                                     |
| lidocaine-prilocaine 2.5-2.5 % CREAM <b>MO</b>                                     | 4    |                                     |
| <b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS</b>                             |      |                                     |
| acamprosate 333 mg TABLET, DR/EC <b>MO</b>                                         | 4    |                                     |
| buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET <b>GC,MO</b>                        | 2    | QL(90 per 30 days)                  |
| buprenorphine-naloxone 12-3 mg FILM <b>GC,MO</b>                                   | 2    | QL(60 per 30 days)                  |
| buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM <b>GC,MO</b>                  | 2    | QL(90 per 30 days)                  |
| bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. <b>MO</b>                   | 3    | QL(90 per 30 days)                  |
| disulfiram 250 mg, 500 mg TABLET <b>MO</b>                                         | 3    |                                     |
| nalmefene 1 mg/ml SOLUTION <b>GC,MO</b>                                            | 1    |                                     |
| naloxone 0.4 mg/ml SOLUTION <b>GC,MO</b>                                           | 1    |                                     |
| naloxone 0.4 mg/ml, 1 mg/ml SYRINGE <b>GC,MO</b>                                   | 1    |                                     |
| naloxone 4 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>                               | 3    | QL(2 per 30 days)                   |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                   | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| naltrexone 50 mg TABLET <b>GC,MO</b>                                                                                                        | 2    |                                     |
| NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL <b>MO</b>                                                                                           | 4    |                                     |
| varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK <b>MO</b>                                                                              | 3    | QL(53 per 28 days)                  |
| varenicline 0.5 mg, 1 mg TABLET <b>MO</b>                                                                                                   | 3    | QL(56 per 28 days)                  |
| VIVITROL 380 MG SUSPENSION, ER, RECON <b>DL</b>                                                                                             | 5    | QL(1 per 28 days)                   |
| ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET <b>GC,MO</b>                                                                             | 2    | QL(90 per 30 days)                  |
| ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET <b>GC,MO</b>                                                                                          | 2    | QL(30 per 30 days)                  |
| ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET <b>GC,MO</b>                                                                              | 2    | QL(90 per 30 days)                  |
| ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET <b>GC,MO</b>                                                                                           | 2    | QL(60 per 30 days)                  |
| <b>ANTIBACTERIALS</b>                                                                                                                       |      |                                     |
| acetic acid 2 % SOLUTION <b>GC,MO</b>                                                                                                       | 2    |                                     |
| amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION <b>MO</b>                                                                                      | 4    |                                     |
| amoxicillin 125 mg, 250 mg CHEWABLE TABLET <b>GC,MO</b>                                                                                     | 1    |                                     |
| amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml<br>SUSPENSION FOR RECONSTITUTION <b>GC,MO</b>                                | 1    |                                     |
| amoxicillin 250 mg CAPSULE <b>GC,MO</b>                                                                                                     | 1    |                                     |
| amoxicillin 500 mg CAPSULE <b>GC,MO</b>                                                                                                     | 1    |                                     |
| amoxicillin 500 mg TABLET <b>GC,MO</b>                                                                                                      | 1    |                                     |
| amoxicillin 875 mg TABLET <b>GC,MO</b>                                                                                                      | 1    |                                     |
| amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57<br>mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b> | 3    |                                     |
| amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET <b>GC,MO</b>                                                                      | 2    |                                     |
| amoxicillin-pot clavulanate 875-125 mg TABLET <b>GC,MO</b>                                                                                  | 2    |                                     |
| ampicillin 500 mg CAPSULE <b>GC,MO</b>                                                                                                      | 2    |                                     |
| ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON<br>SOLUTION <b>MO</b>                                               | 4    |                                     |
| ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION <b>MO</b>                                                                     | 4    |                                     |
| azithromycin 1 gram PACKET <b>MO</b>                                                                                                        | 3    |                                     |
| azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION<br><b>MO</b>                                                            | 3    |                                     |
| azithromycin 250 mg TABLET <b>GC,MO</b>                                                                                                     | 2    |                                     |
| azithromycin 500 mg RECON SOLUTION <b>MO</b>                                                                                                | 4    |                                     |
| azithromycin 500 mg, 600 mg TABLET <b>GC,MO</b>                                                                                             | 2    |                                     |
| aztreonam 1 gram, 2 gram RECON SOLUTION <b>MO</b>                                                                                           | 4    |                                     |
| bacitracin 50,000 unit RECON SOLUTION <b>MO</b>                                                                                             | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------|------|-------------------------------------|
| BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE <b>MO</b> | 4    |                                     |
| cefaclor 250 mg, 500 mg CAPSULE <b>MO</b>                                                | 3    |                                     |
| cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>              | 3    |                                     |
| cefadroxil 500 mg CAPSULE <b>GC,MO</b>                                                   | 2    |                                     |
| cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION <b>MO</b>               | 4    |                                     |
| CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>                                        | 4    |                                     |
| cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>                | 3    |                                     |
| cefdinir 300 mg CAPSULE <b>GC,MO</b>                                                     | 2    |                                     |
| cefepime 1 gram, 2 gram RECON SOLUTION <b>MO</b>                                         | 4    |                                     |
| cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>                  | 4    |                                     |
| cefixime 400 mg CAPSULE <b>MO</b>                                                        | 4    |                                     |
| cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>                               | 4    |                                     |
| cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>                               | 4    |                                     |
| cefpodoxime 100 mg, 200 mg TABLET <b>MO</b>                                              | 4    |                                     |
| cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>               | 3    |                                     |
| cefprozil 250 mg, 500 mg TABLET <b>MO</b>                                                | 3    |                                     |
| ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>                              | 4    |                                     |
| ceftriaxone 1 gram, 10 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>             | 4    |                                     |
| cefuroxime axetil 250 mg, 500 mg TABLET <b>MO</b>                                        | 3    |                                     |
| cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION <b>MO</b>                    | 4    |                                     |
| cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>GC,MO</b>           | 2    |                                     |
| cephalexin 250 mg CAPSULE <b>GC,MO</b>                                                   | 1    |                                     |
| cephalexin 500 mg CAPSULE <b>GC,MO</b>                                                   | 1    |                                     |
| ciprofloxacin hcl 100 mg TABLET <b>MO</b>                                                | 4    |                                     |
| ciprofloxacin hcl 250 mg, 750 mg TABLET <b>GC,MO</b>                                     | 1    |                                     |
| ciprofloxacin hcl 500 mg TABLET <b>GC,MO</b>                                             | 1    |                                     |
| ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b>           | 4    |                                     |
| clarithromycin 125 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>                       | 4    |                                     |
| clarithromycin 250 mg, 500 mg TABLET <b>MO</b>                                           | 3    |                                     |
| clarithromycin 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>                       | 4    |                                     |
| clarithromycin 500 mg TABLET, ER 24 HR. <b>MO</b>                                        | 3    |                                     |
| CLEOCIN 100 MG SUPPOSITORY <b>MO</b>                                                     | 4    |                                     |
| clindamycin hcl 150 mg, 75 mg CAPSULE <b>GC,MO</b>                                       | 2    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| clindamycin hcl 300 mg CAPSULE <b>GC,MO</b>                                                                  | 2    |                                     |
| clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>                  | 4    |                                     |
| clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>                     | 4    |                                     |
| clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION <b>MO</b>                                                | 4    |                                     |
| clindamycin pediatric 75 mg/5 ml RECON SOLUTION <b>MO</b>                                                    | 4    |                                     |
| clindamycin phosphate 150 mg/ml SOLUTION <b>MO</b>                                                           | 4    |                                     |
| clindamycin phosphate 2 % CREAM <b>MO</b>                                                                    | 4    |                                     |
| colistin (colistimethate na) 150 mg RECON SOLUTION <b>MO</b>                                                 | 4    |                                     |
| daptomycin 350 mg RECON SOLUTION <b>MO</b>                                                                   | 4    |                                     |
| daptomycin 500 mg RECON SOLUTION <b>DL</b>                                                                   | 5    |                                     |
| daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK <b>MO</b> | 4    |                                     |
| demeclocycline 150 mg TABLET <b>MO</b>                                                                       | 4    | QL(240 per 30 days)                 |
| demeclocycline 300 mg TABLET <b>MO</b>                                                                       | 4    | QL(120 per 30 days)                 |
| dicloxacillin 250 mg, 500 mg CAPSULE <b>GC,MO</b>                                                            | 2    |                                     |
| DIFICID 200 MG TABLET <b>DL</b>                                                                              | 5    |                                     |
| DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>                                                     | 5    |                                     |
| doxy-100 100 mg RECON SOLUTION <b>MO</b>                                                                     | 4    |                                     |
| doxycycline hyclate 100 mg CAPSULE <b>MO</b>                                                                 | 3    |                                     |
| doxycycline hyclate 100 mg TABLET <b>MO</b>                                                                  | 3    |                                     |
| doxycycline hyclate 20 mg TABLET <b>GC,MO</b>                                                                | 2    |                                     |
| doxycycline hyclate 50 mg CAPSULE <b>MO</b>                                                                  | 3    |                                     |
| doxycycline monohydrate 100 mg, 50 mg CAPSULE <b>GC,MO</b>                                                   | 2    |                                     |
| doxycycline monohydrate 100 mg, 50 mg, 75 mg TABLET <b>MO</b>                                                | 3    |                                     |
| doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>                                   | 4    |                                     |
| ertapenem 1 gram RECON SOLUTION <b>MO</b>                                                                    | 4    |                                     |
| ERYTHROCIN 500 MG RECON SOLUTION <b>MO</b>                                                                   | 4    |                                     |
| erythromycin 250 mg CAPSULE, DR/EC <b>MO</b>                                                                 | 4    |                                     |
| erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC <b>MO</b>                                                  | 4    |                                     |
| erythromycin 250 mg, 500 mg TABLET <b>MO</b>                                                                 | 4    |                                     |
| erythromycin lactobionate 500 mg RECON SOLUTION <b>MO</b>                                                    | 4    |                                     |
| gentamicin 0.1 % CREAM <b>MO</b>                                                                             | 4    |                                     |
| gentamicin 0.1 % OINTMENT <b>MO</b>                                                                          | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                          | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------|------|-------------------------------------|
| gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION <b>MO</b>                                 | 4    |                                     |
| HUMATIN 250 MG CAPSULE <b>DL</b>                                                   | 5    |                                     |
| imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION <b>MO</b>                        | 4    |                                     |
| levofloxacin 250 mg, 750 mg TABLET <b>GC,MO</b>                                    | 2    |                                     |
| levofloxacin 250 mg/10 ml SOLUTION <b>MO</b>                                       | 4    |                                     |
| levofloxacin 500 mg TABLET <b>GC,MO</b>                                            | 2    |                                     |
| levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b> | 3    |                                     |
| linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>DL</b>                      | 5    | QL(1800 per 30 days)                |
| linezolid 600 mg TABLET <b>MO</b>                                                  | 4    | QL(60 per 30 days)                  |
| linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK <b>MO</b>                         | 4    |                                     |
| linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION <b>MO</b>         | 4    |                                     |
| meropenem 1 gram, 500 mg RECON SOLUTION <b>MO</b>                                  | 4    |                                     |
| meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK <b>MO</b>      | 4    |                                     |
| methenamine hippurate 1 gram TABLET <b>MO</b>                                      | 3    |                                     |
| metronidazole 0.75 % CREAM <b>MO</b>                                               | 4    |                                     |
| metronidazole 0.75 % LOTION <b>MO</b>                                              | 4    |                                     |
| metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL <b>MO</b>                    | 4    |                                     |
| metronidazole 1 % GEL WITH PUMP <b>MO</b>                                          | 4    |                                     |
| metronidazole 250 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| metronidazole 500 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK <b>MO</b>                   | 4    |                                     |
| minocycline 100 mg, 50 mg, 75 mg CAPSULE <b>GC,MO</b>                              | 2    |                                     |
| mondoxyne nl 100 mg CAPSULE <b>GC,MO</b>                                           | 2    |                                     |
| moxifloxacin 400 mg TABLET <b>MO</b>                                               | 3    |                                     |
| moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK <b>MO</b>                   | 4    |                                     |
| nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>                         | 4    |                                     |
| neomycin 500 mg TABLET <b>MO</b>                                                   | 3    |                                     |
| nitrofurantoin macrocrystal 100 mg, 50 mg CAPSULE <b>MO</b>                        | 4    |                                     |
| nitrofurantoin monohyd/m-cryst 100 mg CAPSULE <b>MO</b>                            | 3    |                                     |
| ofloxacin 300 mg, 400 mg TABLET <b>MO</b>                                          | 4    |                                     |
| ORBACTIV 400 MG RECON SOLUTION <b>DL</b>                                           | 5    | QL(3 per 28 days)                   |
| paromomycin 250 mg CAPSULE <b>MO</b>                                               | 4    |                                     |
| penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>    | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE <b>MO</b>                                        | 4    |                                     |
| penicillin g sodium 5 million unit RECON SOLUTION <b>MO</b>                                                           | 4    |                                     |
| penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION <b>GC,MO</b>                                           | 2    |                                     |
| penicillin v potassium 250 mg, 500 mg TABLET <b>GC,MO</b>                                                             | 2    |                                     |
| pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>                                                  | 4    |                                     |
| piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION <b>MO</b>                | 4    |                                     |
| polymyxin b sulfate 500,000 unit RECON SOLUTION <b>MO</b>                                                             | 4    |                                     |
| PRIMSOL 50 MG/5 ML SOLUTION <b>MO</b>                                                                                 | 4    |                                     |
| sulfacetamide sodium 10 % OINTMENT <b>MO</b>                                                                          | 3    |                                     |
| sulfadiazine 500 mg TABLET <b>MO</b>                                                                                  | 4    |                                     |
| sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION <b>MO</b>                                                     | 4    |                                     |
| sulfamethoxazole-trimethoprim 400-80 mg TABLET <b>GC,MO</b>                                                           | 1    |                                     |
| sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION <b>MO</b>                                                       | 4    |                                     |
| sulfamethoxazole-trimethoprim 800-160 mg TABLET <b>GC,MO</b>                                                          | 1    |                                     |
| TEFLARO 400 MG, 600 MG RECON SOLUTION <b>DL</b>                                                                       | 5    |                                     |
| tigecycline 50 mg RECON SOLUTION <b>DL</b>                                                                            | 5    |                                     |
| tinidazole 250 mg, 500 mg TABLET <b>MO</b>                                                                            | 3    |                                     |
| tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>MO</b>                                            | 3    | PA                                  |
| tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION <b>MO</b>                                                              | 4    |                                     |
| trimethoprim 100 mg TABLET <b>GC,MO</b>                                                                               | 2    |                                     |
| vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 1.75 gram, 10 gram, 2 gram, 5 gram, 500 mg, 750 mg RECON SOLUTION <b>MO</b> | 4    |                                     |
| vancomycin 125 mg CAPSULE <b>MO</b>                                                                                   | 4    | PA,QL(120 per 30 days)              |
| vancomycin 250 mg CAPSULE <b>MO</b>                                                                                   | 4    | PA,QL(240 per 30 days)              |
| vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>                        | 4    |                                     |
| vancomycin in dextrose 5 % 1 gram/200 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>                                           | 4    |                                     |
| VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK <b>MO</b>                                      | 4    |                                     |
| vancomycin in dextrose 5 % 500 mg/100 ml PIGGYBACK <b>DL</b>                                                          | 4    |                                     |
| vancomycin-diluent combo no.1 1 gram/200 ml, 1.5 gram/300 ml, 500 mg/100 ml PIGGYBACK <b>DL</b>                       | 4    |                                     |
| vancomycin-diluent combo no.1 1.25 gram/250 ml, 1.75 gram/350 ml, 2 gram/400 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>    | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                         | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| <b>ANTICONVULSANTS</b>                                                            |      |                                     |
| APTiom 200 MG, 400 MG TABLET <b>DL</b>                                            | 4    | PA,QL(30 per 30 days)               |
| APTiom 600 MG, 800 MG TABLET <b>DL</b>                                            | 4    | PA,QL(60 per 30 days)               |
| BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET <b>DL</b>                      | 4    | PA,QL(60 per 30 days)               |
| BRIVIACT 10 MG/ML SOLUTION <b>DL</b>                                              | 4    | PA,QL(600 per 30 days)              |
| carbamazepine 100 mg CHEWABLE TABLET <b>MO</b>                                    | 3    |                                     |
| carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. <b>MO</b>                          | 4    | QL(120 per 30 days)                 |
| carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>       | 4    |                                     |
| carbamazepine 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml SUSPENSION <b>MO</b>  | 4    |                                     |
| carbamazepine 200 mg TABLET <b>MO</b>                                             | 3    |                                     |
| carbamazepine 400 mg TABLET, ER 12 HR. <b>MO</b>                                  | 4    | QL(225 per 30 days)                 |
| clobazam 10 mg, 20 mg TABLET <b>DL</b>                                            | 4    | PA                                  |
| clobazam 2.5 mg/ml SUSPENSION <b>DL</b>                                           | 4    | PA                                  |
| DIACOMIT 250 MG, 500 MG CAPSULE <b>DL</b>                                         | 5    | PA,QL(180 per 30 days)              |
| DIACOMIT 250 MG, 500 MG POWDER IN PACKET <b>DL</b>                                | 5    | PA,QL(180 per 30 days)              |
| diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT <b>DL</b>                    | 4    |                                     |
| DILANTIN INFATABS 50 MG CHEWABLE TABLET <b>MO</b>                                 | 4    |                                     |
| DILANTIN-125 125 MG/5 ML SUSPENSION <b>MO</b>                                     | 4    |                                     |
| divalproex 125 mg CAPSULE, DR SPRINKLE <b>MO</b>                                  | 3    |                                     |
| divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC <b>GC,MO</b>                      | 2    |                                     |
| divalproex 250 mg, 500 mg TABLET, ER 24 HR. <b>MO</b>                             | 3    |                                     |
| EPIDIOLEX 100 MG/ML SOLUTION <b>DL</b>                                            | 5    | PA                                  |
| epitol 200 mg TABLET <b>MO</b>                                                    | 3    |                                     |
| ethosuximide 250 mg CAPSULE <b>MO</b>                                             | 3    |                                     |
| ethosuximide 250 mg/5 ml SOLUTION <b>MO</b>                                       | 4    |                                     |
| felbamate 400 mg, 600 mg TABLET <b>MO</b>                                         | 4    |                                     |
| felbamate 600 mg/5 ml SUSPENSION <b>MO</b>                                        | 4    |                                     |
| FINTEPLA 2.2 MG/ML SOLUTION <b>DL,LA</b>                                          | 5    | PA,QL(360 per 30 days)              |
| FYCOMPA 0.5 MG/ML SUSPENSION <b>DL</b>                                            | 4    | PA,QL(680 per 28 days)              |
| FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>                           | 4    | PA,QL(30 per 30 days)               |
| FYCOMPA 2 MG TABLET <b>MO</b>                                                     | 4    | PA,QL(30 per 30 days)               |
| gabapentin 100 mg, 300 mg, 400 mg CAPSULE <b>GC,MO</b>                            | 2    | QL(270 per 30 days)                 |
| gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION <b>MO</b> | 4    | QL(2250 per 30 days)                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                            | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| gabapentin 600 mg, 800 mg TABLET <b>GC,MO</b>                                                                                        | 2    | QL(180 per 30 days)                 |
| lacosamide 10 mg/ml SOLUTION <b>MO</b>                                                                                               | 4    | QL(1395 per 30 days)                |
| lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET <b>MO</b>                                                                            | 4    | QL(60 per 30 days)                  |
| lacosamide 200 mg/20 ml SOLUTION <b>MO</b>                                                                                           | 4    |                                     |
| lamotrigine 100 mg, 200 mg TABLET <b>GC,MO</b>                                                                                       | 1    |                                     |
| lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>                                                 | 4    |                                     |
| lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING <b>MO</b>                                                            | 4    |                                     |
| lamotrigine 150 mg, 25 mg TABLET <b>GC,MO</b>                                                                                        | 1    |                                     |
| lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK <b>MO</b> | 4    |                                     |
| lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>GC,MO</b>                               | 2    |                                     |
| lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE <b>GC,MO</b>                                                                    | 2    |                                     |
| levetiracetam 1,000 mg, 250 mg, 750 mg TABLET <b>GC,MO</b>                                                                           | 2    |                                     |
| levetiracetam 100 mg/ml SOLUTION <b>GC,MO</b>                                                                                        | 2    |                                     |
| levetiracetam 500 mg TABLET <b>GC,MO</b>                                                                                             | 2    |                                     |
| levetiracetam 500 mg TABLET, ER 24 HR. <b>MO</b>                                                                                     | 3    | QL(180 per 30 days)                 |
| levetiracetam 500 mg/5 ml (5 ml) SOLUTION <b>GC,MO</b>                                                                               | 2    | QL(900 per 30 days)                 |
| levetiracetam 750 mg TABLET, ER 24 HR. <b>MO</b>                                                                                     | 3    | QL(120 per 30 days)                 |
| LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM <b>DL</b>                                                                         | 5    | QL(10 per 30 days)                  |
| methsuximide 300 mg CAPSULE <b>MO</b>                                                                                                | 4    |                                     |
| NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>                                                                            | 4    | QL(10 per 30 days)                  |
| oxcarbazepine 150 mg, 300 mg, 600 mg TABLET <b>MO</b>                                                                                | 3    |                                     |
| oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION <b>MO</b>                                                                            | 4    |                                     |
| phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET <b>MO</b>                                                            | 3    | QL(90 per 30 days)                  |
| phenobarbital 15 mg, 60 mg TABLET <b>MO</b>                                                                                          | 3    | QL(120 per 30 days)                 |
| phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR <b>MO</b>                                                                                  | 4    | QL(1500 per 30 days)                |
| phenobarbital 30 mg TABLET <b>MO</b>                                                                                                 | 3    | QL(300 per 30 days)                 |
| PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>                                                                                            | 4    |                                     |
| phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION <b>GC,MO</b>                                                                           | 2    |                                     |
| phenytoin 50 mg CHEWABLE TABLET <b>GC,MO</b>                                                                                         | 2    |                                     |
| phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE <b>GC,MO</b>                                                                | 2    |                                     |
| primidone 125 mg, 250 mg TABLET <b>GC,MO</b>                                                                                         | 2    |                                     |
| primidone 50 mg TABLET <b>GC,MO</b>                                                                                                  | 2    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| roweepra 1,000 mg, 500 mg, 750 mg TABLET <b>GC,MO</b>                                                                                        | 2    |                                     |
| roweepra xr 500 mg TABLET, ER 24 HR. <b>GC,MO</b>                                                                                            | 2    | QL(180 per 30 days)                 |
| roweepra xr 750 mg TABLET, ER 24 HR. <b>GC,MO</b>                                                                                            | 2    | QL(120 per 30 days)                 |
| rufinamide 200 mg TABLET <b>MO</b>                                                                                                           | 4    | PA,QL(480 per 30 days)              |
| rufinamide 40 mg/ml SUSPENSION <b>MO</b>                                                                                                     | 4    | PA,QL(2760 per 30 days)             |
| rufinamide 400 mg TABLET <b>MO</b>                                                                                                           | 4    | PA,QL(240 per 30 days)              |
| SPRITAM 1,000 MG TABLET FOR SUSPENSION <b>MO</b>                                                                                             | 4    | ST,QL(90 per 30 days)               |
| SPRITAM 250 MG TABLET FOR SUSPENSION <b>MO</b>                                                                                               | 4    | ST,QL(360 per 30 days)              |
| SPRITAM 500 MG TABLET FOR SUSPENSION <b>MO</b>                                                                                               | 4    | ST,QL(180 per 30 days)              |
| SPRITAM 750 MG TABLET FOR SUSPENSION <b>MO</b>                                                                                               | 4    | ST,QL(120 per 30 days)              |
| subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>GC,MO</b>                                                                                  | 2    |                                     |
| subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK <b>GC,MO</b>                                                                       | 2    |                                     |
| subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>GC,MO</b>                                                         | 2    |                                     |
| subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK <b>GC,MO</b>                                                         | 2    |                                     |
| SYMPAZAN 10 MG, 20 MG, 5 MG FILM <b>DL</b>                                                                                                   | 5    | PA,QL(60 per 30 days)               |
| tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET <b>MO</b>                                                                                          | 4    |                                     |
| valproic acid 250 mg CAPSULE <b>GC,MO</b>                                                                                                    | 2    |                                     |
| valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION <b>GC,MO</b>                                   | 2    |                                     |
| VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b> | 5    | QL(10 per 30 days)                  |
| vigabatrin 500 mg POWDER IN PACKET <b>DL</b>                                                                                                 | 5    | PA,QL(180 per 30 days)              |
| vigabatrin 500 mg TABLET <b>DL</b>                                                                                                           | 5    | PA,QL(180 per 30 days)              |
| vigadrone 500 mg POWDER IN PACKET <b>DL</b>                                                                                                  | 5    | PA,QL(180 per 30 days)              |
| vigadrone 500 mg TABLET <b>DL</b>                                                                                                            | 5    | PA,QL(180 per 30 days)              |
| VIGAFYDE 100 MG/ML SOLUTION <b>DL</b>                                                                                                        | 5    | PA,QL(600 per 25 days)              |
| vigpoder 500 mg POWDER IN PACKET <b>DL</b>                                                                                                   | 5    | PA,QL(180 per 30 days)              |
| XCOPRI 100 MG, 50 MG TABLET <b>DL</b>                                                                                                        | 4    | QL(30 per 30 days)                  |
| XCOPRI 150 MG, 200 MG TABLET <b>DL</b>                                                                                                       | 4    | QL(60 per 30 days)                  |
| XCOPRI 25 MG TABLET <b>DL</b>                                                                                                                | 4    | QL(30 per 30 days)                  |
| XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET <b>DL</b>                                      | 4    | QL(56 per 28 days)                  |
| XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK <b>MO</b>                                                                   | 4    | QL(28 per 28 days)                  |
| XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK <b>DL</b>                                          | 4    | QL(28 per 28 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------|------|-------------------------------------|
| ZONISADE 100 MG/5 ML SUSPENSION <b>MO</b>                                           | 4    | PA,QL(900 per 30 days)              |
| zonisamide 100 mg, 25 mg, 50 mg CAPSULE <b>GC,MO</b>                                | 2    |                                     |
| ZTALMY 50 MG/ML SUSPENSION <b>DL</b>                                                | 5    | PA,QL(1080 per 30 days)             |
| <b>ANTIDEMENTIA AGENTS</b>                                                          |      |                                     |
| donepezil 10 mg TABLET <b>GC,MO</b>                                                 | 1    | QL(60 per 30 days)                  |
| donepezil 10 mg, 5 mg TABLET, DISINTEGRATING <b>GC,MO</b>                           | 1    | QL(30 per 30 days)                  |
| donepezil 23 mg TABLET <b>MO</b>                                                    | 3    | QL(30 per 30 days)                  |
| donepezil 5 mg TABLET <b>GC,MO</b>                                                  | 1    | QL(30 per 30 days)                  |
| galantamine 12 mg, 4 mg, 8 mg TABLET <b>MO</b>                                      | 4    | QL(60 per 30 days)                  |
| galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>                  | 4    | QL(30 per 30 days)                  |
| galantamine 4 mg/ml SOLUTION <b>MO</b>                                              | 4    | QL(200 per 30 days)                 |
| memantine 10 mg, 5 mg TABLET <b>GC,MO</b>                                           | 2    | PA,QL(60 per 30 days)               |
| memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>            | 4    | PA,QL(30 per 30 days)               |
| memantine 2 mg/ml SOLUTION <b>MO</b>                                                | 4    | PA,QL(360 per 30 days)              |
| memantine 5-10 mg TABLET, DOSE PACK <b>GC,MO</b>                                    | 2    | PA,QL(98 per 30 days)               |
| NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b> | 3    | QL(30 per 30 days)                  |
| NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>                   | 3    | QL(28 per 28 days)                  |
| rivastigmine tartrate 1.5 mg, 3 mg CAPSULE <b>MO</b>                                | 4    | QL(90 per 30 days)                  |
| rivastigmine tartrate 4.5 mg, 6 mg CAPSULE <b>MO</b>                                | 4    | QL(60 per 30 days)                  |
| <b>ANTIDEPRESSANTS</b>                                                              |      |                                     |
| amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>GC,MO</b>               | 2    |                                     |
| amitriptyline 25 mg TABLET <b>GC,MO</b>                                             | 2    |                                     |
| amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET <b>MO</b>                             | 3    |                                     |
| AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC <b>MO</b>                                | 4    | PA,QL(60 per 30 days)               |
| bupropion hcl 100 mg TABLET, SR 12 HR. <b>MO</b>                                    | 3    | QL(120 per 30 days)                 |
| bupropion hcl 100 mg, 75 mg TABLET <b>MO</b>                                        | 3    | QL(180 per 30 days)                 |
| bupropion hcl 150 mg TABLET, ER 24 HR. <b>MO</b>                                    | 3    | QL(90 per 30 days)                  |
| bupropion hcl 150 mg TABLET, SR 12 HR. <b>MO</b>                                    | 3    | QL(90 per 30 days)                  |
| bupropion hcl 200 mg TABLET, SR 12 HR. <b>MO</b>                                    | 3    | QL(60 per 30 days)                  |
| bupropion hcl 300 mg TABLET, ER 24 HR. <b>MO</b>                                    | 3    | QL(60 per 30 days)                  |
| citalopram 10 mg, 40 mg TABLET <b>GC,MO</b>                                         | 1    | QL(30 per 30 days)                  |
| citalopram 10 mg/5 ml SOLUTION <b>MO</b>                                            | 3    |                                     |
| citalopram 20 mg TABLET <b>GC,MO</b>                                                | 1    | QL(60 per 30 days)                  |
| clomipramine 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>                                  | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                   | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------|------|-------------------------------------|
| desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET <b>MO</b>     | 4    |                                     |
| desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>   | 4    | QL(30 per 30 days)                  |
| DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE <b>MO</b> | 4    | PA,QL(60 per 30 days)               |
| duloxetine 20 mg CAPSULE, DR/EC <b>GC,MO</b>                                | 2    | QL(120 per 30 days)                 |
| duloxetine 30 mg CAPSULE, DR/EC <b>GC,MO</b>                                | 2    | QL(90 per 30 days)                  |
| duloxetine 60 mg CAPSULE, DR/EC <b>GC,MO</b>                                | 2    | QL(60 per 30 days)                  |
| EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. <b>DL</b>           | 5    | PA,QL(30 per 30 days)               |
| escitalopram oxalate 10 mg TABLET <b>GC,MO</b>                              | 1    | QL(45 per 30 days)                  |
| escitalopram oxalate 20 mg, 5 mg TABLET <b>GC,MO</b>                        | 1    | QL(30 per 30 days)                  |
| escitalopram oxalate 5 mg/5 ml SOLUTION <b>MO</b>                           | 4    | QL(600 per 30 days)                 |
| FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. <b>MO</b>            | 4    | PA,QL(30 per 30 days)               |
| FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. <b>MO</b>                  | 4    | PA,QL(28 per 28 days)               |
| fluoxetine 10 mg CAPSULE <b>GC,MO</b>                                       | 1    | QL(60 per 30 days)                  |
| fluoxetine 20 mg CAPSULE <b>GC,MO</b>                                       | 1    | QL(120 per 30 days)                 |
| fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION <b>MO</b>                          | 3    |                                     |
| fluoxetine 40 mg CAPSULE <b>GC,MO</b>                                       | 1    | QL(60 per 30 days)                  |
| fluoxetine 90 mg CAPSULE, DR/EC <b>MO</b>                                   | 4    | QL(4 per 28 days)                   |
| fluvoxamine 100 mg, 25 mg, 50 mg TABLET <b>GC,MO</b>                        | 2    | QL(90 per 30 days)                  |
| imipramine hcl 10 mg TABLET <b>GC,MO</b>                                    | 2    |                                     |
| imipramine hcl 25 mg, 50 mg TABLET <b>GC,MO</b>                             | 2    |                                     |
| imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE <b>MO</b>          | 4    |                                     |
| MARPLAN 10 MG TABLET <b>MO</b>                                              | 4    |                                     |
| mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING <b>MO</b>            | 4    | QL(30 per 30 days)                  |
| mirtazapine 15 mg, 30 mg, 7.5 mg TABLET <b>GC,MO</b>                        | 2    |                                     |
| mirtazapine 45 mg TABLET <b>GC,MO</b>                                       | 2    |                                     |
| nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET <b>MO</b>           | 4    |                                     |
| nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>                  | 4    |                                     |
| nortriptyline 10 mg/5 ml SOLUTION <b>MO</b>                                 | 4    |                                     |
| paroxetine hcl 10 mg TABLET <b>GC,MO</b>                                    | 1    | QL(30 per 30 days)                  |
| paroxetine hcl 10 mg/5 ml SUSPENSION <b>MO</b>                              | 4    |                                     |
| paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>                 | 4    | QL(60 per 30 days)                  |
| paroxetine hcl 20 mg TABLET <b>GC,MO</b>                                    | 1    | QL(30 per 30 days)                  |
| paroxetine hcl 25 mg TABLET, ER 24 HR. <b>MO</b>                            | 4    | QL(90 per 30 days)                  |
| paroxetine hcl 30 mg, 40 mg TABLET <b>GC,MO</b>                             | 1    | QL(60 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                  | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------|------|-------------------------------------|
| perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg<br>TABLET <b>MO</b> | 4    |                                     |
| phenelzine 15 mg TABLET <b>MO</b>                                                          | 3    |                                     |
| protriptyline 10 mg, 5 mg TABLET <b>MO</b>                                                 | 4    |                                     |
| sertraline 100 mg TABLET <b>MO</b>                                                         | 6    | QL(60 per 30 days)                  |
| sertraline 20 mg/ml CONCENTRATE <b>MO</b>                                                  | 4    |                                     |
| sertraline 25 mg, 50 mg TABLET <b>MO</b>                                                   | 6    | QL(90 per 30 days)                  |
| tranylcypromine 10 mg TABLET <b>MO</b>                                                     | 4    |                                     |
| trazodone 100 mg, 150 mg, 50 mg TABLET <b>MO</b>                                           | 6    |                                     |
| trazodone 300 mg TABLET <b>MO</b>                                                          | 3    |                                     |
| trimipramine 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>                                        | 4    |                                     |
| TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>                                             | 4    | ST,QL(30 per 30 days)               |
| venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET <b>GC,MO</b>                       | 2    |                                     |
| venlafaxine 150 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                         | 2    | QL(60 per 30 days)                  |
| venlafaxine 37.5 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                        | 2    | QL(90 per 30 days)                  |
| venlafaxine 75 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                          | 2    | QL(90 per 30 days)                  |
| VIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK <b>MO</b>                                  | 4    | PA,QL(30 per 30 days)               |
| vilazodone 10 mg, 20 mg, 40 mg TABLET <b>MO</b>                                            | 4    | PA,QL(30 per 30 days)               |
| ZURZUVAE 20 MG, 25 MG CAPSULE <b>DL</b>                                                    | 5    | PA,QL(28 per 365 days)              |
| ZURZUVAE 30 MG CAPSULE <b>DL</b>                                                           | 5    | PA,QL(14 per 365 days)              |
| <b>ANTIEMETICS</b>                                                                         |      |                                     |
| aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK <b>MO</b>                              | 4    | BvsD                                |
| aprepitant 125 mg, 40 mg CAPSULE <b>MO</b>                                                 | 4    | BvsD,QL(2 per 28 days)              |
| aprepitant 80 mg CAPSULE <b>MO</b>                                                         | 4    | BvsD,QL(4 per 28 days)              |
| compro 25 mg SUPPOSITORY <b>MO</b>                                                         | 4    |                                     |
| dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>                                           | 4    | BvsD,QL(120 per 30 days)            |
| granisetron (pf) 1 mg/ml (1 ml) SOLUTION <b>MO</b>                                         | 4    |                                     |
| granisetron (pf) 100 mcg/ml SOLUTION <b>MO</b>                                             | 3    |                                     |
| granisetron hcl 1 mg TABLET <b>MO</b>                                                      | 3    | BvsD,QL(28 per 28 days)             |
| granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION <b>MO</b>                                 | 3    |                                     |
| meclizine 12.5 mg TABLET <b>MO</b>                                                         | 3    |                                     |
| meclizine 25 mg TABLET <b>MO</b>                                                           | 3    |                                     |
| metoclopramide hcl 10 mg, 5 mg TABLET <b>GC,MO</b>                                         | 1    |                                     |
| ondansetron 4 mg TABLET, DISINTEGRATING <b>GC,MO</b>                                       | 2    | BvsD                                |
| ondansetron 8 mg TABLET, DISINTEGRATING <b>GC,MO</b>                                       | 2    | BvsD                                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------|------|-------------------------------------|
| ondansetron hcl 2 mg/ml SOLUTION <b>MO</b>                                                   | 4    |                                     |
| ondansetron hcl 4 mg TABLET <b>GC,MO</b>                                                     | 2    | BvsD                                |
| ondansetron hcl 4 mg/5 ml SOLUTION <b>MO</b>                                                 | 4    | BvsD,QL(450 per 30 days)            |
| ondansetron hcl 8 mg TABLET <b>GC,MO</b>                                                     | 2    | BvsD                                |
| ondansetron hcl (pf) 4 mg/2 ml SOLUTION <b>MO</b>                                            | 4    |                                     |
| ondansetron hcl (pf) 4 mg/2 ml SYRINGE <b>MO</b>                                             | 4    |                                     |
| prochlorperazine 25 mg SUPPOSITORY <b>MO</b>                                                 | 4    |                                     |
| prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION <b>MO</b>                  | 4    |                                     |
| prochlorperazine maleate 10 mg, 5 mg TABLET <b>GC,MO</b>                                     | 2    | BvsD                                |
| promethazine 12.5 mg, 50 mg TABLET <b>GC,MO</b>                                              | 2    |                                     |
| promethazine 25 mg TABLET <b>GC,MO</b>                                                       | 2    |                                     |
| SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY <b>DL</b>                                               | 5    | QL(4 per 30 days)                   |
| scopolamine base 1 mg over 3 days PATCH, 3 DAY <b>MO</b>                                     | 4    | QL(10 per 30 days)                  |
| trimethobenzamide 300 mg CAPSULE <b>MO</b>                                                   | 4    | BvsD                                |
| <b>ANTIFUNGALS</b>                                                                           |      |                                     |
| ABELCET 5 MG/ML SUSPENSION <b>MO</b>                                                         | 4    | BvsD                                |
| amphotericin b 50 mg RECON SOLUTION <b>MO</b>                                                | 4    | BvsD                                |
| amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>                        | 5    | BvsD                                |
| caspofungin 50 mg RECON SOLUTION <b>DL</b>                                                   | 5    |                                     |
| caspofungin 70 mg RECON SOLUTION <b>MO</b>                                                   | 4    |                                     |
| ciclodan 8 % SOLUTION <b>GC,MO</b>                                                           | 2    | QL(13.2 per 30 days)                |
| ciclopirox 0.77 % CREAM <b>GC,MO</b>                                                         | 2    | QL(90 per 30 days)                  |
| ciclopirox 0.77 % GEL <b>MO</b>                                                              | 4    | QL(100 per 30 days)                 |
| ciclopirox 0.77 % SUSPENSION <b>MO</b>                                                       | 4    | QL(60 per 30 days)                  |
| ciclopirox 8 % SOLUTION <b>GC,MO</b>                                                         | 2    | QL(13.2 per 30 days)                |
| clotrimazole 1 % CREAM <b>GC,MO</b>                                                          | 2    |                                     |
| clotrimazole 1 % SOLUTION <b>MO</b>                                                          | 3    |                                     |
| clotrimazole 10 mg TROCHE <b>GC,MO</b>                                                       | 2    |                                     |
| clotrimazole-betamethasone 1-0.05 % CREAM <b>MO</b>                                          | 3    | QL(180 per 30 days)                 |
| clotrimazole-betamethasone 1-0.05 % LOTION <b>MO</b>                                         | 4    | QL(90 per 28 days)                  |
| fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>                       | 3    |                                     |
| fluconazole 100 mg, 200 mg, 50 mg TABLET <b>GC,MO</b>                                        | 2    |                                     |
| fluconazole 150 mg TABLET <b>GC,MO</b>                                                       | 2    |                                     |
| fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b> | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                   | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------|------|-------------------------------------|
| flucytosine 250 mg, 500 mg CAPSULE <b>DL</b>                                | 5    |                                     |
| griseofulvin microsize 125 mg/5 ml SUSPENSION <b>MO</b>                     | 4    |                                     |
| griseofulvin microsize 500 mg TABLET <b>MO</b>                              | 4    |                                     |
| griseofulvin ultramicrosize 125 mg, 250 mg TABLET <b>MO</b>                 | 4    |                                     |
| itraconazole 100 mg CAPSULE <b>MO</b>                                       | 4    | QL(120 per 30 days)                 |
| ketoconazole 2 % CREAM <b>MO</b>                                            | 3    | QL(60 per 30 days)                  |
| ketoconazole 2 % SHAMPOO <b>GC,MO</b>                                       | 2    | QL(120 per 30 days)                 |
| ketoconazole 200 mg TABLET <b>MO</b>                                        | 4    | PA                                  |
| miconazole-3 200 mg SUPPOSITORY <b>MO</b>                                   | 3    |                                     |
| NOXAFIL 300 MG SUSPENSION, DR FOR RECON <b>DL</b>                           | 5    | PA,QL(32 per 30 days)               |
| nystatin 100,000 unit/gram CREAM <b>GC,MO</b>                               | 2    |                                     |
| nystatin 100,000 unit/gram OINTMENT <b>GC,MO</b>                            | 2    |                                     |
| nystatin 100,000 unit/ml SUSPENSION <b>GC,MO</b>                            | 2    |                                     |
| nystatin 500,000 unit TABLET <b>MO</b>                                      | 3    |                                     |
| nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM <b>MO</b>                 | 4    |                                     |
| nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT <b>MO</b>           | 4    |                                     |
| posaconazole 100 mg TABLET, DR/EC <b>DL</b>                                 | 5    | PA                                  |
| posaconazole 300 mg/16.7 ml SOLUTION <b>DL</b>                              | 5    | PA                                  |
| terbinafine hcl 250 mg TABLET <b>GC,MO</b>                                  | 1    |                                     |
| terconazole 0.4 %, 0.8 % CREAM <b>GC,MO</b>                                 | 2    |                                     |
| terconazole 80 mg SUPPOSITORY <b>MO</b>                                     | 4    |                                     |
| voriconazole 200 mg RECON SOLUTION <b>MO</b>                                | 4    | PA                                  |
| voriconazole 200 mg, 50 mg TABLET <b>MO</b>                                 | 4    | PA,QL(120 per 30 days)              |
| voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION <b>DL</b> | 5    | PA,QL(400 per 30 days)              |
| <b>ANTIGOUT AGENTS</b>                                                      |      |                                     |
| allopurinol 100 mg, 300 mg TABLET <b>GC,MO</b>                              | 2    |                                     |
| colchicine 0.6 mg TABLET <b>MO</b>                                          | 3    | QL(120 per 30 days)                 |
| MITIGARE 0.6 MG CAPSULE <b>MO</b>                                           | 3    |                                     |
| probenecid 500 mg TABLET <b>MO</b>                                          | 3    |                                     |
| probenecid-colchicine 500-0.5 mg TABLET <b>MO</b>                           | 3    |                                     |
| <b>ANTIMIGRAINE AGENTS</b>                                                  |      |                                     |
| AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR <b>MO</b>                      | 4    | PA,QL(1 per 28 days)                |
| AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR <b>MO</b>                       | 4    | PA,QL(2 per 28 days)                |
| dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL <b>DL</b>   | 5    | PA,QL(8 per 30 days)                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                          | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------|------|-------------------------------------|
| EMGALITY PEN 120 MG/ML PEN INJECTOR <b>MO</b>                      | 4    | PA,QL(2 per 30 days)                |
| EMGALITY SYRINGE 120 MG/ML SYRINGE <b>MO</b>                       | 4    | PA,QL(2 per 30 days)                |
| EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE <b>MO</b>     | 4    | PA,QL(3 per 30 days)                |
| EPRONTIA 25 MG/ML SOLUTION <b>MO</b>                               | 4    | PA,QL(480 per 30 days)              |
| ergotamine-caffeine 1-100 mg TABLET <b>MO</b>                      | 3    | QL(40 per 30 days)                  |
| naratriptan 1 mg, 2.5 mg TABLET <b>MO</b>                          | 3    | QL(9 per 30 days)                   |
| QULIPTA 10 MG, 30 MG, 60 MG TABLET <b>MO</b>                       | 4    | PA,QL(30 per 30 days)               |
| rizatriptan 10 mg TABLET <b>GC,MO</b>                              | 2    | QL(12 per 30 days)                  |
| rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>           | 3    | QL(12 per 30 days)                  |
| rizatriptan 5 mg TABLET <b>GC,MO</b>                               | 2    | QL(12 per 30 days)                  |
| sumatriptan succinate 100 mg TABLET <b>GC,MO</b>                   | 2    | QL(9 per 30 days)                   |
| sumatriptan succinate 25 mg, 50 mg TABLET <b>GC,MO</b>             | 2    | QL(9 per 30 days)                   |
| sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE <b>MO</b> | 4    | QL(6 per 30 days)                   |
| sumatriptan succinate 6 mg/0.5 ml SYRINGE <b>MO</b>                | 4    | QL(6 per 30 days)                   |
| topiramate 100 mg, 200 mg TABLET <b>GC,MO</b>                      | 2    | QL(120 per 30 days)                 |
| topiramate 15 mg, 25 mg CAPSULE, SPRINKLE <b>MO</b>                | 3    |                                     |
| topiramate 25 mg TABLET <b>GC,MO</b>                               | 2    | QL(90 per 30 days)                  |
| topiramate 50 mg TABLET <b>GC,MO</b>                               | 2    | QL(120 per 30 days)                 |
| <b>ANTIMYASTHENIC AGENTS</b>                                       |      |                                     |
| pyridostigmine bromide 30 mg, 60 mg TABLET <b>MO</b>               | 3    |                                     |
| <b>ANTIMYCOBACTERIALS</b>                                          |      |                                     |
| cycloserine 250 mg CAPSULE <b>DL</b>                               | 5    |                                     |
| dapsone 100 mg, 25 mg TABLET <b>MO</b>                             | 3    |                                     |
| ethambutol 100 mg, 400 mg TABLET <b>MO</b>                         | 3    |                                     |
| isoniazid 100 mg, 300 mg TABLET <b>GC,MO</b>                       | 1    |                                     |
| isoniazid 50 mg/5 ml SOLUTION <b>MO</b>                            | 4    |                                     |
| PASER 4 GRAM DR GRANULES IN PACKET <b>MO</b>                       | 4    |                                     |
| PRIFTIN 150 MG TABLET <b>MO</b>                                    | 4    |                                     |
| pyrazinamide 500 mg TABLET <b>MO</b>                               | 4    |                                     |
| rifabutin 150 mg CAPSULE <b>MO</b>                                 | 4    |                                     |
| rifampin 150 mg, 300 mg CAPSULE <b>MO</b>                          | 3    |                                     |
| rifampin 600 mg RECON SOLUTION <b>MO</b>                           | 4    |                                     |
| SIRTURO 100 MG, 20 MG TABLET <b>DL</b>                             | 5    | PA                                  |
| TRECTOR 250 MG TABLET <b>MO</b>                                    | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                     | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------|------|-------------------------------------|
| <b>ANTINEOPLASTICS</b>                                        |      |                                     |
| <i>abiraterone 250 mg TABLET</i> <b>DL</b>                    | 5    | PA,QL(120 per 30 days)              |
| AKEEGA 100-500 MG, 50-500 MG TABLET <b>DL</b>                 | 5    | PA,QL(60 per 30 days)               |
| ALECENSA 150 MG CAPSULE <b>DL</b>                             | 5    | PA,QL(240 per 30 days)              |
| ALUNBRIG 180 MG, 90 MG TABLET <b>DL</b>                       | 5    | PA,QL(30 per 30 days)               |
| ALUNBRIG 30 MG TABLET <b>DL</b>                               | 5    | PA,QL(180 per 30 days)              |
| ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK <b>DL</b>   | 5    | PA,QL(30 per 30 days)               |
| <i>anastrozole 1 mg TABLET</i> <b>GC,MO</b>                   | 1    | QL(30 per 30 days)                  |
| AUGTYRO 40 MG CAPSULE <b>DL</b>                               | 5    | PA,QL(240 per 30 days)              |
| AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET <b>DL</b> | 5    | PA,QL(30 per 30 days)               |
| BALVERSA 3 MG TABLET <b>DL</b>                                | 5    | PA,QL(90 per 30 days)               |
| BALVERSA 4 MG TABLET <b>DL</b>                                | 5    | PA,QL(60 per 30 days)               |
| BALVERSA 5 MG TABLET <b>DL</b>                                | 5    | PA,QL(30 per 30 days)               |
| <i>bexarotene 1 % GEL</i> <b>DL</b>                           | 5    | PA,QL(240 per 30 days)              |
| <i>bexarotene 75 mg CAPSULE</i> <b>DL</b>                     | 5    | PA,QL(300 per 30 days)              |
| <i>bicalutamide 50 mg TABLET</i> <b>MO</b>                    | 3    | QL(30 per 30 days)                  |
| BOSULIF 100 MG CAPSULE <b>DL</b>                              | 5    | PA,QL(180 per 30 days)              |
| BOSULIF 100 MG TABLET <b>DL</b>                               | 5    | PA,QL(120 per 30 days)              |
| BOSULIF 400 MG, 500 MG TABLET <b>DL</b>                       | 5    | PA,QL(30 per 30 days)               |
| BOSULIF 50 MG CAPSULE <b>DL</b>                               | 5    | PA,QL(360 per 30 days)              |
| BRAFTOVI 75 MG CAPSULE <b>DL</b>                              | 5    | PA,QL(180 per 30 days)              |
| BRUKINSA 80 MG CAPSULE <b>DL</b>                              | 5    | PA,QL(120 per 30 days)              |
| CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL</b>                | 5    | PA,QL(30 per 30 days)               |
| CALQUENCE 100 MG CAPSULE <b>DL</b>                            | 5    | PA,QL(60 per 30 days)               |
| CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET <b>DL</b>         | 5    | PA,QL(60 per 30 days)               |
| CAPRELSA 100 MG TABLET <b>DL,LA</b>                           | 5    | PA,QL(60 per 30 days)               |
| CAPRELSA 300 MG TABLET <b>DL,LA</b>                           | 5    | PA,QL(30 per 30 days)               |
| COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE <b>DL</b>      | 5    | PA,QL(56 per 28 days)               |
| COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE <b>DL</b>      | 5    | PA,QL(112 per 28 days)              |
| COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE <b>DL</b>          | 5    | PA,QL(84 per 28 days)               |
| COPIKTRA 15 MG, 25 MG CAPSULE <b>DL</b>                       | 5    | PA,QL(56 per 28 days)               |
| COTELLIC 20 MG TABLET <b>DL</b>                               | 5    | PA,QL(63 per 28 days)               |
| <i>cyclophosphamide 25 mg, 50 mg CAPSULE</i> <b>MO</b>        | 4    | BvsD                                |
| <i>cyclophosphamide 25 mg, 50 mg TABLET</i> <b>MO</b>         | 3    | BvsD                                |
| <i>dasatinib 100 mg, 50 mg, 70 mg, 80 mg TABLET</i> <b>DL</b> | 5    | PA,QL(60 per 30 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------|------|-------------------------------------|
| <i>dasatinib</i> 140 mg TABLET <b>DL</b>                                            | 5    | PA,QL(30 per 30 days)               |
| <i>dasatinib</i> 20 mg TABLET <b>DL</b>                                             | 5    | PA,QL(90 per 30 days)               |
| DAURISMO 100 MG TABLET <b>DL</b>                                                    | 5    | PA,QL(30 per 30 days)               |
| DAURISMO 25 MG TABLET <b>DL</b>                                                     | 5    | PA,QL(60 per 30 days)               |
| EMCYT 140 MG CAPSULE <b>MO</b>                                                      | 4    |                                     |
| ERIVEDGE 150 MG CAPSULE <b>DL</b>                                                   | 5    | PA,QL(28 per 28 days)               |
| ERLEADA 240 MG TABLET <b>DL</b>                                                     | 5    | PA,QL(30 per 30 days)               |
| ERLEADA 60 MG TABLET <b>DL</b>                                                      | 5    | PA,QL(120 per 30 days)              |
| <i>erlotinib</i> 100 mg, 150 mg TABLET <b>MO</b>                                    | 4    | PA,QL(30 per 30 days)               |
| <i>erlotinib</i> 25 mg TABLET <b>MO</b>                                             | 4    | PA,QL(90 per 30 days)               |
| EULEXIN 125 MG CAPSULE <b>DL</b>                                                    | 5    | PA                                  |
| <i>everolimus (antineoplastic)</i> 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>     | 5    | PA,QL(30 per 30 days)               |
| <i>everolimus (antineoplastic)</i> 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION <b>DL</b> | 5    | PA                                  |
| exemestane 25 mg TABLET <b>MO</b>                                                   | 4    | QL(60 per 30 days)                  |
| EXKIVITY 40 MG CAPSULE <b>DL</b>                                                    | 5    | PA,QL(120 per 30 days)              |
| <i>flutamide</i> 125 mg CAPSULE <b>MO</b>                                           | 4    |                                     |
| FOTIVDA 0.89 MG, 1.34 MG CAPSULE <b>DL</b>                                          | 5    | PA,QL(21 per 28 days)               |
| FRUZAQLA 1 MG CAPSULE <b>DL</b>                                                     | 5    | PA,QL(84 per 28 days)               |
| FRUZAQLA 5 MG CAPSULE <b>DL</b>                                                     | 5    | PA,QL(21 per 28 days)               |
| GAVRETO 100 MG CAPSULE <b>DL,LA</b>                                                 | 5    | PA,QL(120 per 30 days)              |
| <i>gefitinib</i> 250 mg TABLET <b>DL</b>                                            | 5    | PA                                  |
| GILOTRIF 20 MG, 30 MG, 40 MG TABLET <b>DL,LA</b>                                    | 5    | PA,QL(30 per 30 days)               |
| GLEOSTINE 10 MG, 40 MG CAPSULE                                                      | 5    | PA                                  |
| GLEOSTINE 100 MG CAPSULE <b>DL</b>                                                  | 5    | PA                                  |
| <i>hydroxyurea</i> 500 mg CAPSULE <b>GC,MO</b>                                      | 2    |                                     |
| IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL</b>                                     | 5    | PA,QL(21 per 28 days)               |
| IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL</b>                                      | 5    | PA,QL(21 per 28 days)               |
| ICLUSIG 10 MG, 30 MG, 45 MG TABLET <b>DL</b>                                        | 5    | PA,QL(30 per 30 days)               |
| ICLUSIG 15 MG TABLET <b>DL</b>                                                      | 5    | PA,QL(60 per 30 days)               |
| IDHIFA 100 MG, 50 MG TABLET <b>DL</b>                                               | 5    | PA,QL(30 per 30 days)               |
| <i>imatinib</i> 100 mg TABLET <b>DL</b>                                             | 5    | PA,QL(90 per 30 days)               |
| <i>imatinib</i> 400 mg TABLET <b>DL</b>                                             | 5    | PA,QL(60 per 30 days)               |
| IMBRUVICA 140 MG CAPSULE <b>DL</b>                                                  | 5    | PA,QL(120 per 30 days)              |
| IMBRUVICA 420 MG, 560 MG TABLET <b>DL</b>                                           | 5    | PA,QL(28 per 28 days)               |
| IMBRUVICA 70 MG CAPSULE <b>DL</b>                                                   | 5    | PA,QL(28 per 28 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| IMBRUVICA 70 MG/ML SUSPENSION <b>DL</b>                                                                      | 5    | PA                                  |
| INLYTA 1 MG TABLET <b>DL</b>                                                                                 | 5    | PA,QL(180 per 30 days)              |
| INLYTA 5 MG TABLET <b>DL</b>                                                                                 | 5    | PA,QL(60 per 30 days)               |
| INQOVI 35-100 MG TABLET <b>DL</b>                                                                            | 5    | PA,QL(5 per 28 days)                |
| INREBIC 100 MG CAPSULE <b>DL</b>                                                                             | 5    | PA,QL(120 per 30 days)              |
| IWILFIN 192 MG TABLET <b>DL</b>                                                                              | 5    | PA,QL(240 per 30 days)              |
| JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL</b>                                                     | 5    | PA,QL(60 per 30 days)               |
| JAYPIRCA 100 MG, 50 MG TABLET <b>DL</b>                                                                      | 5    | PA,QL(90 per 30 days)               |
| KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>                                                             | 5    | PA,QL(21 per 28 days)               |
| KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL</b>                                                             | 5    | PA,QL(42 per 28 days)               |
| KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL</b>                                                             | 5    | PA,QL(63 per 28 days)               |
| KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL</b>                                        | 5    | PA,QL(49 per 28 days)               |
| KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL</b>                                        | 5    | PA,QL(70 per 28 days)               |
| KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL</b>                                        | 5    | PA,QL(91 per 28 days)               |
| KOSELUGO 10 MG CAPSULE <b>DL</b>                                                                             | 5    | PA,QL(240 per 30 days)              |
| KOSELUGO 25 MG CAPSULE <b>DL</b>                                                                             | 5    | PA,QL(120 per 30 days)              |
| KRAZATI 200 MG TABLET <b>DL</b>                                                                              | 5    | PA,QL(180 per 30 days)              |
| <i>lapatinib</i> 250 mg TABLET <b>DL</b>                                                                     | 5    | PA,QL(180 per 30 days)              |
| LAZCLUZE 240 MG TABLET <b>DL</b>                                                                             | 5    | PA,QL(30 per 30 days)               |
| LAZCLUZE 80 MG TABLET <b>DL</b>                                                                              | 5    | PA,QL(60 per 30 days)               |
| <i>lenalidomide</i> 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE <b>DL</b>                               | 5    | PA,QL(28 per 28 days)               |
| LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL</b>                                                        | 5    | PA,QL(30 per 30 days)               |
| LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE <b>DL</b> | 5    | PA,QL(90 per 30 days)               |
| LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL</b>          | 5    | PA,QL(60 per 30 days)               |
| <i>letrozole</i> 2.5 mg TABLET <b>GC,MO</b>                                                                  | 2    | QL(30 per 30 days)                  |
| <i>leucovorin calcium</i> 10 mg, 15 mg, 25 mg, 5 mg TABLET <b>GC,MO</b>                                      | 2    |                                     |
| <i>leucovorin calcium</i> 10 mg/ml SOLUTION <b>MO</b>                                                        | 4    |                                     |
| LEUKERAN 2 MG TABLET <b>DL</b>                                                                               | 5    |                                     |
| LONSURF 15-6.14 MG TABLET <b>DL</b>                                                                          | 5    | PA,QL(100 per 30 days)              |
| LONSURF 20-8.19 MG TABLET <b>DL</b>                                                                          | 5    | PA,QL(80 per 30 days)               |
| LORBRENA 100 MG TABLET <b>DL</b>                                                                             | 5    | PA,QL(30 per 30 days)               |
| LORBRENA 25 MG TABLET <b>DL</b>                                                                              | 5    | PA,QL(90 per 30 days)               |
| LUMAKRAS 120 MG TABLET <b>DL</b>                                                                             | 5    | PA,QL(240 per 30 days)              |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                 | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------|------|-------------------------------------|
| LUMAKRAS 320 MG TABLET <b>DL</b>                                                          | 5    | PA,QL(90 per 30 days)               |
| LYNPARZA 100 MG, 150 MG TABLET <b>DL</b>                                                  | 5    | PA,QL(120 per 30 days)              |
| LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET <b>DL</b> | 5    | PA,QL(140 per 28 days)              |
| MATULANE 50 MG CAPSULE <b>DL</b>                                                          | 5    |                                     |
| MEKINIST 0.05 MG/ML RECON SOLUTION <b>DL</b>                                              | 5    | PA,QL(1170 per 28 days)             |
| MEKINIST 0.5 MG TABLET <b>DL</b>                                                          | 5    | PA,QL(120 per 30 days)              |
| MEKINIST 2 MG TABLET <b>DL</b>                                                            | 5    | PA,QL(30 per 30 days)               |
| MEKTOVI 15 MG TABLET <b>DL</b>                                                            | 5    | PA,QL(180 per 30 days)              |
| <i>melfalan</i> 2 mg TABLET <b>MO</b>                                                     | 4    | BvsD                                |
| <i>mercaptopurine</i> 50 mg TABLET <b>MO</b>                                              | 3    |                                     |
| MESNEX 400 MG TABLET <b>MO</b>                                                            | 4    |                                     |
| NERLYNX 40 MG TABLET <b>DL</b>                                                            | 5    | PA,QL(180 per 30 days)              |
| <i>nilutamide</i> 150 mg TABLET <b>DL</b>                                                 | 5    | QL(60 per 30 days)                  |
| NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL</b>                                              | 5    | PA,QL(3 per 28 days)                |
| NUBEQA 300 MG TABLET <b>DL</b>                                                            | 5    | PA,QL(120 per 30 days)              |
| ODOMZO 200 MG CAPSULE <b>DL</b>                                                           | 5    | PA,QL(30 per 30 days)               |
| OGSIVEO 100 MG, 150 MG TABLET <b>DL</b>                                                   | 5    | PA,QL(60 per 30 days)               |
| OGSIVEO 50 MG TABLET <b>DL</b>                                                            | 5    | PA,QL(180 per 30 days)              |
| OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>                                   | 5    | PA,QL(96 per 28 days)               |
| OJEMDA 400 MG/WEEK (100 MG X 4) TABLET <b>DL</b>                                          | 5    | PA,QL(16 per 28 days)               |
| OJEMDA 500 MG/WEEK (100 MG X 5) TABLET <b>DL</b>                                          | 5    | PA,QL(20 per 28 days)               |
| OJEMDA 600 MG/WEEK (100 MG X 6) TABLET <b>DL</b>                                          | 5    | PA,QL(24 per 28 days)               |
| OJJAARA 100 MG, 150 MG, 200 MG TABLET <b>DL</b>                                           | 5    | PA,QL(30 per 30 days)               |
| ONUREG 200 MG, 300 MG TABLET <b>DL</b>                                                    | 5    | PA,QL(14 per 28 days)               |
| ORSERDU 345 MG TABLET <b>DL</b>                                                           | 5    | PA,QL(30 per 30 days)               |
| ORSERDU 86 MG TABLET <b>DL</b>                                                            | 5    | PA,QL(90 per 30 days)               |
| PANRETIN 0.1 % GEL <b>DL</b>                                                              | 5    | PA                                  |
| <i>pazopanib</i> 200 mg TABLET <b>DL</b>                                                  | 5    | PA,QL(120 per 30 days)              |
| PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL</b>                                           | 5    | PA,QL(28 per 28 days)               |
| PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>                                           | 5    | PA,QL(28 per 28 days)               |
| PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL</b>          | 5    | PA,QL(56 per 28 days)               |
| POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL</b>                                         | 5    | PA,QL(21 per 28 days)               |
| PURIXAN 20 MG/ML SUSPENSION <b>DL</b>                                                     | 5    | QL(300 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------|------|-------------------------------------|
| QINLOCK 50 MG TABLET <b>DL</b>                                           | 5    | PA,QL(90 per 30 days)               |
| RETEVMO 120 MG, 160 MG, 80 MG TABLET <b>DL</b>                           | 5    | PA,QL(60 per 30 days)               |
| RETEVMO 40 MG CAPSULE <b>DL</b>                                          | 5    | PA,QL(180 per 30 days)              |
| RETEVMO 40 MG TABLET <b>DL</b>                                           | 5    | PA,QL(90 per 30 days)               |
| RETEVMO 80 MG CAPSULE <b>DL</b>                                          | 5    | PA,QL(120 per 30 days)              |
| REZLIDHIA 150 MG CAPSULE <b>DL</b>                                       | 5    | PA,QL(60 per 30 days)               |
| ROZLYTREK 100 MG CAPSULE <b>DL</b>                                       | 5    | PA,QL(150 per 30 days)              |
| ROZLYTREK 200 MG CAPSULE <b>DL</b>                                       | 5    | PA,QL(90 per 30 days)               |
| ROZLYTREK 50 MG PELLETS IN PACKET <b>DL</b>                              | 5    | PA,QL(360 per 30 days)              |
| RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL</b>                          | 5    | PA,QL(120 per 30 days)              |
| RYDAPT 25 MG CAPSULE <b>DL</b>                                           | 5    | PA,QL(224 per 28 days)              |
| SCEMBLIX 100 MG TABLET <b>DL</b>                                         | 5    | PA,QL(120 per 30 days)              |
| SCEMBLIX 20 MG TABLET <b>DL</b>                                          | 5    | PA,QL(60 per 30 days)               |
| SCEMBLIX 40 MG TABLET <b>DL</b>                                          | 5    | PA,QL(300 per 30 days)              |
| SOLTAMOX 20 MG/10 ML SOLUTION <b>DL</b>                                  | 5    |                                     |
| <i>sorafenib 200 mg TABLET</i> <b>DL</b>                                 | 5    | PA,QL(120 per 30 days)              |
| SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>                     | 5    | PA,QL(60 per 30 days)               |
| SPRYCEL 140 MG TABLET <b>DL</b>                                          | 5    | PA,QL(30 per 30 days)               |
| SPRYCEL 20 MG TABLET <b>DL</b>                                           | 5    | PA,QL(90 per 30 days)               |
| STIVARGA 40 MG TABLET <b>DL</b>                                          | 5    | PA,QL(84 per 28 days)               |
| <i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> <b>DL</b> | 5    | PA,QL(28 per 28 days)               |
| SYNRIBO 3.5 MG RECON SOLUTION <b>DL</b>                                  | 5    | PA                                  |
| TABLOID 40 MG TABLET <b>MO</b>                                           | 4    |                                     |
| TABRECTA 150 MG, 200 MG TABLET <b>DL</b>                                 | 5    | PA,QL(112 per 28 days)              |
| TAFINLAR 10 MG TABLET FOR SUSPENSION <b>DL</b>                           | 5    | PA,QL(840 per 28 days)              |
| TAFINLAR 50 MG CAPSULE <b>DL</b>                                         | 5    | PA,QL(180 per 30 days)              |
| TAFINLAR 75 MG CAPSULE <b>DL</b>                                         | 5    | PA,QL(120 per 30 days)              |
| TAGRISSO 40 MG, 80 MG TABLET <b>DL</b>                                   | 5    | PA,QL(30 per 30 days)               |
| TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE <b>DL</b>        | 5    | PA,QL(30 per 30 days)               |
| TALZENNA 0.25 MG CAPSULE <b>DL</b>                                       | 5    | PA,QL(90 per 30 days)               |
| <i>tamoxifen 10 mg, 20 mg TABLET</i> <b>GC,MO</b>                        | 2    |                                     |
| TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL</b>                          | 5    | PA,QL(120 per 30 days)              |
| TAZVERIK 200 MG TABLET <b>DL</b>                                         | 5    | PA,QL(240 per 30 days)              |
| TEPMETKO 225 MG TABLET <b>DL</b>                                         | 5    | PA,QL(60 per 30 days)               |
| THALOMID 100 MG, 200 MG, 50 MG CAPSULE <b>DL</b>                         | 5    | PA,QL(30 per 30 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                        | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------|------|-------------------------------------|
| THALOMID 150 MG CAPSULE <b>DL</b>                                                | 5    | PA,QL(60 per 30 days)               |
| TIBSOVO 250 MG TABLET <b>DL</b>                                                  | 5    | PA,QL(60 per 30 days)               |
| <i>toremifene</i> 60 mg TABLET <b>DL</b>                                         | 5    | QL(30 per 30 days)                  |
| <i>torpenz</i> 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>                      | 5    | PA,QL(30 per 30 days)               |
| <i>tretinoin (antineoplastic)</i> 10 mg CAPSULE <b>DL</b>                        | 5    |                                     |
| TRUQAP 160 MG, 200 MG TABLET <b>DL</b>                                           | 5    | PA,QL(64 per 28 days)               |
| TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE <b>DL</b>                              | 5    | PA,QL(21 per 28 days)               |
| TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE <b>DL</b> | 5    | PA,QL(42 per 28 days)               |
| TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE <b>DL</b>                                | 5    | PA,QL(63 per 28 days)               |
| TUKYSA 150 MG TABLET <b>DL</b>                                                   | 5    | PA,QL(120 per 30 days)              |
| TUKYSA 50 MG TABLET <b>DL</b>                                                    | 5    | PA,QL(300 per 30 days)              |
| TURALIO 125 MG, 200 MG CAPSULE <b>DL,LA</b>                                      | 5    | PA,QL(120 per 30 days)              |
| VALCHLOR 0.016 % GEL <b>DL</b>                                                   | 5    | PA,QL(60 per 28 days)               |
| VANFLYTA 17.7 MG, 26.5 MG TABLET <b>DL</b>                                       | 5    | PA,QL(56 per 28 days)               |
| VENCLEXTA 10 MG TABLET <b>MO</b>                                                 | 3    | PA,QL(56 per 28 days)               |
| VENCLEXTA 100 MG TABLET <b>DL</b>                                                | 5    | PA,QL(180 per 30 days)              |
| VENCLEXTA 50 MG TABLET <b>MO</b>                                                 | 3    | PA,QL(28 per 28 days)               |
| VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK <b>DL</b>          | 5    | PA,QL(42 per 28 days)               |
| VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL</b>                          | 5    | PA,QL(60 per 30 days)               |
| VISTOGARD 10 GRAM GRANULES IN PACKET <b>DL</b>                                   | 5    | QL(20 per 365 days)                 |
| VITRAKVI 100 MG CAPSULE <b>DL</b>                                                | 5    | PA,QL(60 per 30 days)               |
| VITRAKVI 20 MG/ML SOLUTION <b>DL</b>                                             | 5    | PA,QL(300 per 30 days)              |
| VITRAKVI 25 MG CAPSULE <b>DL</b>                                                 | 5    | PA,QL(180 per 30 days)              |
| VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL</b>                                    | 5    | PA,QL(30 per 30 days)               |
| VONJO 100 MG CAPSULE <b>DL</b>                                                   | 5    | PA,QL(120 per 30 days)              |
| VORANIGO 10 MG TABLET <b>DL</b>                                                  | 5    | PA,QL(60 per 30 days)               |
| VORANIGO 40 MG TABLET <b>DL</b>                                                  | 5    | PA,QL(30 per 30 days)               |
| VOTRIENT 200 MG TABLET <b>DL</b>                                                 | 5    | PA,QL(120 per 30 days)              |
| WELIREG 40 MG TABLET <b>DL</b>                                                   | 5    | PA,QL(90 per 30 days)               |
| XALKORI 150 MG PELLET <b>DL</b>                                                  | 5    | PA,QL(180 per 30 days)              |
| XALKORI 20 MG PELLET <b>DL</b>                                                   | 5    | PA,QL(120 per 30 days)              |
| XALKORI 200 MG, 250 MG CAPSULE <b>DL</b>                                         | 5    | PA,QL(120 per 30 days)              |
| XALKORI 50 MG PELLET <b>DL</b>                                                   | 5    | PA,QL(240 per 30 days)              |
| XOSPATA 40 MG TABLET <b>DL</b>                                                   | 5    | PA,QL(90 per 30 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                            | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET <b>DL</b> | 5    | PA,QL(8 per 28 days)                |
| XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET <b>DL</b>                               | 5    | PA,QL(4 per 28 days)                |
| XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET <b>DL</b>                                                | 5    | PA,QL(24 per 28 days)               |
| XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET <b>DL</b>                                                | 5    | PA,QL(32 per 28 days)               |
| XTANDI 40 MG CAPSULE <b>DL</b>                                                                       | 5    | PA,QL(120 per 30 days)              |
| XTANDI 40 MG TABLET <b>DL</b>                                                                        | 5    | PA,QL(120 per 30 days)              |
| XTANDI 80 MG TABLET <b>DL</b>                                                                        | 5    | PA,QL(60 per 30 days)               |
| ZEJULA 100 MG CAPSULE <b>DL</b>                                                                      | 5    | PA,QL(90 per 30 days)               |
| ZEJULA 100 MG, 200 MG, 300 MG TABLET <b>DL</b>                                                       | 5    | PA,QL(30 per 30 days)               |
| ZELBORAF 240 MG TABLET <b>DL</b>                                                                     | 5    | PA,QL(240 per 30 days)              |
| ZOLINZA 100 MG CAPSULE <b>DL</b>                                                                     | 5    | PA,QL(120 per 30 days)              |
| ZYDELIG 100 MG, 150 MG TABLET <b>DL</b>                                                              | 5    | PA,QL(60 per 30 days)               |
| ZYKADIA 150 MG TABLET <b>DL</b>                                                                      | 5    | PA,QL(150 per 30 days)              |
| <b>ANTIPARASITICS</b>                                                                                |      |                                     |
| albendazole 200 mg TABLET <b>MO</b>                                                                  | 4    |                                     |
| atovaquone 750 mg/5 ml SUSPENSION <b>MO</b>                                                          | 4    |                                     |
| atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET <b>MO</b>                                         | 4    |                                     |
| chloroquine phosphate 250 mg, 500 mg TABLET <b>MO</b>                                                | 4    |                                     |
| COARTEM 20-120 MG TABLET <b>MO</b>                                                                   | 4    | QL(24 per 30 days)                  |
| hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET <b>MO</b>                                           | 3    |                                     |
| hydroxychloroquine 200 mg TABLET <b>MO</b>                                                           | 3    |                                     |
| ivermectin 3 mg TABLET <b>MO</b>                                                                     | 3    |                                     |
| KRINTAFEL 150 MG TABLET <b>MO</b>                                                                    | 3    | QL(4 per 180 days)                  |
| LAMPIT 120 MG, 30 MG TABLET <b>MO</b>                                                                | 4    |                                     |
| mefloquine 250 mg TABLET <b>GC,MO</b>                                                                | 2    |                                     |
| NEBUPENT 300 MG RECON SOLUTION <b>MO</b>                                                             | 4    | BvsD                                |
| nitazoxanide 500 mg TABLET <b>DL</b>                                                                 | 5    |                                     |
| PENTAM 300 MG RECON SOLUTION <b>MO</b>                                                               | 4    |                                     |
| pentamidine 300 mg RECON SOLUTION <b>MO</b>                                                          | 4    |                                     |
| pentamidine 300 mg RECON SOLUTION <b>MO</b>                                                          | 4    | BvsD                                |
| praziquantel 600 mg TABLET <b>MO</b>                                                                 | 4    |                                     |
| primaquine 26.3 mg (15 mg base) TABLET <b>MO</b>                                                     | 3    |                                     |
| pyrimethamine 25 mg TABLET <b>DL</b>                                                                 | 5    | QL(90 per 30 days)                  |
| quinine sulfate 324 mg CAPSULE <b>MO</b>                                                             | 4    | PA,QL(42 per 7 days)                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                        | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| <b>ANTIPARKINSON AGENTS</b>                                                                                                      |      |                                     |
| amantadine hcl 100 mg CAPSULE <b>MO</b>                                                                                          | 4    |                                     |
| amantadine hcl 50 mg/5 ml SOLUTION <b>MO</b>                                                                                     | 3    |                                     |
| benztropine 0.5 mg, 1 mg, 2 mg TABLET <b>GC,MO</b>                                                                               | 2    |                                     |
| bromocriptine 2.5 mg TABLET <b>MO</b>                                                                                            | 4    |                                     |
| carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING <b>MO</b>                                              | 4    |                                     |
| carbidopa-levodopa 10-100 mg, 25-250 mg TABLET <b>GC,MO</b>                                                                      | 2    |                                     |
| carbidopa-levodopa 25-100 mg TABLET <b>GC,MO</b>                                                                                 | 2    |                                     |
| carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER <b>MO</b>                                                                      | 3    |                                     |
| carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET <b>MO</b> | 4    | QL(240 per 30 days)                 |
| carbidopa-levodopa-entacapone 50-200-200 mg TABLET <b>MO</b>                                                                     | 4    |                                     |
| entacapone 200 mg TABLET <b>MO</b>                                                                                               | 3    | QL(300 per 30 days)                 |
| INBRIJA 42 MG CAPSULE <b>DL</b>                                                                                                  | 5    | PA,QL(300 per 30 days)              |
| INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>                                                                             | 5    | PA,QL(300 per 30 days)              |
| pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET <b>GC,MO</b>                                                 | 2    |                                     |
| rasagiline 0.5 mg, 1 mg TABLET <b>MO</b>                                                                                         | 4    | PA,QL(30 per 30 days)               |
| ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET <b>GC,MO</b>                                                     | 2    |                                     |
| RYTARY 23.75-95 MG CAPSULE, ER <b>MO</b>                                                                                         | 4    | ST,QL(360 per 30 days)              |
| RYTARY 36.25-145 MG CAPSULE, ER <b>MO</b>                                                                                        | 4    | ST,QL(270 per 30 days)              |
| RYTARY 48.75-195 MG CAPSULE, ER <b>MO</b>                                                                                        | 4    | ST,QL(360 per 30 days)              |
| RYTARY 61.25-245 MG CAPSULE, ER <b>MO</b>                                                                                        | 4    | ST,QL(300 per 30 days)              |
| selegiline hcl 5 mg CAPSULE <b>MO</b>                                                                                            | 3    |                                     |
| selegiline hcl 5 mg TABLET <b>MO</b>                                                                                             | 3    |                                     |
| trihexyphenidyl 0.4 mg/ml ELIXIR <b>MO</b>                                                                                       | 3    |                                     |
| trihexyphenidyl 2 mg, 5 mg TABLET <b>MO</b>                                                                                      | 3    |                                     |
| <b>ANTIPSYCHOTICS</b>                                                                                                            |      |                                     |
| ABILIFY ASIMTUFI 720 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>MO</b>                                                                 | 4    | QL(2.4 per 56 days)                 |
| ABILIFY ASIMTUFI 960 MG/3.2 ML SUSPENSION, ER, SYRINGE <b>MO</b>                                                                 | 4    | QL(3.2 per 56 days)                 |
| ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON <b>DL</b>                                                                  | 4    | QL(1 per 28 days)                   |
| ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE <b>DL</b>                                                                | 4    | QL(1 per 28 days)                   |
| aripiprazole 1 mg/ml SOLUTION <b>MO</b>                                                                                          | 4    | QL(750 per 30 days)                 |
| aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING <b>MO</b>                                                                       | 4    | QL(60 per 30 days)                  |
| aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b>                                                             | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                     | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE <b>MO</b>                    | 4    | QL(3.9 per 56 days)                 |
| ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE <b>DL</b>                      | 4    | QL(1.6 per 28 days)                 |
| ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>                      | 4    | QL(2.4 per 28 days)                 |
| ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE <b>DL</b>                      | 4    | QL(3.2 per 28 days)                 |
| ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>               | 4    | QL(2.4 per 42 days)                 |
| asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET <b>MO</b>             | 4    | PA,QL(60 per 30 days)               |
| CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE <b>DL</b>                               | 4    | PA,QL(30 per 30 days)               |
| chlorpromazine 10 mg, 25 mg TABLET <b>MO</b>                                  | 4    | BvsD                                |
| chlorpromazine 100 mg, 200 mg, 50 mg TABLET <b>MO</b>                         | 4    |                                     |
| chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE <b>MO</b>                      | 4    |                                     |
| clozapine 100 mg TABLET <b>MO</b>                                             | 3    | QL(270 per 30 days)                 |
| clozapine 100 mg TABLET, DISINTEGRATING <b>MO</b>                             | 4    | PA,QL(270 per 30 days)              |
| clozapine 12.5 mg TABLET, DISINTEGRATING <b>MO</b>                            | 4    | PA                                  |
| clozapine 150 mg TABLET, DISINTEGRATING <b>MO</b>                             | 4    | PA,QL(180 per 30 days)              |
| clozapine 200 mg TABLET <b>MO</b>                                             | 3    | QL(135 per 30 days)                 |
| clozapine 200 mg TABLET, DISINTEGRATING <b>MO</b>                             | 4    | PA,QL(135 per 30 days)              |
| clozapine 25 mg TABLET <b>MO</b>                                              | 3    | QL(1080 per 30 days)                |
| clozapine 25 mg TABLET, DISINTEGRATING <b>MO</b>                              | 4    | PA,QL(1080 per 30 days)             |
| clozapine 50 mg TABLET <b>MO</b>                                              | 3    |                                     |
| FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>            | 4    | PA,QL(60 per 30 days)               |
| FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK <b>MO</b>               | 4    | PA,QL(56 per 28 days)               |
| fluphenazine decanoate 25 mg/ml SOLUTION <b>MO</b>                            | 4    |                                     |
| fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>                   | 4    |                                     |
| fluphenazine hcl 2.5 mg/5 ml ELIXIR <b>MO</b>                                 | 4    |                                     |
| fluphenazine hcl 2.5 mg/ml SOLUTION <b>MO</b>                                 | 4    |                                     |
| fluphenazine hcl 5 mg/ml CONCENTRATE <b>MO</b>                                | 4    |                                     |
| haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET <b>GC,MO</b>        | 2    |                                     |
| haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION <b>MO</b>                  | 4    |                                     |
| haloperidol lactate 2 mg/ml CONCENTRATE <b>GC,MO</b>                          | 2    |                                     |
| haloperidol lactate 5 mg/ml SOLUTION <b>MO</b>                                | 4    |                                     |
| haloperidol lactate 5 mg/ml SYRINGE <b>MO</b>                                 | 4    |                                     |
| INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE <b>MO</b>                              | 4    | QL(3.5 per 180 days)                |
| INVEGA HAFYERA 1,560 MG/5 ML SYRINGE <b>MO</b>                                | 4    | QL(5 per 180 days)                  |
| INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE <b>DL</b> | 4    | QL(1.5 per 28 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------|------|-------------------------------------|
| INVEGA SUSTENNA 156 MG/ML SYRINGE <b>DL</b>                           | 4    | QL(1 per 28 days)                   |
| INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE <b>MO</b>                       | 4    | QL(1.5 per 28 days)                 |
| INVEGA TRINZA 273 MG/0.88 ML SYRINGE <b>MO</b>                        | 4    | QL(0.88 per 90 days)                |
| INVEGA TRINZA 410 MG/1.32 ML SYRINGE <b>MO</b>                        | 4    | QL(1.32 per 90 days)                |
| INVEGA TRINZA 546 MG/1.75 ML SYRINGE <b>MO</b>                        | 4    | QL(1.75 per 90 days)                |
| INVEGA TRINZA 819 MG/2.63 ML SYRINGE <b>MO</b>                        | 4    | QL(2.63 per 90 days)                |
| loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE <b>GC,MO</b>     | 2    |                                     |
| lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET <b>GC,MO</b>            | 2    | QL(30 per 30 days)                  |
| lurasidone 80 mg TABLET <b>GC,MO</b>                                  | 2    | QL(60 per 30 days)                  |
| LYBALVI 10-10 MG, 15-10 MG, 20-10 MG TABLET <b>DL</b>                 | 4    | PA,QL(30 per 30 days)               |
| LYBALVI 5-10 MG TABLET <b>DL</b>                                      | 5    | PA,QL(30 per 30 days)               |
| molindone 10 mg TABLET <b>MO</b>                                      | 4    | PA,QL(240 per 30 days)              |
| molindone 25 mg TABLET <b>MO</b>                                      | 4    | PA,QL(270 per 30 days)              |
| molindone 5 mg TABLET <b>MO</b>                                       | 4    | PA,QL(360 per 30 days)              |
| NUPLAZID 10 MG TABLET <b>DL</b>                                       | 5    | PA,QL(30 per 30 days)               |
| NUPLAZID 34 MG CAPSULE <b>DL</b>                                      | 5    | PA,QL(30 per 30 days)               |
| olanzapine 10 mg RECON SOLUTION <b>MO</b>                             | 4    |                                     |
| olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b> | 3    |                                     |
| olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>               | 4    | QL(30 per 30 days)                  |
| olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING <b>MO</b>              | 4    | QL(60 per 30 days)                  |
| paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. <b>MO</b>           | 4    | QL(30 per 30 days)                  |
| paliperidone 6 mg TABLET, ER 24 HR. <b>MO</b>                         | 4    | QL(60 per 30 days)                  |
| perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>                 | 4    |                                     |
| PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE <b>DL</b>              | 4    | QL(1 per 28 days)                   |
| pimozide 1 mg, 2 mg TABLET <b>MO</b>                                  | 4    |                                     |
| quetiapine 100 mg TABLET <b>GC,MO</b>                                 | 2    | QL(90 per 30 days)                  |
| quetiapine 150 mg TABLET <b>GC,MO</b>                                 | 2    | QL(30 per 30 days)                  |
| quetiapine 150 mg TABLET, ER 24 HR. <b>MO</b>                         | 4    | QL(90 per 30 days)                  |
| quetiapine 200 mg TABLET <b>GC,MO</b>                                 | 2    | QL(120 per 30 days)                 |
| quetiapine 200 mg TABLET, ER 24 HR. <b>MO</b>                         | 4    | QL(30 per 30 days)                  |
| quetiapine 25 mg, 50 mg TABLET <b>GC,MO</b>                           | 2    | QL(120 per 30 days)                 |
| quetiapine 300 mg, 400 mg TABLET <b>GC,MO</b>                         | 2    | QL(60 per 30 days)                  |
| quetiapine 300 mg, 400 mg TABLET, ER 24 HR. <b>MO</b>                 | 4    | QL(60 per 30 days)                  |
| quetiapine 50 mg TABLET, ER 24 HR. <b>MO</b>                          | 4    | QL(120 per 30 days)                 |
| REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>MO</b>      | 4    | PA,QL(30 per 30 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                      | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------|------|-------------------------------------|
| RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON <b>MO</b>      | 4    | QL(2 per 28 days)                   |
| RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON <b>DL</b>      | 4    | QL(2 per 28 days)                   |
| risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET <b>GC,MO</b>                | 1    | QL(60 per 30 days)                  |
| risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING <b>MO</b>   | 4    | ST,QL(60 per 30 days)               |
| risperidone 0.5 mg TABLET <b>GC,MO</b>                                         | 1    | QL(120 per 30 days)                 |
| risperidone 0.5 mg TABLET, DISINTEGRATING <b>MO</b>                            | 4    | ST,QL(120 per 30 days)              |
| risperidone 1 mg/ml SOLUTION <b>GC,MO</b>                                      | 2    |                                     |
| SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. <b>DL</b> | 4    | PA,QL(30 per 30 days)               |
| thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET <b>MO</b>                      | 3    |                                     |
| thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>                          | 4    |                                     |
| trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET <b>MO</b>                       | 3    |                                     |
| VERSACLOZ 50 MG/ML SUSPENSION <b>DL</b>                                        | 4    | PA,QL(540 per 30 days)              |
| VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK <b>MO</b>                      | 4    | PA                                  |
| VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE <b>DL</b>                           | 4    | PA,QL(30 per 30 days)               |
| ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE <b>MO</b>                   | 4    |                                     |
| ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION <b>MO</b>           | 4    |                                     |
| ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>                | 4    | QL(4 per 28 days)                   |
| ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>                | 4    | QL(2 per 28 days)                   |
| ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>                | 4    | QL(1 per 28 days)                   |
| <b>ANTISPASTICITY AGENTS</b>                                                   |      |                                     |
| baclofen 10 mg TABLET <b>GC,MO</b>                                             | 2    |                                     |
| baclofen 20 mg TABLET <b>GC,MO</b>                                             | 2    |                                     |
| baclofen 5 mg TABLET <b>GC,MO</b>                                              | 2    | QL(90 per 30 days)                  |
| dantrolene 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>                              | 4    |                                     |
| tizanidine 2 mg, 4 mg TABLET <b>GC,MO</b>                                      | 1    |                                     |
| <b>ANTIVIRALS</b>                                                              |      |                                     |
| abacavir 20 mg/ml SOLUTION <b>MO</b>                                           | 4    | QL(960 per 30 days)                 |
| abacavir 300 mg TABLET <b>MO</b>                                               | 4    | QL(60 per 30 days)                  |
| abacavir-lamivudine 600-300 mg TABLET <b>MO</b>                                | 4    | QL(30 per 30 days)                  |
| acyclovir 200 mg CAPSULE <b>GC,MO</b>                                          | 1    |                                     |
| acyclovir 400 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| acyclovir 5 % OINTMENT <b>MO</b>                                               | 4    | PA,QL(30 per 30 days)               |
| acyclovir 800 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION <b>MO</b>                     | 4    | BvsD                                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                          | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| acyclovir sodium 50 mg/ml SOLUTION <b>MO</b>                                                       | 4    | BvsD                                |
| adefovir 10 mg TABLET <b>MO</b>                                                                    | 4    |                                     |
| APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER <b>DL</b>                                          | 5    | QL(21 per 365 days)                 |
| APTIVUS 250 MG CAPSULE <b>DL</b>                                                                   | 5    | QL(120 per 30 days)                 |
| atazanavir 150 mg, 200 mg CAPSULE <b>MO</b>                                                        | 4    | QL(60 per 30 days)                  |
| atazanavir 300 mg CAPSULE <b>MO</b>                                                                | 4    | QL(30 per 30 days)                  |
| BARACLUDE 0.05 MG/ML SOLUTION <b>MO</b>                                                            | 4    | QL(630 per 30 days)                 |
| BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET <b>DL</b>                                               | 5    | QL(30 per 30 days)                  |
| CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER <b>DL</b>               | 5    | QL(50 per 365 days)                 |
| CIMDUO 300-300 MG TABLET <b>DL</b>                                                                 | 5    | QL(30 per 30 days)                  |
| COMPLERA 200-25-300 MG TABLET <b>DL</b>                                                            | 5    | QL(30 per 30 days)                  |
| darunavir 600 mg TABLET <b>DL</b>                                                                  | 5    | QL(60 per 30 days)                  |
| darunavir 800 mg TABLET <b>DL</b>                                                                  | 5    | QL(30 per 30 days)                  |
| DELSTRIGO 100-300-300 MG TABLET <b>DL</b>                                                          | 5    | QL(30 per 30 days)                  |
| DESCOVY 120-15 MG TABLET <b>DL</b>                                                                 | 5    | QL(30 per 30 days)                  |
| DESCOVY 200-25 MG TABLET <b>DL</b>                                                                 | 5    | QL(30 per 30 days)                  |
| didanosine 250 mg, 400 mg CAPSULE, DR/EC <b>MO</b>                                                 | 4    | QL(30 per 30 days)                  |
| DOVATO 50-300 MG TABLET <b>DL</b>                                                                  | 5    | QL(30 per 30 days)                  |
| EDURANT 25 MG TABLET <b>DL</b>                                                                     | 5    | QL(30 per 30 days)                  |
| efavirenz 200 mg CAPSULE <b>MO</b>                                                                 | 4    | QL(120 per 30 days)                 |
| efavirenz 50 mg CAPSULE <b>MO</b>                                                                  | 4    | QL(480 per 30 days)                 |
| efavirenz 600 mg TABLET <b>MO</b>                                                                  | 4    | QL(30 per 30 days)                  |
| efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET <b>DL</b>                                   | 4    | QL(30 per 30 days)                  |
| efavirenz-lamivudine-tenofovir disoproxil fumarate 400-300-300 mg, 600-300-300 mg TABLET <b>DL</b> | 5    | QL(30 per 30 days)                  |
| emtricitabine 200 mg CAPSULE <b>MO</b>                                                             | 4    | QL(30 per 30 days)                  |
| emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET <b>MO</b>      | 4    | QL(30 per 30 days)                  |
| EMTRIVA 10 MG/ML SOLUTION <b>MO</b>                                                                | 4    | QL(680 per 28 days)                 |
| entecavir 0.5 mg, 1 mg TABLET <b>MO</b>                                                            | 4    | QL(30 per 30 days)                  |
| EPCLUSA 150-37.5 MG PELLETS IN PACKET <b>DL</b>                                                    | 5    | PA,QL(28 per 28 days)               |
| EPCLUSA 200-50 MG PELLETS IN PACKET <b>DL</b>                                                      | 5    | PA,QL(56 per 28 days)               |
| EPCLUSA 200-50 MG, 400-100 MG TABLET <b>DL</b>                                                     | 5    | PA,QL(28 per 28 days)               |
| EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION <b>MO</b>                                                 | 4    |                                     |
| etravirine 100 mg TABLET <b>DL</b>                                                                 | 5    | QL(120 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                              | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------|------|-------------------------------------|
| etravirine 200 mg TABLET <b>DL</b>                     | 5    | QL(60 per 30 days)                  |
| EVOTAZ 300-150 MG TABLET <b>DL</b>                     | 5    | QL(30 per 30 days)                  |
| famciclovir 125 mg, 250 mg, 500 mg TABLET <b>MO</b>    | 3    | QL(90 per 30 days)                  |
| fosamprenavir 700 mg TABLET <b>DL</b>                  | 5    | QL(120 per 30 days)                 |
| FUZEON 90 MG RECON SOLUTION <b>DL</b>                  | 5    | QL(60 per 30 days)                  |
| GENVOYA 150-150-200-10 MG TABLET <b>DL</b>             | 5    | QL(30 per 30 days)                  |
| HARVONI 33.75-150 MG PELLETS IN PACKET <b>DL</b>       | 5    | PA,QL(28 per 28 days)               |
| HARVONI 45-200 MG PELLETS IN PACKET <b>DL</b>          | 5    | PA,QL(56 per 28 days)               |
| HARVONI 45-200 MG TABLET <b>DL</b>                     | 5    | PA,QL(28 per 28 days)               |
| HARVONI 90-400 MG TABLET <b>DL</b>                     | 5    | PA,QL(28 per 28 days)               |
| INTELENCE 200 MG TABLET <b>DL</b>                      | 5    | QL(60 per 30 days)                  |
| INTELENCE 25 MG TABLET <b>MO</b>                       | 4    | QL(120 per 30 days)                 |
| ISENTRESS 100 MG CHEWABLE TABLET <b>DL</b>             | 5    | QL(180 per 30 days)                 |
| ISENTRESS 100 MG POWDER IN PACKET <b>MO</b>            | 3    | QL(300 per 30 days)                 |
| ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>              | 4    | QL(180 per 30 days)                 |
| ISENTRESS 400 MG TABLET <b>DL</b>                      | 5    | QL(120 per 30 days)                 |
| ISENTRESS HD 600 MG TABLET <b>DL</b>                   | 5    | QL(60 per 30 days)                  |
| JULUCA 50-25 MG TABLET <b>DL</b>                       | 5    | QL(30 per 30 days)                  |
| lamivudine 10 mg/ml SOLUTION <b>MO</b>                 | 3    | QL(900 per 30 days)                 |
| lamivudine 100 mg TABLET <b>MO</b>                     | 3    | QL(90 per 30 days)                  |
| lamivudine 150 mg TABLET <b>MO</b>                     | 3    | QL(60 per 30 days)                  |
| lamivudine 300 mg TABLET <b>MO</b>                     | 3    | QL(30 per 30 days)                  |
| lamivudine-zidovudine 150-300 mg TABLET <b>MO</b>      | 4    | QL(60 per 30 days)                  |
| LEXIVA 50 MG/ML SUSPENSION <b>MO</b>                   | 4    | QL(1575 per 28 days)                |
| lopinavir-ritonavir 100-25 mg TABLET <b>MO</b>         | 4    | QL(300 per 30 days)                 |
| lopinavir-ritonavir 200-50 mg TABLET <b>MO</b>         | 4    | QL(150 per 30 days)                 |
| lopinavir-ritonavir 400-100 mg/5 ml SOLUTION <b>MO</b> | 4    |                                     |
| maraviroc 150 mg TABLET <b>DL</b>                      | 5    | QL(240 per 30 days)                 |
| maraviroc 300 mg TABLET <b>DL</b>                      | 5    | QL(120 per 30 days)                 |
| nevirapine 100 mg TABLET, ER 24 HR. <b>MO</b>          | 4    | QL(120 per 30 days)                 |
| nevirapine 200 mg TABLET <b>GC,MO</b>                  | 2    | QL(60 per 30 days)                  |
| nevirapine 400 mg TABLET, ER 24 HR. <b>MO</b>          | 4    | QL(30 per 30 days)                  |
| nevirapine 50 mg/5 ml SUSPENSION <b>MO</b>             | 4    | QL(1200 per 30 days)                |
| NORVIR 100 MG CAPSULE <b>MO</b>                        | 4    | QL(360 per 30 days)                 |
| NORVIR 100 MG POWDER IN PACKET <b>MO</b>               | 4    | QL(360 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                      | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------|------|-------------------------------------|
| NORVIR 80 MG/ML SOLUTION <b>MO</b>                             | 4    | QL(480 per 30 days)                 |
| ODEFSEY 200-25-25 MG TABLET <b>DL</b>                          | 5    | QL(30 per 30 days)                  |
| oseltamivir 30 mg CAPSULE <b>MO</b>                            | 3    | QL(224 per 365 days)                |
| oseltamivir 45 mg, 75 mg CAPSULE <b>MO</b>                     | 3    | QL(112 per 365 days)                |
| oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>    | 4    | QL(1440 per 365 days)               |
| PIFELTRO 100 MG TABLET <b>DL</b>                               | 5    | QL(60 per 30 days)                  |
| PREVYMIS 240 MG TABLET <b>DL</b>                               | 5    | PA,QL(28 per 28 days)               |
| PREVYMIS 480 MG TABLET <b>DL</b>                               | 5    | PA                                  |
| PREZCOBIX 800-150 MG-MG TABLET <b>DL</b>                       | 5    | QL(30 per 30 days)                  |
| PREZISTA 100 MG/ML SUSPENSION <b>DL</b>                        | 5    | QL(360 per 30 days)                 |
| PREZISTA 150 MG TABLET <b>DL</b>                               | 5    | QL(240 per 30 days)                 |
| PREZISTA 75 MG TABLET <b>MO</b>                                | 4    | QL(480 per 30 days)                 |
| RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE <b>MO</b> | 4    | QL(60 per 180 days)                 |
| RETROVIR 10 MG/ML SOLUTION <b>MO</b>                           | 4    |                                     |
| REYATAZ 50 MG POWDER IN PACKET <b>MO</b>                       | 4    |                                     |
| ribavirin 200 mg CAPSULE <b>MO</b>                             | 3    | QL(168 per 28 days)                 |
| ribavirin 200 mg TABLET <b>MO</b>                              | 3    | QL(168 per 28 days)                 |
| rimantadine 100 mg TABLET <b>MO</b>                            | 4    |                                     |
| ritonavir 100 mg TABLET <b>MO</b>                              | 3    | QL(360 per 30 days)                 |
| RUKOBIA 600 MG TABLET, ER 12 HR. <b>DL</b>                     | 5    | QL(60 per 30 days)                  |
| SELZENTRY 20 MG/ML SOLUTION <b>DL</b>                          | 5    | QL(1800 per 30 days)                |
| SELZENTRY 25 MG TABLET <b>MO</b>                               | 4    | QL(240 per 30 days)                 |
| SELZENTRY 75 MG TABLET <b>DL</b>                               | 5    | QL(120 per 30 days)                 |
| stavudine 15 mg, 20 mg CAPSULE <b>MO</b>                       | 3    | QL(120 per 30 days)                 |
| stavudine 30 mg, 40 mg CAPSULE <b>MO</b>                       | 3    | QL(60 per 30 days)                  |
| STRIBILD 150-150-200-300 MG TABLET <b>DL</b>                   | 5    | QL(30 per 30 days)                  |
| SUNLENCA 300 MG TABLET <b>DL</b>                               | 5    | QL(10 per 365 days)                 |
| SUNLENCA 309 MG/ML SOLUTION                                    | 5    | QL(9 per 365 days)                  |
| SYMFI 600-300-300 MG TABLET <b>DL</b>                          | 5    | QL(30 per 30 days)                  |
| SYMFI LO 400-300-300 MG TABLET <b>DL</b>                       | 5    | QL(30 per 30 days)                  |
| SYMTUZA 800-150-200-10 MG TABLET <b>DL</b>                     | 5    | QL(30 per 30 days)                  |
| TEMIXYS 300-300 MG TABLET <b>MO</b>                            | 4    | QL(30 per 30 days)                  |
| tenofovir disoproxil fumarate 300 mg TABLET <b>MO</b>          | 3    | QL(30 per 30 days)                  |
| TIVICAY 10 MG TABLET <b>MO</b>                                 | 4    | QL(60 per 30 days)                  |
| TIVICAY 25 MG, 50 MG TABLET <b>DL</b>                          | 5    | QL(60 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                         | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| TIVICAY PD 5 MG TABLET FOR SUSPENSION <b>DL</b>                                   | 5    | QL(180 per 30 days)                 |
| TRIUMEQ 600-50-300 MG TABLET <b>DL</b>                                            | 5    | QL(30 per 30 days)                  |
| TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION <b>DL</b>                             | 5    | QL(180 per 30 days)                 |
| TRIZIVIR 300-150-300 MG TABLET <b>DL</b>                                          | 5    | QL(60 per 30 days)                  |
| TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION <b>DL</b>                            | 5    |                                     |
| TYBOST 150 MG TABLET <b>MO</b>                                                    | 3    | QL(30 per 30 days)                  |
| valacyclovir 1 gram, 500 mg TABLET <b>MO</b>                                      | 3    |                                     |
| valganciclovir 450 mg TABLET <b>MO</b>                                            | 3    | QL(120 per 30 days)                 |
| valganciclovir 50 mg/ml RECON SOLUTION <b>DL</b>                                  | 5    | QL(1056 per 30 days)                |
| VIRACEPT 250 MG TABLET <b>DL</b>                                                  | 5    | QL(300 per 30 days)                 |
| VIRACEPT 625 MG TABLET <b>DL</b>                                                  | 5    | QL(120 per 30 days)                 |
| VIREAD 150 MG, 200 MG, 250 MG TABLET <b>DL</b>                                    | 5    | QL(30 per 30 days)                  |
| VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER <b>DL</b>                                  | 5    | QL(240 per 30 days)                 |
| VOCABRIA 30 MG TABLET <b>DL</b>                                                   | 5    | QL(30 per 30 days)                  |
| VOSEVI 400-100-100 MG TABLET <b>DL</b>                                            | 5    | PA,QL(28 per 28 days)               |
| zidovudine 10 mg/ml SYRUP <b>MO</b>                                               | 3    | QL(1680 per 28 days)                |
| zidovudine 100 mg CAPSULE <b>MO</b>                                               | 4    | QL(180 per 30 days)                 |
| zidovudine 300 mg TABLET <b>GC,MO</b>                                             | 2    | QL(60 per 30 days)                  |
| ZIRGAN 0.15 % GEL <b>MO</b>                                                       | 4    | QL(5 per 30 days)                   |
| <b>ANXIOLYTICS</b>                                                                |      |                                     |
| alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET <b>DL,GC</b>                              | 2    | QL(120 per 30 days)                 |
| alprazolam 2 mg TABLET <b>DL,GC</b>                                               | 2    | QL(150 per 30 days)                 |
| buspirone 10 mg, 15 mg, 5 mg TABLET <b>GC,MO</b>                                  | 1    |                                     |
| buspirone 30 mg, 7.5 mg TABLET <b>GC,MO</b>                                       | 1    |                                     |
| chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE <b>DL</b>                         | 4    | QL(120 per 30 days)                 |
| clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b> | 4    |                                     |
| clonazepam 0.5 mg, 1 mg TABLET <b>DL</b>                                          | 3    |                                     |
| clonazepam 2 mg TABLET <b>DL</b>                                                  | 3    |                                     |
| clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET <b>DL</b>                   | 4    |                                     |
| diazepam 10 mg TABLET <b>DL</b>                                                   | 3    | QL(120 per 30 days)                 |
| diazepam 2 mg TABLET <b>DL</b>                                                    | 3    | QL(90 per 30 days)                  |
| diazepam 5 mg TABLET <b>DL</b>                                                    | 3    | QL(90 per 30 days)                  |
| diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION <b>DL</b>        | 4    | QL(1200 per 30 days)                |
| diazepam 5 mg/ml CONCENTRATE <b>DL</b>                                            | 4    | QL(240 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                 | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| diazepam intensol 5 mg/ml CONCENTRATE <b>DL</b>                           | 4    | QL(240 per 30 days)                 |
| doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>      | 4    |                                     |
| doxepin 10 mg/ml CONCENTRATE <b>MO</b>                                    | 4    |                                     |
| hydroxyzine hcl 10 mg, 50 mg TABLET <b>MO</b>                             | 3    |                                     |
| hydroxyzine hcl 10 mg/5 ml SOLUTION <b>MO</b>                             | 3    |                                     |
| hydroxyzine hcl 25 mg TABLET <b>MO</b>                                    | 3    |                                     |
| lorazepam 0.5 mg, 1 mg TABLET <b>DL,GC</b>                                | 2    | QL(90 per 30 days)                  |
| lorazepam 2 mg TABLET <b>DL,GC</b>                                        | 2    | QL(150 per 30 days)                 |
| lorazepam 2 mg/ml CONCENTRATE <b>DL</b>                                   | 3    | QL(150 per 30 days)                 |
| lorazepam intensol 2 mg/ml CONCENTRATE <b>DL</b>                          | 3    | QL(150 per 30 days)                 |
| oxazepam 10 mg, 15 mg, 30 mg CAPSULE <b>DL</b>                            | 4    |                                     |
| <b>BIPOLAR AGENTS</b>                                                     |      |                                     |
| lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE <b>GC,MO</b>             | 1    |                                     |
| lithium carbonate 300 mg TABLET <b>GC,MO</b>                              | 1    |                                     |
| lithium carbonate 300 mg, 450 mg TABLET ER <b>GC,MO</b>                   | 2    |                                     |
| lithium citrate 8 meq/5 ml SOLUTION <b>MO</b>                             | 4    |                                     |
| <b>BLOOD GLUCOSE REGULATORS</b>                                           |      |                                     |
| acarbose 100 mg, 25 mg, 50 mg TABLET <b>MO</b>                            | 3    |                                     |
| BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>                       | 3    |                                     |
| BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR <b>MO</b>                       | 4    | QL(3.4 per 28 days)                 |
| diazoxide 50 mg/ml SUSPENSION <b>MO</b>                                   | 4    |                                     |
| FARXIGA 10 MG TABLET <b>MO</b>                                            | 4    | QL(30 per 30 days)                  |
| FARXIGA 5 MG TABLET <b>MO</b>                                             | 4    | QL(30 per 30 days)                  |
| FIASP FLEXTouch U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b> | 3    |                                     |
| FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE <b>CI,MO</b>     | 3    |                                     |
| FIASP U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>                     | 3    |                                     |
| glimepiride 1 mg TABLET <b>GC,MO</b>                                      | 1    |                                     |
| glimepiride 2 mg, 4 mg TABLET <b>GC,MO</b>                                | 1    |                                     |
| glipizide 10 mg TABLET, ER 24 HR. <b>GC,MO</b>                            | 2    |                                     |
| glipizide 10 mg, 5 mg TABLET <b>GC,MO</b>                                 | 1    |                                     |
| glipizide 2.5 mg TABLET <b>GC,MO</b>                                      | 1    |                                     |
| glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. <b>GC,MO</b>                     | 2    |                                     |
| glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>GC,MO</b>  | 2    |                                     |
| GLUCAGEN HYPOKIT 1 MG RECON SOLUTION <b>MO</b>                            | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| glyburide 1.25 mg, 2.5 mg, 5 mg TABLET <b>GC,MO</b>                                                                   | 2    |                                     |
| glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET <b>GC,MO</b>                                                           | 2    |                                     |
| glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>GC,MO</b>                                             | 2    |                                     |
| GLYXAMBI 10-5 MG, 25-5 MG TABLET <b>MO</b>                                                                            | 3    | QL(30 per 30 days)                  |
| GVOKE 1 MG/0.2 ML SOLUTION <b>MO</b>                                                                                  | 3    |                                     |
| GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>                                               | 3    |                                     |
| GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>                                               | 3    |                                     |
| GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>                                                 | 3    |                                     |
| GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>                                                 | 3    |                                     |
| HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION <b>CI,DL</b>                                                      | 5    |                                     |
| HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN <b>CI,DL</b>                                            | 5    |                                     |
| INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>                                                                      | 3    |                                     |
| INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET <b>MO</b>                                           | 3    | QL(60 per 30 days)                  |
| INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                | 3    | QL(60 per 30 days)                  |
| INVOKANA 100 MG, 300 MG TABLET <b>MO</b>                                                                              | 3    | QL(30 per 30 days)                  |
| JANUMET 50-1,000 MG TABLET <b>MO</b>                                                                                  | 3    | QL(60 per 30 days)                  |
| JANUMET 50-500 MG TABLET <b>MO</b>                                                                                    | 3    | QL(60 per 30 days)                  |
| JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>                                                       | 3    | QL(30 per 30 days)                  |
| JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>                                                        | 3    | QL(60 per 30 days)                  |
| JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>                                                          | 3    | QL(60 per 30 days)                  |
| JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>                                                                         | 3    | QL(30 per 30 days)                  |
| JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>                                                                               | 3    | QL(30 per 30 days)                  |
| JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET <b>MO</b>                                                      | 3    | QL(60 per 30 days)                  |
| JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                                                   | 3    | QL(60 per 30 days)                  |
| JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                                                     | 3    | QL(30 per 30 days)                  |
| LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>                                             | 3    |                                     |
| LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>                                                                | 3    |                                     |
| metformin 1,000 mg, 500 mg TABLET <b>MO</b>                                                                           | 6    |                                     |
| metformin 500 mg TABLET, ER 24 HR. <b>MO</b>                                                                          | 6    | QL(120 per 30 days)                 |
| metformin 750 mg TABLET, ER 24 HR. <b>MO</b>                                                                          | 6    | QL(60 per 30 days)                  |
| metformin 850 mg TABLET <b>MO</b>                                                                                     | 6    |                                     |
| MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>MO</b> | 3    | QL(2 per 28 days)                   |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                         | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------|------|-------------------------------------|
| <i>nateglinide 120 mg, 60 mg TABLET</i> <b>MO</b>                                 | 3    |                                     |
| NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>          | 3    |                                     |
| NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>           | 3    |                                     |
| NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>                     | 3    |                                     |
| NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>                   | 3    |                                     |
| NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>                     | 3    |                                     |
| NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>                  | 3    |                                     |
| NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>         | 3    |                                     |
| NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>         | 3    |                                     |
| NOVOLOG MIX 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>      | 3    |                                     |
| NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>                  | 3    |                                     |
| NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION <b>CI,MO</b>                    | 3    |                                     |
| OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML) PEN INJECTOR <b>MO</b>                      | 3    | QL(3 per 28 days)                   |
| OZEMPIC 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR <b>MO</b>                     | 3    | QL(1.5 per 28 days)                 |
| OZEMPIC 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR <b>MO</b>       | 3    | QL(3 per 28 days)                   |
| <i>pioglitazone 15 mg, 30 mg TABLET</i> <b>GC,MO</b>                              | 2    | QL(30 per 30 days)                  |
| <i>pioglitazone 45 mg TABLET</i> <b>GC,MO</b>                                     | 2    | QL(30 per 30 days)                  |
| <i>repaglinide 0.5 mg, 1 mg, 2 mg TABLET</i> <b>MO</b>                            | 3    |                                     |
| RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>                                       | 3    | QL(30 per 30 days)                  |
| <i>saxagliptin 2.5 mg, 5 mg TABLET</i> <b>MO</b>                                  | 3    | QL(30 per 30 days)                  |
| SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN <b>CI,MO</b>                        | 3    | QL(15 per 24 days)                  |
| SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET <b>MO</b>        | 3    | QL(60 per 30 days)                  |
| SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>     | 3    | QL(30 per 30 days)                  |
| SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>    | 3    | QL(60 per 30 days)                  |
| TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>             | 3    |                                     |
| TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN <b>CI,MO</b>       | 3    |                                     |
| TRADJENTA 5 MG TABLET <b>MO</b>                                                   | 3    | QL(30 per 30 days)                  |
| TRESIBA FLEXTouch U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>               | 3    |                                     |
| TRESIBA FLEXTouch U-200 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>               | 3    |                                     |
| TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>                           | 3    |                                     |
| TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b> | 3    | QL(30 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                                   | 3    | QL(60 per 30 days)                  |
| TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR <b>MO</b>                               | 3    | QL(2 per 28 days)                   |
| VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>                                                          | 3    | QL(9 per 30 days)                   |
| VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>                                                          | 3    | QL(9 per 30 days)                   |
| XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                                                | 4    | QL(30 per 30 days)                  |
| XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                                              | 4    | QL(60 per 30 days)                  |
| XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>                                                              | 4    | QL(30 per 30 days)                  |
| XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN <b>CI,MO</b>                                                     | 3    | QL(15 per 30 days)                  |
| ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR <b>MO</b>                                                             | 3    |                                     |
| ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE <b>MO</b>                                                                        | 3    |                                     |
| <b>BLOOD PRODUCTS AND MODIFIERS</b>                                                                                      |      |                                     |
| aminocaproic acid 1,000 mg TABLET <b>DL</b>                                                                              | 5    |                                     |
| aminocaproic acid 250 mg/ml (25 %) SOLUTION <b>MO</b>                                                                    | 4    |                                     |
| aminocaproic acid 500 mg TABLET <b>MO</b>                                                                                | 4    |                                     |
| anagrelide 0.5 mg, 1 mg CAPSULE <b>MO</b>                                                                                | 3    |                                     |
| aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>                                                    | 4    | ST,QL(60 per 30 days)               |
| BRILINTA 60 MG, 90 MG TABLET <b>MO</b>                                                                                   | 3    | QL(60 per 30 days)                  |
| CABLIVI 11 MG KIT <b>DL</b>                                                                                              | 5    | PA,QL(30 per 30 days)               |
| cilostazol 100 mg, 50 mg TABLET <b>GC,MO</b>                                                                             | 2    |                                     |
| clopidogrel 300 mg TABLET <b>MO</b>                                                                                      | 4    |                                     |
| clopidogrel 75 mg TABLET <b>GC,MO</b>                                                                                    | 1    | QL(30 per 30 days)                  |
| dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE <b>MO</b>                                                             | 4    | QL(60 per 30 days)                  |
| dipyridamole 25 mg, 50 mg, 75 mg TABLET <b>MO</b>                                                                        | 4    |                                     |
| ELIQUIS 2.5 MG TABLET <b>MO</b>                                                                                          | 3    | QL(60 per 30 days)                  |
| ELIQUIS 5 MG TABLET <b>MO</b>                                                                                            | 3    | QL(74 per 30 days)                  |
| ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK <b>MO</b>                                                | 3    | QL(74 per 30 days)                  |
| enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE <b>MO</b> | 4    |                                     |
| enoxaparin 300 mg/3 ml SOLUTION <b>MO</b>                                                                                | 4    |                                     |
| FULPHILA 6 MG/0.6 ML SYRINGE <b>DL</b>                                                                                   | 5    | PA,QL(1.2 per 28 days)              |
| heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION <b>MO</b>                        | 3    |                                     |
| heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE <b>MO</b>                                                               | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                 | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| heparin (porcine) 5,000 unit/ml SYRINGE <b>MO</b>                                                                                         | 3    |                                     |
| heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION <b>MO</b>                                                                 | 3    |                                     |
| heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE <b>MO</b>                                                                  | 3    |                                     |
| jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET <b>GC,MO</b>                                                    | 1    |                                     |
| MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION <b>DL</b>                                                                                        | 5    | PA,QL(9.6 per 30 days)              |
| NEULASTA 6 MG/0.6 ML SYRINGE <b>DL</b>                                                                                                    | 5    | PA,QL(1.2 per 28 days)              |
| NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>                                                                          | 5    | PA,QL(1.2 per 28 days)              |
| plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION <b>DL</b>                                                                                     | 5    | PA,QL(9.6 per 30 days)              |
| prasugrel 10 mg, 5 mg TABLET <b>MO</b>                                                                                                    | 3    | QL(30 per 30 days)                  |
| PROCRIT 10,000 UNIT/ML SOLUTION <b>MO</b>                                                                                                 | 4    | PA,QL(14 per 30 days)               |
| PROCRIT 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>                                                                    | 4    | PA,QL(14 per 30 days)               |
| PROCRIT 20,000 UNIT/2 ML SOLUTION <b>DL</b>                                                                                               | 5    | PA,QL(28 per 30 days)               |
| PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>DL</b>                                                                                 | 5    | PA,QL(14 per 30 days)               |
| PROMACTA 12.5 MG POWDER IN PACKET <b>DL,LA</b>                                                                                            | 5    | PA,QL(360 per 30 days)              |
| PROMACTA 12.5 MG, 75 MG TABLET <b>DL,LA</b>                                                                                               | 5    | PA,QL(60 per 30 days)               |
| PROMACTA 25 MG POWDER IN PACKET <b>DL,LA</b>                                                                                              | 5    | PA,QL(180 per 30 days)              |
| PROMACTA 25 MG TABLET <b>DL,LA</b>                                                                                                        | 5    | PA,QL(30 per 30 days)               |
| PROMACTA 50 MG TABLET <b>DL,LA</b>                                                                                                        | 5    | PA,QL(90 per 30 days)               |
| PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK <b>DL</b>                                                            | 5    | PA,QL(14 per 14 days)               |
| PYRUKYND 20 MG, 5 MG, 50 MG TABLET <b>DL</b>                                                                                              | 5    | PA,QL(60 per 30 days)               |
| RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>MO</b> | 4    | PA,QL(14 per 30 days)               |
| tranexamic acid 650 mg TABLET <b>MO</b>                                                                                                   | 3    | QL(30 per 5 days)                   |
| UDENYCA 6 MG/0.6 ML SYRINGE <b>DL</b>                                                                                                     | 5    | PA,QL(1.2 per 28 days)              |
| UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR <b>DL</b>                                                                                  | 5    | PA,QL(1.2 per 28 days)              |
| UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>                                                                          | 5    | PA,QL(1.2 per 28 days)              |
| warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET <b>GC,MO</b>                                                          | 1    |                                     |
| warfarin 5 mg TABLET <b>GC,MO</b>                                                                                                         | 1    |                                     |
| XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>                                                                                   | 3    | ST,QL(600 per 30 days)              |
| XARELTO 10 MG, 20 MG TABLET <b>MO</b>                                                                                                     | 3    | QL(30 per 30 days)                  |
| XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>                                                                                                    | 3    | QL(60 per 30 days)                  |
| XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK <b>MO</b>                                                          | 3    | QL(51 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                      | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ZARXIO 300 MCG/0.5 ML SYRINGE <b>DL</b>                                                        | 5    | PA,QL(7 per 30 days)                |
| ZARXIO 480 MCG/0.8 ML SYRINGE <b>DL</b>                                                        | 5    | PA,QL(11.2 per 30 days)             |
| <b>CARDIOVASCULAR AGENTS</b>                                                                   |      |                                     |
| acebutolol 200 mg, 400 mg CAPSULE <b>GC,MO</b>                                                 | 2    |                                     |
| acetazolamide 125 mg, 250 mg TABLET <b>MO</b>                                                  | 4    |                                     |
| acetazolamide 500 mg CAPSULE, ER <b>MO</b>                                                     | 3    |                                     |
| amiloride 5 mg TABLET <b>MO</b>                                                                | 3    |                                     |
| amiloride-hydrochlorothiazide 5-50 mg TABLET <b>GC,MO</b>                                      | 2    |                                     |
| amiodarone 100 mg TABLET <b>MO</b>                                                             | 4    |                                     |
| amiodarone 200 mg TABLET <b>GC,MO</b>                                                          | 2    |                                     |
| amiodarone 400 mg TABLET <b>MO</b>                                                             | 4    | QL(60 per 30 days)                  |
| amlodipine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>                                                | 6    |                                     |
| amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE <b>GC,MO</b>               | 2    | QL(60 per 30 days)                  |
| amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE <b>GC,MO</b>                                   | 2    | QL(30 per 30 days)                  |
| amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET <b>MO</b>                    | 3    | QL(30 per 30 days)                  |
| amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET <b>GC,MO</b>              | 2    | QL(30 per 30 days)                  |
| atenolol 100 mg TABLET <b>GC,MO</b>                                                            | 1    |                                     |
| atenolol 25 mg, 50 mg TABLET <b>GC,MO</b>                                                      | 1    |                                     |
| atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET <b>GC,MO</b>                                | 1    |                                     |
| atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>                                       | 6    |                                     |
| benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>GC,MO</b>                                       | 1    |                                     |
| benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET <b>GC,MO</b> | 2    |                                     |
| bisoprolol fumarate 10 mg, 5 mg TABLET <b>GC,MO</b>                                            | 2    |                                     |
| bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET <b>GC,MO</b>          | 1    |                                     |
| bumetanide 0.5 mg, 2 mg TABLET <b>GC,MO</b>                                                    | 2    |                                     |
| bumetanide 1 mg TABLET <b>GC,MO</b>                                                            | 2    |                                     |
| CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>                                           | 5    | PA,QL(30 per 30 days)               |
| candesartan 16 mg, 4 mg, 8 mg TABLET <b>MO</b>                                                 | 3    | QL(60 per 30 days)                  |
| candesartan 32 mg TABLET <b>MO</b>                                                             | 3    | QL(30 per 30 days)                  |
| candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET <b>MO</b>               | 3    | QL(30 per 30 days)                  |
| captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET <b>MO</b>                                       | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------|------|-------------------------------------|
| captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET <b>MO</b> | 3    |                                     |
| cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                      | 2    | QL(60 per 30 days)                  |
| cartia xt 300 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                      | 2    | QL(30 per 30 days)                  |
| carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET <b>MO</b>                         | 6    |                                     |
| chlorthalidone 25 mg TABLET <b>GC,MO</b>                                              | 1    |                                     |
| chlorthalidone 50 mg TABLET <b>GC,MO</b>                                              | 1    |                                     |
| cholestyramine (with sugar) 4 gram POWDER <b>MO</b>                                   | 3    |                                     |
| cholestyramine (with sugar) 4 gram POWDER IN PACKET <b>MO</b>                         | 3    |                                     |
| cholestyramine light 4 gram POWDER <b>MO</b>                                          | 3    |                                     |
| cholestyramine light 4 gram POWDER IN PACKET <b>MO</b>                                | 3    |                                     |
| cholestyramine-aspartame 4 gram POWDER IN PACKET <b>MO</b>                            | 3    |                                     |
| clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY <b>MO</b>            | 4    | QL(4 per 28 days)                   |
| clonidine hcl 0.1 mg TABLET <b>GC,MO</b>                                              | 1    |                                     |
| clonidine hcl 0.2 mg, 0.3 mg TABLET <b>GC,MO</b>                                      | 1    |                                     |
| colestipol 1 gram TABLET <b>MO</b>                                                    | 3    |                                     |
| colestipol 5 gram GRANULES <b>MO</b>                                                  | 4    | QL(1000 per 30 days)                |
| colestipol 5 gram PACKET <b>MO</b>                                                    | 4    |                                     |
| CORLANOR 5 MG, 7.5 MG TABLET <b>MO</b>                                                | 4    | PA,QL(60 per 30 days)               |
| digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>GC,MO</b>                     | 2    | QL(30 per 30 days)                  |
| digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>GC,MO</b>                       | 2    | QL(30 per 30 days)                  |
| digoxin 125 mcg (0.125 mg) TABLET <b>GC,MO</b>                                        | 2    | QL(30 per 30 days)                  |
| digoxin 250 mcg (0.25 mg) TABLET <b>GC,MO</b>                                         | 2    | QL(30 per 30 days)                  |
| digoxin 62.5 mcg (0.0625 mg) TABLET <b>MO</b>                                         | 4    | QL(30 per 30 days)                  |
| dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                        | 2    | QL(60 per 30 days)                  |
| diltiazem hcl 120 mg CAPSULE, ER 12 HR. <b>GC,MO</b>                                  | 2    | QL(90 per 30 days)                  |
| diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                  | 2    | QL(60 per 30 days)                  |
| diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                  | 2    | QL(60 per 30 days)                  |
| diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET <b>GC,MO</b>                         | 2    |                                     |
| diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                  | 2    | QL(30 per 30 days)                  |
| diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. <b>GC,MO</b>                            | 2    | QL(180 per 30 days)                 |
| DIURIL 250 MG/5 ML SUSPENSION <b>MO</b>                                               | 4    |                                     |
| dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE <b>MO</b>                                | 4    |                                     |
| doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET <b>GC,MO</b>                                  | 2    |                                     |
| enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET <b>GC,MO</b>                      | 2    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                     | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET <b>GC,MO</b>         | 1    |                                     |
| ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET <b>MO</b>                       | 3    | QL(60 per 30 days)                  |
| ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLET <b>MO</b>                           | 3    | QL(240 per 30 days)                 |
| ezetimibe 10 mg TABLET <b>MO</b>                                              | 3    | QL(30 per 30 days)                  |
| ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b> | 3    | QL(30 per 30 days)                  |
| felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>                    | 3    | QL(30 per 30 days)                  |
| fenofibrate 160 mg TABLET <b>GC,MO</b>                                        | 2    | QL(30 per 30 days)                  |
| fenofibrate 54 mg TABLET <b>GC,MO</b>                                         | 2    | QL(60 per 30 days)                  |
| fenofibrate micronized 134 mg, 200 mg CAPSULE <b>MO</b>                       | 3    | QL(30 per 30 days)                  |
| fenofibrate micronized 67 mg CAPSULE <b>MO</b>                                | 3    | QL(60 per 30 days)                  |
| fenofibrate nanocrystallized 145 mg TABLET <b>MO</b>                          | 3    | QL(30 per 30 days)                  |
| fenofibrate nanocrystallized 48 mg TABLET <b>MO</b>                           | 3    | QL(60 per 30 days)                  |
| flecainide 100 mg, 150 mg, 50 mg TABLET <b>MO</b>                             | 3    |                                     |
| fosinopril 10 mg, 20 mg, 40 mg TABLET <b>GC,MO</b>                            | 1    |                                     |
| fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET <b>GC,MO</b>     | 2    |                                     |
| furosemide 10 mg/ml SOLUTION <b>MO</b>                                        | 4    |                                     |
| furosemide 10 mg/ml SYRINGE <b>MO</b>                                         | 4    |                                     |
| furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION <b>GC,MO</b>               | 2    |                                     |
| furosemide 20 mg, 40 mg TABLET <b>MO</b>                                      | 6    |                                     |
| furosemide 80 mg TABLET <b>MO</b>                                             | 6    |                                     |
| gemfibrozil 600 mg TABLET <b>GC,MO</b>                                        | 1    | QL(60 per 30 days)                  |
| guanfacine 1 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| guanfacine 2 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| hydralazine 10 mg TABLET <b>GC,MO</b>                                         | 1    |                                     |
| hydralazine 100 mg TABLET <b>GC,MO</b>                                        | 2    |                                     |
| hydralazine 25 mg, 50 mg TABLET <b>GC,MO</b>                                  | 1    |                                     |
| hydrochlorothiazide 12.5 mg CAPSULE <b>MO</b>                                 | 6    |                                     |
| hydrochlorothiazide 12.5 mg, 25 mg TABLET <b>MO</b>                           | 6    |                                     |
| hydrochlorothiazide 50 mg TABLET <b>MO</b>                                    | 6    |                                     |
| indapamide 1.25 mg, 2.5 mg TABLET <b>GC,MO</b>                                | 1    |                                     |
| irbesartan 150 mg, 75 mg TABLET <b>GC,MO</b>                                  | 1    | QL(30 per 30 days)                  |
| irbesartan 300 mg TABLET <b>GC,MO</b>                                         | 1    | QL(30 per 30 days)                  |
| irbesartan-hydrochlorothiazide 150-12.5 mg TABLET <b>GC,MO</b>                | 2    | QL(60 per 30 days)                  |
| irbesartan-hydrochlorothiazide 300-12.5 mg TABLET <b>GC,MO</b>                | 2    | QL(30 per 30 days)                  |
| isosorbide dinitrate 10 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b>               | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                            | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------|------|-------------------------------------|
| isosorbide mononitrate 10 mg, 20 mg TABLET <b>GC,MO</b>                              | 1    |                                     |
| isosorbide mononitrate 120 mg TABLET, ER 24 HR. <b>GC,MO</b>                         | 1    |                                     |
| isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. <b>GC,MO</b>                   | 1    |                                     |
| isosorbide-hydralazine 20-37.5 mg TABLET <b>MO</b>                                   | 4    | QL(180 per 30 days)                 |
| isradipine 2.5 mg, 5 mg CAPSULE <b>MO</b>                                            | 4    |                                     |
| ivabradine 5 mg, 7.5 mg TABLET <b>MO</b>                                             | 4    | PA,QL(60 per 30 days)               |
| KERENDIA 10 MG, 20 MG TABLET <b>MO</b>                                               | 3    | PA,QL(30 per 30 days)               |
| labetalol 100 mg, 200 mg, 300 mg TABLET <b>GC,MO</b>                                 | 2    |                                     |
| LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET <b>MO</b> | 4    | QL(30 per 30 days)                  |
| lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>                        | 6    |                                     |
| lisinopril 30 mg TABLET <b>MO</b>                                                    | 6    |                                     |
| lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>GC,MO</b>  | 1    |                                     |
| losartan 100 mg, 25 mg, 50 mg TABLET <b>MO</b>                                       | 6    | QL(60 per 30 days)                  |
| losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET <b>GC,MO</b>  | 1    | QL(60 per 30 days)                  |
| lovastatin 10 mg TABLET <b>GC,MO</b>                                                 | 1    |                                     |
| lovastatin 20 mg, 40 mg TABLET <b>GC,MO</b>                                          | 1    |                                     |
| methyldopa 250 mg, 500 mg TABLET <b>GC,MO</b>                                        | 2    |                                     |
| methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET <b>MO</b>                 | 3    |                                     |
| metolazone 10 mg, 2.5 mg, 5 mg TABLET <b>GC,MO</b>                                   | 2    |                                     |
| metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>                | 6    |                                     |
| metoprolol succinate 200 mg TABLET, ER 24 HR. <b>MO</b>                              | 6    |                                     |
| metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET <b>MO</b>       | 3    |                                     |
| metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>                            | 6    |                                     |
| metoprolol tartrate 37.5 mg, 75 mg TABLET <b>MO</b>                                  | 6    |                                     |
| metoprolol tartrate 5 mg/5 ml SOLUTION <b>MO</b>                                     | 3    |                                     |
| metirosine 250 mg CAPSULE <b>DL</b>                                                  | 5    |                                     |
| midodrine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>                                       | 3    |                                     |
| minoxidil 10 mg, 2.5 mg TABLET <b>GC,MO</b>                                          | 2    |                                     |
| moexipril 15 mg, 7.5 mg TABLET <b>GC,MO</b>                                          | 2    |                                     |
| MULTAQ 400 MG TABLET <b>MO</b>                                                       | 3    | QL(60 per 30 days)                  |
| nebivolol 10 mg TABLET <b>MO</b>                                                     | 3    | QL(120 per 30 days)                 |
| nebivolol 2.5 mg, 5 mg TABLET <b>MO</b>                                              | 3    | QL(30 per 30 days)                  |
| nebivolol 20 mg TABLET <b>MO</b>                                                     | 3    | QL(60 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                         | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| NEXLETOL 180 MG TABLET <b>MO</b>                                                                                  | 3    | PA,QL(30 per 30 days)               |
| NEXLIZET 180-10 MG TABLET <b>MO</b>                                                                               | 3    | PA,QL(30 per 30 days)               |
| niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. <b>MO</b>                                                       | 4    |                                     |
| nifedipine 30 mg, 60 mg, 90 mg TABLET ER <b>MO</b>                                                                | 3    | QL(60 per 30 days)                  |
| nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>                                                        | 3    | QL(60 per 30 days)                  |
| nimodipine 30 mg CAPSULE <b>MO</b>                                                                                | 4    |                                     |
| nimodipine 60 mg/20 ml SOLUTION <b>DL</b>                                                                         | 5    | QL(2838 per 28 days)                |
| nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. <b>GC,MO</b>                               | 2    |                                     |
| nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET <b>MO</b>                                                          | 3    |                                     |
| nitroglycerin 0.4 mg SUBLINGUAL TABLET <b>MO</b>                                                                  | 3    |                                     |
| NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET <b>MO</b>                                                      | 3    |                                     |
| olmesartan 20 mg TABLET <b>GC,MO</b>                                                                              | 1    | QL(30 per 30 days)                  |
| olmesartan 40 mg TABLET <b>GC,MO</b>                                                                              | 1    | QL(30 per 30 days)                  |
| olmesartan 5 mg TABLET <b>GC,MO</b>                                                                               | 1    | QL(60 per 30 days)                  |
| olmesartan-amlodipin-hctiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET <b>MO</b> | 4    | QL(30 per 30 days)                  |
| olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET <b>GC,MO</b>                               | 2    | QL(30 per 30 days)                  |
| omega-3 acid ethyl esters 1 gram CAPSULE <b>MO</b>                                                                | 3    | QL(120 per 30 days)                 |
| PACERONE 100 MG TABLET <b>MO</b>                                                                                  | 4    |                                     |
| pacerone 200 mg TABLET <b>GC,MO</b>                                                                               | 2    |                                     |
| PACERONE 400 MG TABLET <b>MO</b>                                                                                  | 4    | QL(60 per 30 days)                  |
| pentoxifylline 400 mg TABLET ER <b>GC,MO</b>                                                                      | 2    |                                     |
| perindopril erbumine 2 mg, 4 mg, 8 mg TABLET <b>GC,MO</b>                                                         | 2    |                                     |
| pravastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>GC,MO</b>                                                        | 2    |                                     |
| prazosin 1 mg, 2 mg, 5 mg CAPSULE <b>GC,MO</b>                                                                    | 2    |                                     |
| prevalite 4 gram POWDER <b>MO</b>                                                                                 | 3    |                                     |
| prevalite 4 gram POWDER IN PACKET <b>MO</b>                                                                       | 3    |                                     |
| propafenone 150 mg, 225 mg, 300 mg TABLET <b>MO</b>                                                               | 3    |                                     |
| propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. <b>MO</b>                                                           | 4    | QL(60 per 30 days)                  |
| propafenone 425 mg CAPSULE, ER 12 HR. <b>MO</b>                                                                   | 4    |                                     |
| propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET <b>GC,MO</b>                                                 | 2    |                                     |
| propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. <b>MO</b>                                             | 4    |                                     |
| propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET <b>MO</b>                                                | 3    |                                     |
| quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>GC,MO</b>                                                           | 1    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>GC,MO</b>                           | 2    |                                     |
| quinidine sulfate 200 mg, 300 mg TABLET <b>GC,MO</b>                                                         | 2    |                                     |
| ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE <b>GC,MO</b>                                                   | 1    |                                     |
| ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. <b>MO</b>                                                      | 3    | QL(120 per 30 days)                 |
| REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR <b>MO</b>                                                 | 3    | PA,QL(3.5 per 28 days)              |
| REPATHA SURECLICK 140 MG/ML PEN INJECTOR <b>MO</b>                                                           | 3    | PA,QL(3 per 28 days)                |
| REPATHA SYRINGE 140 MG/ML SYRINGE <b>MO</b>                                                                  | 3    | PA,QL(3 per 28 days)                |
| rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>                                                      | 6    |                                     |
| simvastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>                                                             | 6    |                                     |
| simvastatin 5 mg, 80 mg TABLET <b>MO</b>                                                                     | 6    |                                     |
| sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>GC,MO</b>                                                     | 2    |                                     |
| sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>GC,MO</b>                                                    | 2    |                                     |
| sotalol af 120 mg, 160 mg, 80 mg TABLET <b>GC,MO</b>                                                         | 2    |                                     |
| spironolacton-hydrochlorothiaz 25-25 mg TABLET <b>GC,MO</b>                                                  | 2    |                                     |
| spironolactone 100 mg TABLET <b>GC,MO</b>                                                                    | 1    |                                     |
| spironolactone 25 mg, 50 mg TABLET <b>GC,MO</b>                                                              | 1    |                                     |
| taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                             | 2    | QL(60 per 30 days)                  |
| taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                                     | 2    | QL(30 per 30 days)                  |
| telmisartan 20 mg, 40 mg TABLET <b>GC,MO</b>                                                                 | 2    | QL(30 per 30 days)                  |
| telmisartan 80 mg TABLET <b>GC,MO</b>                                                                        | 2    | QL(60 per 30 days)                  |
| terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>GC,MO</b>                                                       | 1    |                                     |
| tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                            | 2    | QL(60 per 30 days)                  |
| tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>GC,MO</b>                                            | 2    | QL(30 per 30 days)                  |
| timolol maleate 10 mg, 20 mg, 5 mg TABLET <b>MO</b>                                                          | 4    |                                     |
| torsemide 10 mg, 100 mg, 5 mg TABLET <b>GC,MO</b>                                                            | 2    |                                     |
| torsemide 20 mg TABLET <b>GC,MO</b>                                                                          | 2    |                                     |
| trandolapril 1 mg, 2 mg, 4 mg TABLET <b>GC,MO</b>                                                            | 1    |                                     |
| triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE <b>GC,MO</b>                                               | 1    |                                     |
| triamterene-hydrochlorothiazid 37.5-25 mg TABLET <b>GC,MO</b>                                                | 1    |                                     |
| triamterene-hydrochlorothiazid 75-50 mg TABLET <b>GC,MO</b>                                                  | 1    |                                     |
| valsartan 160 mg TABLET <b>GC,MO</b>                                                                         | 2    | QL(60 per 30 days)                  |
| valsartan 320 mg, 40 mg, 80 mg TABLET <b>GC,MO</b>                                                           | 2    | QL(60 per 30 days)                  |
| valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET <b>GC,MO</b> | 1    | QL(30 per 30 days)                  |
| VASCEPA 0.5 GRAM CAPSULE <b>MO</b>                                                                           | 3    | QL(240 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| VASCEPA 1 GRAM CAPSULE <b>MO</b>                                                                      | 3    | QL(120 per 30 days)                 |
| verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>          | 3    |                                     |
| verapamil 120 mg, 180 mg, 240 mg TABLET ER <b>GC,MO</b>                                               | 2    |                                     |
| verapamil 120 mg, 40 mg, 80 mg TABLET <b>GC,MO</b>                                                    | 1    | QL(120 per 30 days)                 |
| verapamil 360 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>                                                  | 3    | QL(60 per 30 days)                  |
| VERQUVO 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>                                                          | 3    | PA,QL(30 per 30 days)               |
| ZYPITAMAG 2 MG, 4 MG TABLET <b>MO</b>                                                                 | 3    | ST,QL(30 per 30 days)               |
| <b>CENTRAL NERVOUS SYSTEM AGENTS</b>                                                                  |      |                                     |
| atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE <b>MO</b>                                              | 4    | QL(60 per 30 days)                  |
| atomoxetine 100 mg, 60 mg, 80 mg CAPSULE <b>MO</b>                                                    | 4    | QL(30 per 30 days)                  |
| AUSTEDO 12 MG, 9 MG TABLET <b>DL</b>                                                                  | 5    | PA,QL(120 per 30 days)              |
| AUSTEDO 6 MG TABLET <b>DL</b>                                                                         | 5    | PA,QL(60 per 30 days)               |
| AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. <b>DL</b>                                                    | 5    | PA,QL(90 per 30 days)               |
| AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. <b>DL</b>                              | 5    | PA,QL(30 per 30 days)               |
| AUSTEDO XR 24 MG TABLET, ER 24 HR. <b>DL</b>                                                          | 5    | PA,QL(60 per 30 days)               |
| AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK <b>DL</b>                  | 5    | PA,QL(28 per 28 days)               |
| AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK <b>DL</b> | 5    | PA,QL(42 per 28 days)               |
| BETASERON 0.3 MG KIT <b>DL</b>                                                                        | 5    | PA,QL(15 per 30 days)               |
| COPAXONE 20 MG/ML SYRINGE <b>DL</b>                                                                   | 5    | PA,QL(30 per 30 days)               |
| COPAXONE 40 MG/ML SYRINGE <b>DL</b>                                                                   | 5    | PA,QL(12 per 28 days)               |
| dalfampridine 10 mg TABLET, ER 12 HR. <b>MO</b>                                                       | 3    | PA,QL(60 per 30 days)               |
| dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>                                               | 3    | QL(60 per 30 days)                  |
| dextroamphetamine sulfate 10 mg TABLET <b>MO</b>                                                      | 4    | QL(180 per 30 days)                 |
| dextroamphetamine sulfate 15 mg TABLET <b>MO</b>                                                      | 4    | QL(120 per 30 days)                 |
| dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET <b>MO</b>                                      | 4    | QL(90 per 30 days)                  |
| dextroamphetamine sulfate 30 mg TABLET <b>MO</b>                                                      | 4    | QL(60 per 30 days)                  |
| dextroamphetamine sulfate 5 mg TABLET <b>MO</b>                                                       | 4    | QL(150 per 30 days)                 |
| dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>             | 3    | QL(90 per 30 days)                  |
| dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. <b>MO</b>                         | 3    | QL(30 per 30 days)                  |
| dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>                        | 3    | QL(60 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                   | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------|------|-------------------------------------|
| dextroamphetamine-amphetamine 30 mg TABLET <b>MO</b>                        | 3    | QL(60 per 30 days)                  |
| dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC <b>MO</b> | 4    | PA,QL(60 per 30 days)               |
| dimethyl fumarate 120 mg CAPSULE, DR/EC <b>MO</b>                           | 4    | PA,QL(14 per 30 days)               |
| fingolimod 0.5 mg CAPSULE <b>MO</b>                                         | 4    | PA,QL(30 per 30 days)               |
| glatiramer 20 mg/ml SYRINGE <b>DL</b>                                       | 5    | PA,QL(30 per 30 days)               |
| glatiramer 40 mg/ml SYRINGE <b>DL</b>                                       | 5    | PA,QL(12 per 28 days)               |
| glatopa 20 mg/ml SYRINGE <b>DL</b>                                          | 5    | PA,QL(30 per 30 days)               |
| glatopa 40 mg/ml SYRINGE <b>DL</b>                                          | 5    | PA,QL(12 per 28 days)               |
| guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. <b>GC,MO</b>            | 2    | QL(30 per 30 days)                  |
| methylphenidate hcl 10 mg TABLET ER <b>MO</b>                               | 3    | QL(180 per 30 days)                 |
| methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET <b>MO</b>                     | 3    | QL(90 per 30 days)                  |
| methylphenidate hcl 20 mg TABLET ER <b>MO</b>                               | 3    | QL(90 per 30 days)                  |
| NUDEXTA 20-10 MG CAPSULE <b>DL</b>                                          | 5    | PA,QL(60 per 30 days)               |
| pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE <b>MO</b>                   | 3    | QL(90 per 30 days)                  |
| pregabalin 20 mg/ml SOLUTION <b>MO</b>                                      | 3    | QL(900 per 30 days)                 |
| pregabalin 200 mg, 25 mg CAPSULE <b>MO</b>                                  | 3    | QL(90 per 30 days)                  |
| pregabalin 225 mg, 300 mg CAPSULE <b>MO</b>                                 | 3    | QL(60 per 30 days)                  |
| riluzole 50 mg TABLET <b>MO</b>                                             | 4    |                                     |
| SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET <b>MO</b>                      | 3    | QL(60 per 30 days)                  |
| SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK <b>MO</b>          | 3    | QL(55 per 28 days)                  |
| teriflunomide 14 mg, 7 mg TABLET <b>MO</b>                                  | 4    | PA,QL(30 per 30 days)               |
| tetrabenazine 12.5 mg TABLET <b>MO</b>                                      | 4    | PA,QL(240 per 30 days)              |
| tetrabenazine 25 mg TABLET <b>MO</b>                                        | 4    | PA,QL(120 per 30 days)              |
| <b>DENTAL &amp; ORAL AGENTS</b>                                             |      |                                     |
| chlorhexidine gluconate 0.12 % MOUTHWASH <b>GC,MO</b>                       | 2    |                                     |
| kourzeq 0.1 % PASTE <b>MO</b>                                               | 3    |                                     |
| oralone 0.1 % PASTE <b>MO</b>                                               | 3    |                                     |
| paroex oral rinse 0.12 % MOUTHWASH <b>GC,MO</b>                             | 2    |                                     |
| periogard 0.12 % MOUTHWASH <b>GC,MO</b>                                     | 2    |                                     |
| pilocarpine hcl 5 mg, 7.5 mg TABLET <b>MO</b>                               | 4    |                                     |
| triamcinolone acetonide 0.1 % PASTE <b>MO</b>                               | 3    |                                     |
| <b>DERMATOLOGICAL AGENTS</b>                                                |      |                                     |
| accutane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>                              | 4    | QL(60 per 30 days)                  |
| accutane 40 mg CAPSULE <b>MO</b>                                            | 4    | QL(120 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                            | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------|------|-------------------------------------|
| acitretin 10 mg CAPSULE <b>MO</b>                    | 4    | PA,QL(90 per 30 days)               |
| acitretin 17.5 mg CAPSULE <b>MO</b>                  | 4    | PA,QL(60 per 30 days)               |
| acitretin 25 mg CAPSULE <b>MO</b>                    | 4    | PA                                  |
| adapalene 0.3 % GEL <b>MO</b>                        | 4    | QL(45 per 30 days)                  |
| adapalene 0.3 % GEL WITH PUMP <b>MO</b>              | 4    | QL(45 per 30 days)                  |
| ammonium lactate 12 % CREAM <b>GC,MO</b>             | 2    |                                     |
| ammonium lactate 12 % LOTION <b>GC,MO</b>            | 2    |                                     |
| amnesteem 10 mg, 20 mg CAPSULE <b>MO</b>             | 4    | QL(60 per 30 days)                  |
| amnesteem 40 mg CAPSULE <b>MO</b>                    | 4    | QL(120 per 30 days)                 |
| betamethasone dipropionate 0.05 % CREAM <b>MO</b>    | 3    | QL(90 per 30 days)                  |
| betamethasone dipropionate 0.05 % LOTION <b>MO</b>   | 3    | QL(120 per 30 days)                 |
| betamethasone dipropionate 0.05 % OINTMENT <b>MO</b> | 4    | QL(90 per 30 days)                  |
| betamethasone valerate 0.1 % CREAM <b>GC,MO</b>      | 2    | QL(180 per 30 days)                 |
| betamethasone valerate 0.1 % LOTION <b>MO</b>        | 3    | QL(120 per 30 days)                 |
| betamethasone valerate 0.1 % OINTMENT <b>GC,MO</b>   | 2    | QL(180 per 30 days)                 |
| betamethasone, augmented 0.05 % CREAM <b>GC,MO</b>   | 2    | QL(100 per 30 days)                 |
| betamethasone, augmented 0.05 % GEL <b>MO</b>        | 4    | QL(100 per 30 days)                 |
| betamethasone, augmented 0.05 % LOTION <b>MO</b>     | 4    | QL(120 per 30 days)                 |
| betamethasone, augmented 0.05 % OINTMENT <b>MO</b>   | 4    | QL(100 per 30 days)                 |
| calcipotriene 0.005 % CREAM <b>MO</b>                | 4    | PA,QL(120 per 30 days)              |
| calcipotriene 0.005 % SOLUTION <b>MO</b>             | 4    | QL(60 per 30 days)                  |
| claravis 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>       | 4    | QL(60 per 30 days)                  |
| claravis 40 mg CAPSULE <b>MO</b>                     | 4    | QL(120 per 30 days)                 |
| clindamycin phosphate 1 % LOTION <b>MO</b>           | 4    | QL(60 per 30 days)                  |
| clindamycin phosphate 1 % SWAB <b>GC,MO</b>          | 2    |                                     |
| clobetasol 0.05 % CREAM <b>MO</b>                    | 4    | QL(120 per 30 days)                 |
| clobetasol 0.05 % GEL <b>MO</b>                      | 4    | QL(120 per 28 days)                 |
| clobetasol 0.05 % LOTION <b>MO</b>                   | 4    | QL(240 per 28 days)                 |
| clobetasol 0.05 % OINTMENT <b>MO</b>                 | 4    | QL(120 per 28 days)                 |
| clobetasol 0.05 % SOLUTION <b>MO</b>                 | 3    | QL(100 per 30 days)                 |
| clobetasol-emollient 0.05 % CREAM <b>MO</b>          | 4    | QL(120 per 30 days)                 |
| diclofenac sodium 3 % GEL <b>MO</b>                  | 4    | PA                                  |
| ENSTILAR 0.005-0.064 % FOAM <b>MO</b>                | 4    | QL(120 per 30 days)                 |
| ery pads 2 % SWAB <b>MO</b>                          | 3    | QL(60 per 30 days)                  |
| erythromycin with ethanol 2 % SOLUTION <b>MO</b>     | 4    | QL(120 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                        | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------|------|-------------------------------------|
| fluocinolone 0.01 % OIL <b>MO</b>                                | 4    | QL(118.28 per 30 days)              |
| fluocinolone 0.025 % CREAM <b>MO</b>                             | 4    | QL(120 per 30 days)                 |
| fluocinolone 0.025 % OINTMENT <b>MO</b>                          | 4    | QL(120 per 30 days)                 |
| fluocinolone and shower cap 0.01 % OIL <b>MO</b>                 | 4    | QL(118.28 per 30 days)              |
| fluocinonide 0.05 % CREAM <b>MO</b>                              | 4    | QL(120 per 30 days)                 |
| fluocinonide 0.05 % GEL <b>MO</b>                                | 4    | QL(120 per 30 days)                 |
| fluocinonide 0.05 % OINTMENT <b>MO</b>                           | 4    | QL(120 per 30 days)                 |
| fluocinonide 0.05 % SOLUTION <b>MO</b>                           | 4    | QL(120 per 30 days)                 |
| fluorouracil 2 % SOLUTION <b>MO</b>                              | 3    | QL(30 per 30 days)                  |
| fluorouracil 5 % CREAM <b>MO</b>                                 | 4    |                                     |
| fluorouracil 5 % SOLUTION <b>MO</b>                              | 3    | QL(60 per 30 days)                  |
| fluticasone propionate 0.005 % OINTMENT <b>GC,MO</b>             | 2    | QL(240 per 30 days)                 |
| fluticasone propionate 0.05 % CREAM <b>GC,MO</b>                 | 2    | QL(240 per 30 days)                 |
| hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR <b>GC,MO</b>      | 2    | QL(28.4 per 30 days)                |
| hydrocortisone 1 %, 2.5 % CREAM <b>GC,MO</b>                     | 2    | QL(240 per 30 days)                 |
| hydrocortisone 1 %, 2.5 % OINTMENT <b>GC,MO</b>                  | 2    | QL(240 per 30 days)                 |
| hydrocortisone 10 mg, 20 mg, 5 mg TABLET <b>GC,MO</b>            | 2    |                                     |
| hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>       | 4    | QL(60 per 30 days)                  |
| hydrocortisone 2.5 % LOTION <b>GC,MO</b>                         | 2    | QL(236 per 30 days)                 |
| HYFTOR 0.2 % GEL <b>DL</b>                                       | 5    | PA                                  |
| imiquimod 5 % CREAM IN PACKET <b>MO</b>                          | 3    | QL(12 per 30 days)                  |
| isotretinoin 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>               | 4    | QL(60 per 30 days)                  |
| isotretinoin 40 mg CAPSULE <b>MO</b>                             | 4    | QL(120 per 30 days)                 |
| lindane 1 % SHAMPOO <b>MO</b>                                    | 4    | QL(60 per 30 days)                  |
| malathion 0.5 % LOTION <b>MO</b>                                 | 4    |                                     |
| methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL <b>MO</b>       | 4    |                                     |
| mometasone 0.1 % CREAM <b>GC,MO</b>                              | 2    | QL(180 per 30 days)                 |
| mometasone 0.1 % OINTMENT <b>GC,MO</b>                           | 2    | QL(180 per 30 days)                 |
| mometasone 0.1 % SOLUTION <b>GC,MO</b>                           | 2    | QL(180 per 30 days)                 |
| mupirocin 2 % OINTMENT <b>GC,MO</b>                              | 2    |                                     |
| myorisan 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>                   | 4    | QL(60 per 30 days)                  |
| myorisan 40 mg CAPSULE <b>MO</b>                                 | 4    | QL(120 per 30 days)                 |
| OTEZLA 20 MG TABLET <b>DL</b>                                    | 5    | PA,QL(60 per 30 days)               |
| OTEZLA 30 MG TABLET <b>DL</b>                                    | 5    | PA,QL(60 per 30 days)               |
| OTEZLA STARTER 10 MG (4)- 20 MG (51) TABLET, DOSE PACK <b>DL</b> | 5    | PA,QL(55 per 28 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                 | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------|------|-------------------------------------|
| OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK <b>DL</b> | 5    | PA,QL(55 per 28 days)               |
| OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK <b>DL</b>  | 5    | PA,QL(27 per 30 days)               |
| permethrin 5 % CREAM <b>MO</b>                                            | 3    |                                     |
| pimecrolimus 1 % CREAM <b>MO</b>                                          | 4    | PA,QL(100 per 30 days)              |
| podofilox 0.5 % SOLUTION <b>MO</b>                                        | 4    | QL(7 per 30 days)                   |
| procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>                 | 4    | QL(60 per 30 days)                  |
| proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>                  | 4    | QL(60 per 30 days)                  |
| proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>                 | 4    | QL(60 per 30 days)                  |
| SANTYL 250 UNIT/GRAM OINTMENT <b>MO</b>                                   | 4    | QL(180 per 30 days)                 |
| selenium sulfide 2.5 % LOTION <b>GC,MO</b>                                | 2    | QL(120 per 30 days)                 |
| silver sulfadiazine 1 % CREAM <b>GC,MO</b>                                | 2    |                                     |
| SSD 1 % CREAM <b>GC,MO</b>                                                | 2    |                                     |
| tacrolimus 0.03 %, 0.1 % OINTMENT <b>MO</b>                               | 4    | QL(200 per 30 days)                 |
| tazarotene 0.1 % CREAM <b>MO</b>                                          | 3    | PA,QL(120 per 30 days)              |
| tretinoin 0.01 % GEL <b>MO</b>                                            | 3    | PA,QL(45 per 30 days)               |
| tretinoin 0.025 %, 0.05 % GEL <b>MO</b>                                   | 4    | PA,QL(45 per 30 days)               |
| tretinoin 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>                          | 4    | PA,QL(45 per 30 days)               |
| UVADEX 20 MCG/ML SOLUTION <b>MO</b>                                       | 4    |                                     |
| zenatane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>                            | 4    | QL(60 per 30 days)                  |
| zenatane 40 mg CAPSULE <b>MO</b>                                          | 4    | QL(120 per 30 days)                 |
| <b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>                              |      |                                     |
| AMINOSYN 10 % 10 % PARENTERAL SOLUTION <b>MO</b>                          | 4    | BvsD                                |
| AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION <b>MO</b>          | 4    | BvsD                                |
| AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>                        | 4    | BvsD                                |
| AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>           | 4    | BvsD                                |
| AMINOSYN II 10 % 10 % PARENTERAL SOLUTION <b>MO</b>                       | 4    | BvsD                                |
| AMINOSYN II 15 % 15 % PARENTERAL SOLUTION <b>MO</b>                       | 4    | BvsD                                |
| AMINOSYN II 7 % 7 % PARENTERAL SOLUTION <b>MO</b>                         | 4    | BvsD                                |
| AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>                     | 4    | BvsD                                |
| AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>        | 4    | BvsD                                |
| AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION <b>MO</b>                      | 4    | BvsD                                |
| AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION <b>MO</b>                       | 4    | BvsD                                |
| AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION <b>MO</b>          | 4    | BvsD                                |
| AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION <b>MO</b>                     | 4    | BvsD                                |
| bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>              | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------|------|-------------------------------------|
| c-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>                | 4    |                                     |
| calcium acetate(phosphat bind) 667 mg CAPSULE <b>MO</b>             | 3    |                                     |
| calcium acetate(phosphat bind) 667 mg TABLET <b>MO</b>              | 3    |                                     |
| carglumic acid 200 mg TABLET, DISPERSIBLE <b>DL</b>                 | 5    | PA                                  |
| CHEMET 100 MG CAPSULE <b>DL</b>                                     | 5    |                                     |
| CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION <b>MO</b>     | 4    | BvsD                                |
| CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>  | 4    | BvsD                                |
| CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION <b>MO</b>    | 4    | BvsD                                |
| CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION <b>MO</b>  | 4    | BvsD                                |
| CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>    | 4    | BvsD                                |
| CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>    | 4    | BvsD                                |
| CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION <b>MO</b> | 4    | BvsD                                |
| CLINISOL SF 15 % 15 % PARENTERAL SOLUTION <b>MO</b>                 | 4    | BvsD                                |
| CLINOLIPID 20 % EMULSION <b>MO</b>                                  | 4    | BvsD                                |
| complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>     | 4    |                                     |
| d10 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>GC,MO</b>       | 2    |                                     |
| d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>GC,MO</b>      | 2    |                                     |
| d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION <b>GC,MO</b>     | 2    |                                     |
| d5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>GC,MO</b>        | 2    |                                     |
| deferasirox 180 mg, 360 mg TABLET <b>MO</b>                         | 4    | PA                                  |
| deferasirox 90 mg TABLET <b>MO</b>                                  | 3    | PA                                  |
| dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION <b>GC,MO</b>       | 2    |                                     |
| dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION <b>GC,MO</b> | 2    |                                     |
| dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION <b>GC,MO</b> | 2    |                                     |
| dextrose 25 % in water (d25w) SYRINGE <b>GC,MO</b>                  | 2    |                                     |
| dextrose 30 % in water (d30w) PARENTERAL SOLUTION <b>GC,MO</b>      | 2    |                                     |
| dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION <b>GC,MO</b> | 2    |                                     |
| dextrose 5 % in water (d5w) PARENTERAL SOLUTION <b>GC,MO</b>        | 2    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| dextrose 5 % in water (d5w) 5 % PIGGYBACK <b>GC,MO</b>                                              | 2    |                                     |
| dextrose 5 %-lactated ringers PARENTERAL SOLUTION <b>GC,MO</b>                                      | 2    |                                     |
| dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION <b>GC,MO</b>                                     | 2    |                                     |
| dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION <b>GC,MO</b>                                     | 2    |                                     |
| dextrose 50 % in water (d50w) PARENTERAL SOLUTION <b>GC,MO</b>                                      | 2    |                                     |
| dextrose 50 % in water (d50w) SYRINGE <b>GC,MO</b>                                                  | 2    |                                     |
| dextrose 70 % in water (d70w) PARENTERAL SOLUTION <b>GC,MO</b>                                      | 2    |                                     |
| electrolyte-48 in d5w PARENTERAL SOLUTION <b>GC,MO</b>                                              | 2    |                                     |
| INTRALIPID 20 %, 30 % EMULSION <b>MO</b>                                                            | 4    | BvsD                                |
| K-TAB 10 MEQ, 20 MEQ TABLET ER <b>MO</b>                                                            | 4    |                                     |
| KABIVEN 3.31-10.8-3.9 % EMULSION <b>MO</b>                                                          | 4    | BvsD                                |
| kionex (with sorbitol) 15-20 gram/60 ml SUSPENSION <b>MO</b>                                        | 3    |                                     |
| KLOR-CON 10 10 MEQ TABLET ER <b>GC,MO</b>                                                           | 2    |                                     |
| KLOR-CON 8 8 MEQ TABLET ER <b>GC,MO</b>                                                             | 2    |                                     |
| klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS <b>GC,MO</b>                                      | 2    |                                     |
| KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS <b>GC,MO</b>                                      | 2    |                                     |
| klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS <b>GC,MO</b>                                      | 2    |                                     |
| levocarnitine 330 mg TABLET <b>MO</b>                                                               | 4    |                                     |
| levocarnitine (with sugar) 100 mg/ml SOLUTION <b>MO</b>                                             | 4    |                                     |
| m-natal plus 27 mg iron- 1 mg TABLET <b>MO</b>                                                      | 4    |                                     |
| magnesium sulfate 500 mg/ml (50 %) SOLUTION <b>MO</b>                                               | 4    |                                     |
| magnesium sulfate 500 mg/ml (50 %) SYRINGE <b>MO</b>                                                | 4    |                                     |
| NEONATAL COMPLETE 29-1 MG TABLET <b>MO</b>                                                          | 4    |                                     |
| NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET <b>MO</b>                                             | 4    |                                     |
| NEONATAL-DHA 29-1-200-500 MG COMBO PACK <b>MO</b>                                                   | 4    |                                     |
| NUTRILIPID 20 % EMULSION <b>MO</b>                                                                  | 4    | BvsD                                |
| penicillamine 250 mg TABLET <b>DL</b>                                                               | 5    |                                     |
| PERIKABIVEN 2.36-7.5-3.5 % EMULSION <b>MO</b>                                                       | 4    | BvsD                                |
| PLENAMINE 15 % PARENTERAL SOLUTION <b>MO</b>                                                        | 4    | BvsD                                |
| potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b> | 4    |                                     |
| potassium chloride 10 meq CAPSULE, ER <b>GC,MO</b>                                                  | 2    |                                     |
| potassium chloride 10 meq, 20 meq TABLET ER <b>GC,MO</b>                                            | 2    |                                     |
| potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS <b>GC,MO</b>                        | 2    |                                     |
| potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS <b>GC,MO</b>                                | 2    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------|------|-------------------------------------|
| potassium chloride 15 meq, 8 meq TABLET ER <sup>GC,MO</sup>                         | 2    |                                     |
| potassium chloride 20 meq/15 ml LIQUID <sup>MO</sup>                                | 4    | QL(1125 per 30 days)                |
| potassium chloride 40 meq/15 ml LIQUID <sup>MO</sup>                                | 4    |                                     |
| potassium chloride 8 meq CAPSULE, ER <sup>GC,MO</sup>                               | 2    |                                     |
| potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER <sup>MO</sup> | 3    |                                     |
| pr natal 400 29-1-400 mg COMBO PACK <sup>MO</sup>                                   | 4    |                                     |
| pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP <sup>MO</sup>                 | 4    |                                     |
| pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK <sup>MO</sup>                       | 4    |                                     |
| pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP <sup>MO</sup>                 | 4    |                                     |
| PREMASOL 10 % 10 % PARENTERAL SOLUTION <sup>MO</sup>                                | 4    | BvsD                                |
| PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET <sup>MO</sup>                              | 4    |                                     |
| PRENATABS FA 29-1 MG TABLET <sup>MO</sup>                                           | 4    |                                     |
| prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET <sup>MO</sup>                  | 4    |                                     |
| prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET <sup>MO</sup>                 | 4    |                                     |
| PRENATE ELITE 26 MG IRON- 1 MG TABLET <sup>MO</sup>                                 | 4    |                                     |
| PROSOL 20 % PARENTERAL SOLUTION <sup>MO</sup>                                       | 4    | BvsD                                |
| se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET <sup>MO</sup>                 | 4    |                                     |
| sevelamer carbonate 0.8 gram POWDER IN PACKET <sup>MO</sup>                         | 4    | QL(540 per 30 days)                 |
| sevelamer carbonate 2.4 gram POWDER IN PACKET <sup>MO</sup>                         | 4    | QL(180 per 30 days)                 |
| sevelamer carbonate 800 mg TABLET <sup>MO</sup>                                     | 4    | QL(540 per 30 days)                 |
| SMOFLIPID 20 % EMULSION <sup>MO</sup>                                               | 4    | BvsD                                |
| sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION <sup>MO</sup>                     | 4    |                                     |
| sodium chloride 0.9 % PARENTERAL SOLUTION <sup>MO</sup>                             | 4    |                                     |
| sodium chloride 0.9 % PIGGYBACK <sup>MO</sup>                                       | 4    |                                     |
| sodium polystyrene sulfonate POWDER <sup>MO</sup>                                   | 3    |                                     |
| SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION <sup>MO</sup>                       | 3    |                                     |
| TRAVASOL 10 % 10 % PARENTERAL SOLUTION <sup>MO</sup>                                | 4    | BvsD                                |
| trientine 250 mg CAPSULE <sup>DL</sup>                                              | 5    | QL(240 per 30 days)                 |
| trientine 500 mg CAPSULE <sup>DL</sup>                                              | 5    | QL(120 per 30 days)                 |
| trinatal rx 1 60 mg iron-1 mg TABLET <sup>MO</sup>                                  | 4    |                                     |
| TROPHAMINE 10 % 10 % PARENTERAL SOLUTION <sup>MO</sup>                              | 4    | BvsD                                |
| VELPHORO 500 MG CHEWABLE TABLET <sup>DL</sup>                                       | 4    |                                     |
| VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET <sup>MO</sup>              | 3    | QL(30 per 30 days)                  |
| virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE <sup>MO</sup>                         | 4    |                                     |
| wesnata dha complete 29 mg iron- 1 mg-200 mg COMBO PACK <sup>MO</sup>               | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                               | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------|------|-------------------------------------|
| wesnate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>                   | 4    |                                     |
| westab plus 27 mg iron- 1 mg TABLET <b>MO</b>                           | 4    |                                     |
| <b>GASTROINTESTINAL AGENTS</b>                                          |      |                                     |
| alosetron 0.5 mg, 1 mg TABLET <b>MO</b>                                 | 4    | PA,QL(60 per 30 days)               |
| bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE <b>MO</b>         | 4    | QL(120 per 30 days)                 |
| cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET <b>GC,MO</b>           | 2    |                                     |
| cimetidine hcl 300 mg/5 ml SOLUTION <b>MO</b>                           | 3    |                                     |
| CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION <b>MO</b>               | 3    |                                     |
| CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION <b>MO</b>               | 3    |                                     |
| constulose 10 gram/15 ml SOLUTION <b>GC,MO</b>                          | 2    |                                     |
| dicyclomine 10 mg CAPSULE <b>GC,MO</b>                                  | 2    |                                     |
| dicyclomine 10 mg/5 ml SOLUTION <b>MO</b>                               | 4    |                                     |
| dicyclomine 20 mg TABLET <b>GC,MO</b>                                   | 2    |                                     |
| diphenoxylate-atropine 2.5-0.025 mg TABLET <b>MO</b>                    | 4    |                                     |
| enulose 10 gram/15 ml SOLUTION <b>GC,MO</b>                             | 2    |                                     |
| esomeprazole magnesium 20 mg CAPSULE, DR/EC <b>MO</b>                   | 3    | QL(60 per 30 days)                  |
| esomeprazole magnesium 40 mg CAPSULE, DR/EC <b>MO</b>                   | 3    | QL(60 per 30 days)                  |
| famotidine 20 mg, 40 mg TABLET <b>GC,MO</b>                             | 2    |                                     |
| famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION <b>MO</b> | 4    |                                     |
| GATTEX 30-VIAL 5 MG KIT <b>DL,LA</b>                                    | 5    | PA                                  |
| GATTEX ONE-VIAL 5 MG KIT <b>DL,LA</b>                                   | 5    | PA                                  |
| gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION <b>GC,MO</b>        | 2    |                                     |
| gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>GC,MO</b>        | 2    |                                     |
| gavilyte-n 420 gram RECON SOLUTION <b>GC,MO</b>                         | 2    |                                     |
| generlac 10 gram/15 ml SOLUTION <b>GC,MO</b>                            | 2    |                                     |
| glycopyrrolate 1 mg, 2 mg TABLET <b>MO</b>                              | 3    |                                     |
| lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION <b>GC,MO</b>    | 2    |                                     |
| lactulose 10 gram/15 ml SOLUTION <b>GC,MO</b>                           | 2    |                                     |
| lansoprazole 15 mg, 30 mg CAPSULE, DR/EC <b>MO</b>                      | 3    | QL(60 per 30 days)                  |
| LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>                      | 3    | QL(30 per 30 days)                  |
| loperamide 2 mg CAPSULE <b>GC,MO</b>                                    | 2    |                                     |
| lubiprostone 24 mcg, 8 mcg CAPSULE <b>MO</b>                            | 3    | QL(60 per 30 days)                  |
| misoprostol 100 mcg TABLET <b>MO</b>                                    | 3    |                                     |
| misoprostol 200 mcg TABLET <b>MO</b>                                    | 3    |                                     |
| MOVANTI 12.5 MG, 25 MG TABLET <b>MO</b>                                 | 3    | QL(30 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION <b>DL</b>                                                                                       | 5    | PA,QL(30 per 30 days)               |
| nizatidine 150 mg, 300 mg CAPSULE <b>GC,MO</b>                                                                                               | 2    |                                     |
| omeprazole 10 mg CAPSULE, DR/EC <b>GC,MO</b>                                                                                                 | 1    | QL(60 per 30 days)                  |
| omeprazole 20 mg, 40 mg CAPSULE, DR/EC <b>GC,MO</b>                                                                                          | 1    | QL(60 per 30 days)                  |
| pantoprazole 20 mg, 40 mg TABLET, DR/EC <b>GC,MO</b>                                                                                         | 1    | QL(60 per 30 days)                  |
| peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>GC,MO</b>                                                                  | 2    |                                     |
| peg-electrolyte soln 420 gram RECON SOLUTION <b>GC,MO</b>                                                                                    | 2    |                                     |
| sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION <b>MO</b>                                                                    | 4    |                                     |
| sucralfate 1 gram TABLET <b>GC,MO</b>                                                                                                        | 2    |                                     |
| sucralfate 100 mg/ml SUSPENSION <b>MO</b>                                                                                                    | 4    |                                     |
| ursodiol 250 mg TABLET <b>MO</b>                                                                                                             | 3    |                                     |
| ursodiol 300 mg CAPSULE <b>MO</b>                                                                                                            | 4    |                                     |
| ursodiol 500 mg TABLET <b>MO</b>                                                                                                             | 4    |                                     |
| XIFAXAN 200 MG TABLET <b>MO</b>                                                                                                              | 4    | PA,QL(9 per 30 days)                |
| XIFAXAN 550 MG TABLET <b>DL</b>                                                                                                              | 5    | PA,QL(84 per 28 days)               |
| <b>GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>                                                                    |      |                                     |
| betaine 1 gram/scoop POWDER <b>DL</b>                                                                                                        | 5    |                                     |
| CERDELGA 84 MG CAPSULE <b>DL</b>                                                                                                             | 5    | PA                                  |
| CEREZYME 400 UNIT RECON SOLUTION <b>DL</b>                                                                                                   | 5    | PA                                  |
| CHOLBAM 250 MG, 50 MG CAPSULE <b>DL</b>                                                                                                      | 5    | PA,QL(120 per 30 days)              |
| CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC <b>MO</b> | 3    |                                     |
| CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC <b>MO</b>                                                                                   | 3    |                                     |
| CYSTAGON 150 MG, 50 MG CAPSULE <b>MO</b>                                                                                                     | 4    |                                     |
| ELELYSO 200 UNIT RECON SOLUTION <b>DL</b>                                                                                                    | 5    | PA                                  |
| javygtor 100 mg TABLET, SOLUBLE <b>DL</b>                                                                                                    | 5    | PA                                  |
| javygtor 100 mg, 500 mg POWDER IN PACKET <b>DL</b>                                                                                           | 5    | PA                                  |
| nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE <b>DL</b>                                                                                        | 5    |                                     |
| sapropterin 100 mg TABLET, SOLUBLE <b>DL</b>                                                                                                 | 5    | PA                                  |
| sapropterin 100 mg, 500 mg POWDER IN PACKET <b>DL</b>                                                                                        | 5    | PA                                  |
| sodium phenylbutyrate 0.94 gram/gram POWDER <b>DL</b>                                                                                        | 5    |                                     |
| STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION <b>DL</b>                                                              | 5    | PA                                  |
| SUCRAID 8,500 UNIT/ML SOLUTION <b>DL</b>                                                                                                     | 5    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                                                                                                            | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| VYNDAQEL 20 MG CAPSULE <b>DL</b>                                                                                                                                                                                                     | 5    | PA,QL(120 per 30 days)              |
| ZEMAIRA 1,000 MG, 4,000 MG, 5,000 MG RECON SOLUTION <b>DL</b>                                                                                                                                                                        | 5    | PA                                  |
| ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC <b>MO</b> | 4    |                                     |
| ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC <b>MO</b>                                                                                                                                                                          | 4    |                                     |
| ZOKINVY 50 MG, 75 MG CAPSULE <b>DL</b>                                                                                                                                                                                               | 5    | PA,QL(120 per 30 days)              |
| <b>GENITOURINARY AGENTS</b>                                                                                                                                                                                                          |      |                                     |
| alfuzosin 10 mg TABLET, ER 24 HR. <b>GC,MO</b>                                                                                                                                                                                       | 2    |                                     |
| bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET <b>MO</b>                                                                                                                                                                      | 3    |                                     |
| dutasteride 0.5 mg CAPSULE <b>MO</b>                                                                                                                                                                                                 | 3    | QL(30 per 30 days)                  |
| ELMIRON 100 MG CAPSULE <b>MO</b>                                                                                                                                                                                                     | 4    | QL(90 per 30 days)                  |
| fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>                                                                                                                                                                                  | 3    | QL(30 per 30 days)                  |
| finasteride 5 mg TABLET <b>GC,MO</b>                                                                                                                                                                                                 | 1    | QL(30 per 30 days)                  |
| GEMTESA 75 MG TABLET <b>MO</b>                                                                                                                                                                                                       | 4    | QL(30 per 30 days)                  |
| MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>                                                                                                                                                                                   | 3    | QL(30 per 30 days)                  |
| MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON <b>MO</b>                                                                                                                                                                                    | 3    | QL(300 per 30 days)                 |
| oxybutynin chloride 10 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>                                                                                                                                                                          | 3    | QL(60 per 30 days)                  |
| oxybutynin chloride 15 mg TABLET, ER 24 HR. <b>MO</b>                                                                                                                                                                                | 3    | QL(60 per 30 days)                  |
| oxybutynin chloride 2.5 mg TABLET <b>GC,MO</b>                                                                                                                                                                                       | 2    | QL(90 per 30 days)                  |
| oxybutynin chloride 5 mg TABLET <b>GC,MO</b>                                                                                                                                                                                         | 2    |                                     |
| oxybutynin chloride 5 mg/5 ml SYRUP <b>GC,MO</b>                                                                                                                                                                                     | 2    |                                     |
| silodosin 4 mg, 8 mg CAPSULE <b>MO</b>                                                                                                                                                                                               | 3    | QL(30 per 30 days)                  |
| solifenacin 10 mg, 5 mg TABLET <b>GC,MO</b>                                                                                                                                                                                          | 2    | QL(30 per 30 days)                  |
| tamsulosin 0.4 mg CAPSULE <b>MO</b>                                                                                                                                                                                                  | 6    |                                     |
| tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. <b>MO</b>                                                                                                                                                                                  | 4    | QL(30 per 30 days)                  |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)</b>                                                                                                                                                                    |      |                                     |
| dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET <b>GC,MO</b>                                                                                                                                                    | 2    |                                     |
| dexamethasone 0.5 mg/5 ml ELIXIR <b>MO</b>                                                                                                                                                                                           | 3    |                                     |
| dexamethasone 0.5 mg/5 ml SOLUTION <b>GC,MO</b>                                                                                                                                                                                      | 2    |                                     |
| dexamethasone intensol 1 mg/ml DROPS <b>MO</b>                                                                                                                                                                                       | 3    |                                     |
| fludrocortisone 0.1 mg TABLET <b>GC,MO</b>                                                                                                                                                                                           | 2    |                                     |
| methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET <b>GC,MO</b>                                                                                                                                                                      | 2    | BvsD                                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------|------|-------------------------------------|
| methylprednisolone 4 mg TABLET, DOSE PACK <b>GC,MO</b>                                              | 2    |                                     |
| methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION <b>MO</b>                                  | 4    |                                     |
| prednisolone 15 mg/5 ml SOLUTION <b>GC,MO</b>                                                       | 2    |                                     |
| prednisolone sodium phosphate 15 mg/5 ml (3 mg/ml) SOLUTION <b>GC,MO</b>                            | 2    |                                     |
| prednisolone sodium phosphate 20 mg/5 ml (4 mg/ml) SOLUTION <b>MO</b>                               | 4    |                                     |
| prednisolone sodium phosphate 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION <b>MO</b> | 3    |                                     |
| prednisone 1 mg, 2.5 mg, 50 mg TABLET <b>GC,MO</b>                                                  | 1    | BvsD                                |
| prednisone 10 mg, 20 mg, 5 mg TABLET <b>GC,MO</b>                                                   | 1    | BvsD                                |
| prednisone 10 mg, 5 mg TABLET, DOSE PACK <b>GC,MO</b>                                               | 2    |                                     |
| prednisone 5 mg/5 ml SOLUTION <b>MO</b>                                                             | 4    | BvsD                                |
| prednisone intensol 5 mg/ml CONCENTRATE <b>MO</b>                                                   | 4    | BvsD                                |
| triamcinolone acetonide 0.025 %, 0.1 % LOTION <b>MO</b>                                             | 3    |                                     |
| triamcinolone acetonide 0.025 %, 0.1 %, 0.5 % OINTMENT <b>GC,MO</b>                                 | 2    |                                     |
| triamcinolone acetonide 0.025 %, 0.5 % CREAM <b>GC,MO</b>                                           | 2    |                                     |
| triamcinolone acetonide 0.1 % CREAM <b>GC,MO</b>                                                    | 2    |                                     |
| triderm 0.1 %, 0.5 % CREAM <b>GC,MO</b>                                                             | 2    |                                     |
| VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION <b>MO</b>                                                 | 4    |                                     |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)</b>                                 |      |                                     |
| CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION <b>MO</b>                                  | 4    | PA                                  |
| desmopressin 0.1 mg TABLET <b>MO</b>                                                                | 3    |                                     |
| desmopressin 0.2 mg TABLET <b>MO</b>                                                                | 4    |                                     |
| EGRIFTA SV 2 MG RECON SOLUTION <b>DL</b>                                                            | 5    | PA,QL(30 per 30 days)               |
| INCRELEX 10 MG/ML SOLUTION <b>DL</b>                                                                | 5    | PA                                  |
| OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE <b>DL</b>                     | 5    | PA                                  |
| OMNITROPE 5.8 MG RECON SOLUTION <b>DL</b>                                                           | 5    | PA                                  |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)</b>                    |      |                                     |
| afirmelle 0.1-20 mg-mcg TABLET <b>MO</b>                                                            | 4    |                                     |
| altavera (28) 0.15-0.03 mg TABLET <b>MO</b>                                                         | 4    |                                     |
| alyacen 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>                                                      | 4    |                                     |
| alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>                                           | 4    |                                     |
| amabelz 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>                                                       | 4    |                                     |
| amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>                         | 4    | QL(91 per 90 days)                  |
| amethyst (28) 90-20 mcg (28) TABLET <b>MO</b>                                                       | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                     | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------|------|-------------------------------------|
| apri 0.15-0.03 mg TABLET <b>MO</b>                                            | 4    |                                     |
| aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>                            | 4    |                                     |
| ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>   | 4    | QL(91 per 90 days)                  |
| aubra 0.1-20 mg-mcg TABLET <b>MO</b>                                          | 4    |                                     |
| aubra eq 0.1-20 mg-mcg TABLET <b>MO</b>                                       | 4    |                                     |
| aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>                           | 4    |                                     |
| aurovela 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>                               | 4    |                                     |
| aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                    | 4    |                                     |
| aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>             | 4    |                                     |
| aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>         | 4    |                                     |
| aviane 0.1-20 mg-mcg TABLET <b>MO</b>                                         | 4    |                                     |
| ayuna 0.15-0.03 mg TABLET <b>MO</b>                                           | 4    |                                     |
| azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>                   | 4    |                                     |
| balziva (28) 0.4-35 mg-mcg TABLET <b>MO</b>                                   | 4    |                                     |
| blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                     | 4    |                                     |
| blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>          | 4    |                                     |
| blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>              | 4    |                                     |
| briellyn 0.4-35 mg-mcg TABLET <b>MO</b>                                       | 4    |                                     |
| camila 0.35 mg TABLET <b>MO</b>                                               | 4    |                                     |
| camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>   | 4    | QL(91 per 90 days)                  |
| camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b> | 4    | QL(91 per 90 days)                  |
| caziant (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>                          | 4    |                                     |
| charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>          | 4    |                                     |
| chateal (28) 0.15-0.03 mg TABLET <b>MO</b>                                    | 4    |                                     |
| chateal eq (28) 0.15-0.03 mg TABLET <b>MO</b>                                 | 4    |                                     |
| cryselle (28) 0.3-30 mg-mcg TABLET <b>MO</b>                                  | 4    |                                     |
| cyred 0.15-0.03 mg TABLET <b>MO</b>                                           | 4    |                                     |
| cyred eq 0.15-0.03 mg TABLET <b>MO</b>                                        | 4    |                                     |
| danazol 100 mg, 200 mg, 50 mg CAPSULE <b>MO</b>                               | 4    |                                     |
| dasetta 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>                                | 4    |                                     |
| dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>                     | 4    |                                     |
| daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>    | 4    | QL(91 per 90 days)                  |
| deblitane 0.35 mg TABLET <b>MO</b>                                            | 4    |                                     |
| DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE <b>MO</b>                        | 4    | QL(0.65 per 90 days)                |
| desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>   | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                     | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET <b>MO</b>                                                                   | 4    |                                     |
| dolishale 90-20 mcg (28) TABLET <b>MO</b>                                                                                     | 4    |                                     |
| dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>                | 4    | QL(8 per 28 days)                   |
| drosiprenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET <b>MO</b>                                                          | 4    |                                     |
| DUAVEE 0.45-20 MG TABLET <b>MO</b>                                                                                            | 4    | PA,QL(30 per 30 days)               |
| elinest 0.3-30 mg-mcg TABLET <b>MO</b>                                                                                        | 4    |                                     |
| ELLA 30 MG TABLET <b>MO</b>                                                                                                   | 3    | QL(1 per 30 days)                   |
| eluryng 0.12-0.015 mg/24 hr RING <b>MO</b>                                                                                    | 4    | QL(1 per 28 days)                   |
| emzahh 0.35 mg TABLET <b>MO</b>                                                                                               | 4    |                                     |
| ENDOMETRIN 100 MG INSERT <b>MO</b>                                                                                            | 4    |                                     |
| enilloring 0.12-0.015 mg/24 hr RING <b>MO</b>                                                                                 | 4    | QL(1 per 28 days)                   |
| enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>                                                                      | 4    |                                     |
| enskyce 0.15-0.03 mg TABLET <b>MO</b>                                                                                         | 4    |                                     |
| errin 0.35 mg TABLET <b>MO</b>                                                                                                | 4    |                                     |
| estradiol 0.01 % (0.1 mg/gram) CREAM <b>MO</b>                                                                                | 3    |                                     |
| estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY <b>MO</b> | 4    | QL(4 per 28 days)                   |
| estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>            | 4    | QL(8 per 28 days)                   |
| estradiol 0.5 mg, 1 mg, 2 mg TABLET <b>GC,MO</b>                                                                              | 1    |                                     |
| estradiol 10 mcg TABLET <b>MO</b>                                                                                             | 4    |                                     |
| estradiol valerate 10 mg/ml OIL <b>MO</b>                                                                                     | 4    |                                     |
| estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>                                                            | 3    |                                     |
| ESTRING 2 MG (7.5 MCG /24 HOUR) RING <b>MO</b>                                                                                | 4    | QL(1 per 90 days)                   |
| ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>                                                       | 4    |                                     |
| etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING <b>MO</b>                                                             | 4    | QL(1 per 28 days)                   |
| falmina (28) 0.1-20 mg-mcg TABLET <b>MO</b>                                                                                   | 4    |                                     |
| FEMLYV 1 MG- 20 MCG TABLET, DISINTEGRATING <b>MO</b>                                                                          | 4    |                                     |
| femynor 0.25-35 mg-mcg TABLET <b>MO</b>                                                                                       | 4    |                                     |
| gallifrey 5 mg TABLET <b>MO</b>                                                                                               | 3    |                                     |
| hailey 1.5-30 mg-mcg TABLET <b>MO</b>                                                                                         | 4    |                                     |
| hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                                                                      | 4    |                                     |
| hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>                                                           | 4    |                                     |
| hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>                                                               | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                                         | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| haloette 0.12-0.015 mg/24 hr RING <b>MO</b>                                                                                                                       | 4    | QL(1 per 28 days)                   |
| heather 0.35 mg TABLET <b>MO</b>                                                                                                                                  | 4    |                                     |
| iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>                                                                                                  | 4    | QL(91 per 90 days)                  |
| incassia 0.35 mg TABLET <b>MO</b>                                                                                                                                 | 4    |                                     |
| isibloom 0.15-0.03 mg TABLET <b>MO</b>                                                                                                                            | 4    |                                     |
| jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>                                                                                      | 4    | QL(91 per 90 days)                  |
| jasmiel (28) 3-0.02 mg TABLET <b>MO</b>                                                                                                                           | 4    |                                     |
| jencycla 0.35 mg TABLET <b>MO</b>                                                                                                                                 | 4    |                                     |
| juleber 0.15-0.03 mg TABLET <b>MO</b>                                                                                                                             | 4    |                                     |
| junel 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>                                                                                                                  | 4    |                                     |
| junel 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>                                                                                                                      | 4    |                                     |
| junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>                                                                                                | 4    |                                     |
| junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>                                                                                                    | 4    |                                     |
| junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                                                                                                           | 4    |                                     |
| kalliga 0.15-0.03 mg TABLET <b>MO</b>                                                                                                                             | 4    |                                     |
| kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>                                                                                                         | 4    |                                     |
| kelnor 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>                                                                                                                     | 4    |                                     |
| kelnor 1/50 (28) 1-50 mg-mcg TABLET <b>MO</b>                                                                                                                     | 4    |                                     |
| kurvelo (28) 0.15-0.03 mg TABLET <b>MO</b>                                                                                                                        | 4    |                                     |
| l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b> | 4    | QL(91 per 90 days)                  |
| larin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>                                                                                                                  | 4    |                                     |
| larin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>                                                                                                                      | 4    |                                     |
| larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                                                                                                           | 4    |                                     |
| larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>                                                                                                | 4    |                                     |
| larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>                                                                                                    | 4    |                                     |
| leena 28 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>                                                                                                                     | 4    |                                     |
| lessina 0.1-20 mg-mcg TABLET <b>MO</b>                                                                                                                            | 4    |                                     |
| levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>                                                                                                     | 4    |                                     |
| levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>                                                                                     | 4    |                                     |
| levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET <b>MO</b>                                                                        | 4    |                                     |
| levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>                                                                            | 4    | QL(91 per 90 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                        | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| levora-28 0.15-0.03 mg TABLET <b>MO</b>                                                                          | 4    |                                     |
| lo-zumandimine (28) 3-0.02 mg TABLET <b>MO</b>                                                                   | 4    |                                     |
| LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET <b>MO</b>                                                              | 4    |                                     |
| LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET <b>MO</b>                                                                  | 4    |                                     |
| LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>                                        | 4    |                                     |
| LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>                                            | 4    |                                     |
| lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>                                    | 4    | QL(91 per 90 days)                  |
| loryna (28) 3-0.02 mg TABLET <b>MO</b>                                                                           | 3    |                                     |
| low-ogestrel (28) 0.3-30 mg-mcg TABLET <b>MO</b>                                                                 | 4    |                                     |
| lutra (28) 0.1-20 mg-mcg TABLET <b>MO</b>                                                                        | 4    |                                     |
| lyleq 0.35 mg TABLET <b>MO</b>                                                                                   | 4    |                                     |
| lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b> | 4    | QL(8 per 28 days)                   |
| lyza 0.35 mg TABLET <b>MO</b>                                                                                    | 4    |                                     |
| marlissa (28) 0.15-0.03 mg TABLET <b>MO</b>                                                                      | 4    |                                     |
| medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET <b>GC,MO</b>                                                      | 2    |                                     |
| medroxyprogesterone 150 mg/ml SUSPENSION <b>GC,MO</b>                                                            | 2    | QL(1 per 90 days)                   |
| medroxyprogesterone 150 mg/ml SYRINGE <b>GC,MO</b>                                                               | 2    | QL(1 per 90 days)                   |
| megestrol 20 mg, 40 mg TABLET <b>GC,MO</b>                                                                       | 2    |                                     |
| megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml) SUSPENSION <b>MO</b>                                     | 4    |                                     |
| MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET <b>MO</b>                                                        | 4    |                                     |
| microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>                                                           | 4    |                                     |
| microgestin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>                                                               | 4    |                                     |
| microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                                                    | 4    |                                     |
| microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>                                         | 4    |                                     |
| microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>                                             | 4    |                                     |
| mili 0.25-35 mg-mcg TABLET <b>MO</b>                                                                             | 4    |                                     |
| mimvey 1-0.5 mg TABLET <b>MO</b>                                                                                 | 4    |                                     |
| MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET <b>MO</b>                                                      | 4    |                                     |
| mono-lynyah 0.25-35 mg-mcg TABLET <b>MO</b>                                                                      | 4    |                                     |
| necon 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>                                                                 | 4    |                                     |
| nikki (28) 3-0.02 mg TABLET <b>MO</b>                                                                            | 4    |                                     |
| NORA-BE 0.35 MG TABLET <b>MO</b>                                                                                 | 4    |                                     |
| nora-be 0.35 mg TABLET <b>MO</b>                                                                                 | 4    |                                     |
| norelgestromin-ethin.estradiol 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>                                          | 4    | QL(3 per 28 days)                   |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>                                                    | 4    |                                     |
| norethindrone (contraceptive) 0.35 mg TABLET <b>MO</b>                                                                                   | 4    |                                     |
| norethindrone ac-eth estradiol 1-20 mg-mcg, 1.5-30 mg-mcg TABLET <b>MO</b>                                                               | 4    |                                     |
| norethindrone acetate 5 mg TABLET <b>MO</b>                                                                                              | 3    |                                     |
| norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b> | 4    |                                     |
| norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>                                                      | 4    |                                     |
| norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET <b>MO</b>                | 4    |                                     |
| nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>                                                                                       | 4    |                                     |
| nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET <b>MO</b>                                                                                      | 4    |                                     |
| nortrel 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>                                                                                           | 4    |                                     |
| nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>                                                                                | 4    |                                     |
| nylia 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>                                                                                             | 4    |                                     |
| nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>                                                                                  | 4    |                                     |
| nymyo 0.25-35 mg-mcg TABLET <b>MO</b>                                                                                                    | 4    |                                     |
| ocella 3-0.03 mg TABLET <b>MO</b>                                                                                                        | 4    |                                     |
| ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET <b>MO</b>                                                                            | 4    |                                     |
| OSPHENA 60 MG TABLET <b>MO</b>                                                                                                           | 3    | PA                                  |
| oxandrolone 10 mg TABLET <b>MO</b>                                                                                                       | 4    | PA,QL(60 per 30 days)               |
| oxandrolone 2.5 mg TABLET <b>MO</b>                                                                                                      | 3    | PA,QL(120 per 30 days)              |
| philith 0.4-35 mg-mcg TABLET <b>MO</b>                                                                                                   | 4    |                                     |
| pimtree (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>                                                                               | 4    |                                     |
| pirmella 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET <b>MO</b>                                                                             | 4    |                                     |
| portia 28 0.15-0.03 mg TABLET <b>MO</b>                                                                                                  | 4    |                                     |
| PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>                                                                     | 4    |                                     |
| PREMARIN 0.625 MG/GRAM CREAM <b>MO</b>                                                                                                   | 3    |                                     |
| progesterone 50 mg/ml OIL <b>MO</b>                                                                                                      | 3    |                                     |
| progesterone micronized 100 mg, 200 mg CAPSULE <b>MO</b>                                                                                 | 3    |                                     |
| QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH <b>MO</b>                                                            | 4    | QL(91 per 90 days)                  |
| raloxifene 60 mg TABLET <b>MO</b>                                                                                                        | 3    | QL(30 per 30 days)                  |
| reclipsen (28) 0.15-0.03 mg TABLET <b>MO</b>                                                                                             | 4    |                                     |
| rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH <b>MO</b>                                                              | 4    | QL(91 per 90 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------|------|-------------------------------------|
| setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>            | 4    | QL(91 per 90 days)                  |
| sharobel 0.35 mg TABLET <b>MO</b>                                            | 4    |                                     |
| simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>                   | 4    |                                     |
| simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b> | 4    | QL(91 per 90 days)                  |
| sprintec (28) 0.25-35 mg-mcg TABLET <b>MO</b>                                | 4    |                                     |
| sronyx 0.1-20 mg-mcg TABLET <b>MO</b>                                        | 4    |                                     |
| syeda 3-0.03 mg TABLET <b>MO</b>                                             | 4    |                                     |
| tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>                     | 4    |                                     |
| tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>           | 4    |                                     |
| tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>              | 4    |                                     |
| testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET <b>MO</b>             | 4    | PA,QL(37.5 per 30 days)             |
| testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET <b>MO</b>               | 4    | PA,QL(150 per 30 days)              |
| testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP <b>MO</b>  | 4    | PA,QL(150 per 30 days)              |
| testosterone cypionate 100 mg/ml, 200 mg/ml OIL <b>MO</b>                    | 3    |                                     |
| testosterone enanthate 200 mg/ml OIL <b>MO</b>                               | 3    | QL(25 per 90 days)                  |
| tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>                     | 4    |                                     |
| tri femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>                  | 4    |                                     |
| tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>                | 4    |                                     |
| tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>                   | 4    |                                     |
| tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>                  | 4    |                                     |
| tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>                     | 4    |                                     |
| tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>                       | 4    |                                     |
| tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>                   | 4    |                                     |
| tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>                     | 4    |                                     |
| tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>                    | 4    |                                     |
| tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>            | 4    |                                     |
| tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>                  | 4    |                                     |
| tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>                    | 4    |                                     |
| trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>                 | 4    |                                     |
| tulana 0.35 mg TABLET <b>MO</b>                                              | 4    |                                     |
| turqoz (28) 0.3-30 mg-mcg TABLET <b>MO</b>                                   | 4    |                                     |
| TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET <b>MO</b>                             | 4    |                                     |
| velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>       | 4    |                                     |
| vestura (28) 3-0.02 mg TABLET <b>MO</b>                                      | 4    |                                     |
| vienva 0.1-20 mg-mcg TABLET <b>MO</b>                                        | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                         | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-----------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>                                                                        | 4    |                                     |
| volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>                                                                         | 4    |                                     |
| vyfemla (28) 0.4-35 mg-mcg TABLET <b>MO</b>                                                                                       | 4    |                                     |
| vylibra 0.25-35 mg-mcg TABLET <b>MO</b>                                                                                           | 4    |                                     |
| wera (28) 0.5-35 mg-mcg TABLET <b>MO</b>                                                                                          | 4    |                                     |
| wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>                                                                 | 4    |                                     |
| xulane 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>                                                                                   | 4    | QL(3 per 28 days)                   |
| zafemy 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>                                                                                   | 4    | QL(3 per 28 days)                   |
| zarah 3-0.03 mg TABLET <b>MO</b>                                                                                                  | 4    |                                     |
| zovia 1-35 (28) 1-35 mg-mcg TABLET <b>MO</b>                                                                                      | 4    |                                     |
| zumandimine (28) 3-0.03 mg TABLET <b>MO</b>                                                                                       | 4    |                                     |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>                                                                 |      |                                     |
| EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>GC,MO</b>        | 1    |                                     |
| LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>    | 3    |                                     |
| levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET <b>MO</b>                        | 6    |                                     |
| levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET <b>MO</b>                                                                          | 6    |                                     |
| LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>            | 3    |                                     |
| liothyronine 10 mcg/ml SOLUTION <b>MO</b>                                                                                         | 3    |                                     |
| liothyronine 25 mcg, 5 mcg, 50 mcg TABLET <b>MO</b>                                                                               | 3    |                                     |
| SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b> | 3    |                                     |
| UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b> | 3    |                                     |
| <b>HORMONAL AGENTS, SUPPRESSANT (ADRENAL)</b>                                                                                     |      |                                     |
| ISTURISA 1 MG TABLET <b>DL</b>                                                                                                    | 5    | PA,QL(240 per 30 days)              |
| ISTURISA 10 MG TABLET <b>DL</b>                                                                                                   | 5    | PA,QL(180 per 30 days)              |
| ISTURISA 5 MG TABLET <b>DL</b>                                                                                                    | 5    | PA,QL(360 per 30 days)              |
| LYSODREN 500 MG TABLET <b>DL</b>                                                                                                  | 5    |                                     |
| <b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>                                                                                   |      |                                     |
| cabergoline 0.5 mg TABLET <b>MO</b>                                                                                               | 4    |                                     |
| FIRMAGON 120 MG RECON SOLUTION <b>DL</b>                                                                                          | 5    | PA                                  |
| FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION <b>DL</b>                                                                    | 5    | PA                                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                                   | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------|------|-------------------------------------|
| FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION <b>MO</b>                               | 4    | PA                                  |
| leuprolide 1 mg/0.2 ml KIT <b>MO</b>                                                        | 4    |                                     |
| leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION <b>MO</b>                        | 4    | PA,QL(1 per 90 days)                |
| LUPRON DEPOT 3.75 MG SYRINGE KIT <b>MO</b>                                                  | 4    | PA,QL(1 per 30 days)                |
| LUPRON DEPOT 7.5 MG SYRINGE KIT <b>DL</b>                                                   | 5    | PA,QL(1 per 30 days)                |
| LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT <b>MO</b>                              | 4    | PA,QL(1 per 90 days)                |
| LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT <b>MO</b>                                          | 4    | PA,QL(1 per 112 days)               |
| LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT                                                    | 5    | PA,QL(1 per 168 days)               |
| LUPRON DEPOT-PED 11.25 MG KIT <b>DL</b>                                                     | 5    | PA,QL(1 per 28 days)                |
| LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT <b>DL</b>                                          | 5    | PA,QL(1 per 28 days)                |
| LUPRON DEPOT-PED 45 MG SYRINGE KIT                                                          | 5    | PA,QL(1 per 168 days)               |
| LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT                                      | 5    | PA,QL(1 per 90 days)                |
| octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 500 mcg/ml SOLUTION <b>MO</b>      | 4    | PA                                  |
| octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE <b>MO</b> | 4    | PA                                  |
| octreotide acetate 50 mcg/ml SOLUTION <b>MO</b>                                             | 3    | PA                                  |
| octreotide,microspheres 20 mg, 30 mg SUSPENSION, ER, RECON <b>DL</b>                        | 5    | PA                                  |
| ORGOVYX 120 MG TABLET <b>DL</b>                                                             | 5    | PA,QL(32 per 30 days)               |
| SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON <b>DL</b>                   | 5    | PA                                  |
| SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION <b>DL</b>            | 5    | PA,QL(60 per 30 days)               |
| SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE <b>DL</b>                                            | 5    | PA,QL(0.5 per 28 days)              |
| SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE <b>DL</b>                                             | 5    | PA,QL(0.2 per 28 days)              |
| SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE <b>DL</b>                                             | 5    | PA,QL(0.3 per 28 days)              |
| SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION <b>DL</b>                                       | 5    | PA,QL(60 per 30 days)               |
| SOMAVERT 25 MG, 30 MG RECON SOLUTION <b>DL</b>                                              | 5    | PA,QL(30 per 30 days)               |
| SYNAREL 2 MG/ML SPRAY, NON-AEROSOL <b>DL</b>                                                | 5    |                                     |
| <b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>                                               |      |                                     |
| methimazole 10 mg, 5 mg TABLET <b>GC,MO</b>                                                 | 2    |                                     |
| propylthiouracil 50 mg TABLET <b>MO</b>                                                     | 3    |                                     |
| <b>IMMUNOLOGICAL AGENTS</b>                                                                 |      |                                     |
| ABRYVO (PF) 120 MCG/0.5 ML RECON SOLUTION <b>AV,DL,GC</b>                                   | 1    |                                     |
| ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL,GC</b>                                       | 1    |                                     |
| ACTIMMUNE 100 MCG/0.5 ML SOLUTION <b>DL</b>                                                 | 5    | PA                                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                 | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------|------|-------------------------------------|
| ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION <b>AV,DL,GC</b> | 1    |                                     |
| ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE <b>AV,DL,GC</b>    | 1    |                                     |
| ARCALYST 220 MG RECON SOLUTION <b>DL</b>                                                  | 5    | PA                                  |
| AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,GC</b>                  | 1    |                                     |
| <i>azathioprine 50 mg TABLET</i> <b>GC,MO</b>                                             | 2    | BvsD                                |
| BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION <b>AV,DL,GC</b>                | 1    |                                     |
| BENLYSTA 200 MG/ML AUTO-INJECTOR <b>DL</b>                                                | 5    | PA,QL(8 per 28 days)                |
| BENLYSTA 200 MG/ML SYRINGE <b>DL</b>                                                      | 5    | PA,QL(8 per 28 days)                |
| BESREMI 500 MCG/ML SYRINGE <b>DL</b>                                                      | 5    | PA,QL(2 per 28 days)                |
| BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                    | 1    |                                     |
| BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION <b>AV,DL,GC</b>                          | 1    |                                     |
| BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE <b>AV,DL,GC</b>                             | 1    |                                     |
| COSENTYX 150 MG/ML SYRINGE <b>DL</b>                                                      | 5    | PA,QL(8 per 28 days)                |
| COSENTYX 75 MG/0.5 ML SYRINGE <b>DL</b>                                                   | 5    | PA,QL(2 per 28 days)                |
| COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE <b>DL</b>                                         | 5    | PA,QL(8 per 28 days)                |
| COSENTYX PEN 150 MG/ML PEN INJECTOR <b>DL</b>                                             | 5    | PA,QL(8 per 28 days)                |
| COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR <b>DL</b>                                    | 5    | PA,QL(8 per 28 days)                |
| COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR <b>DL</b>                      | 5    | PA,QL(8 per 28 days)                |
| <i>cyclosporine 100 mg, 25 mg CAPSULE</i> <b>MO</b>                                       | 4    | BvsD                                |
| <i>cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE</i> <b>MO</b>                       | 4    | BvsD                                |
| <i>cyclosporine modified 100 mg/ml SOLUTION</i> <b>MO</b>                                 | 4    | BvsD                                |
| CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>                              | 5    | PA,QL(2 per 28 days)                |
| CYLTEZO(CF) 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT <b>DL</b>                              | 5    | PA,QL(6 per 28 days)                |
| CYLTEZO(CF) PEN 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                     | 5    | PA,QL(6 per 28 days)                |
| CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>       | 5    | PA,QL(6 per 28 days)                |
| CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>        | 5    | PA,QL(6 per 28 days)                |
| DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION <b>DL,GC</b>            | 1    |                                     |
| DENG VAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION <b>DL,GC</b>       | 1    |                                     |
| DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR <b>DL</b>                                        | 5    | PA,QL(3.42 per 28 days)             |
| DUPIXENT PEN 300 MG/2 ML PEN INJECTOR <b>DL</b>                                           | 5    | PA,QL(8 per 28 days)                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE <b>DL</b>                                                                                            | 5    | PA,QL(1.34 per 28 days)             |
| DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE <b>DL</b>                                                                                            | 5    | PA,QL(3.42 per 28 days)             |
| DUPIXENT SYRINGE 300 MG/2 ML SYRINGE <b>DL</b>                                                                                               | 5    | PA,QL(8 per 28 days)                |
| ENBREL 25 MG (1 ML) RECON SOLUTION <b>DL</b>                                                                                                 | 5    | PA,QL(8 per 28 days)                |
| ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE <b>DL</b>                                                                                 | 5    | PA,QL(8 per 28 days)                |
| ENBREL 25 MG/0.5 ML SOLUTION <b>DL</b>                                                                                                       | 5    | PA,QL(8 per 28 days)                |
| ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE <b>DL</b>                                                                                              | 5    | PA,QL(8 per 28 days)                |
| ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR <b>DL</b>                                                                                      | 5    | PA,QL(8 per 28 days)                |
| ENGERIX-B (PF) 20 MCG/ML SUSPENSION <b>AV,DL,GC</b>                                                                                          | 1    | BvsD                                |
| ENGERIX-B (PF) 20 MCG/ML SYRINGE <b>AV,DL,GC</b>                                                                                             | 1    | BvsD                                |
| ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                                                               | 1    | BvsD                                |
| ENVARUSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. <b>MO</b>                                                                                       | 4    | PA                                  |
| ENVARUSUS XR 4 MG TABLET, ER 24 HR. <b>DL</b>                                                                                                | 5    | PA                                  |
| <i>everolimus (immunosuppressive) 0.25 mg TABLET <b>MO</b></i>                                                                               | 4    | BvsD,QL(60 per 30 days)             |
| <i>everolimus (immunosuppressive) 0.5 mg TABLET <b>DL</b></i>                                                                                | 5    | BvsD,QL(120 per 30 days)            |
| <i>everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET <b>DL</b></i>                                                                         | 5    | BvsD,QL(60 per 30 days)             |
| GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION <b>DL</b>                                                                                             | 5    | PA                                  |
| GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b> | 5    | PA                                  |
| GARDASIL 9 (PF) 0.5 ML SUSPENSION <b>AV,DL,GC</b>                                                                                            | 1    |                                     |
| GARDASIL 9 (PF) 0.5 ML SYRINGE <b>AV,DL,GC</b>                                                                                               | 1    |                                     |
| <i>gengraf 100 mg, 25 mg CAPSULE <b>MO</b></i>                                                                                               | 4    | BvsD                                |
| <i>gengraf 100 mg/ml SOLUTION <b>MO</b></i>                                                                                                  | 4    | BvsD                                |
| HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION <b>DL</b>                                                                                     | 5    | PA,QL(24 per 28 days)               |
| HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE <b>AV,DL,GC</b>                                                                                      | 1    |                                     |
| HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE <b>DL,GC</b>                                                                                       | 1    |                                     |
| HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                                                                        | 1    | BvsD                                |
| HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL,GC</b>                                                                                       | 1    |                                     |
| HUMIRA 40 MG/0.8 ML SYRINGE KIT <b>DL</b>                                                                                                    | 5    | PA,QL(6 per 28 days)                |
| HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                                                                                           | 5    | PA,QL(6 per 28 days)                |
| HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                                                                        | 5    | PA,QL(6 per 28 days)                |
| HUMIRA PEN PSOR-UEVITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                                                                       | 5    | PA,QL(6 per 28 days)                |
| HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT <b>DL</b>                                                                                                | 5    | PA,QL(2 per 28 days)                |
| HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>                                                                                  | 5    | PA,QL(6 per 28 days)                |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------|------|-------------------------------------|
| HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT <b>DL</b> | 5    | PA,QL(6 per 28 days)                |
| HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                         | 5    | PA,QL(6 per 28 days)                |
| HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                          | 5    | PA,QL(6 per 28 days)                |
| HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>                          | 5    | PA,QL(6 per 28 days)                |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT <b>DL</b>          | 5    | PA,QL(6 per 28 days)                |
| HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR <b>DL</b>                           | 5    | PA,QL(4.8 per 28 days)              |
| HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR <b>DL</b>         | 5    | PA,QL(3.2 per 28 days)              |
| HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE <b>DL</b>                                                   | 5    | PA,QL(0.2 per 28 days)              |
| HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE <b>DL</b>                                                   | 5    | PA,QL(1.2 per 28 days)              |
| HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>                                                   | 5    | PA,QL(2.4 per 28 days)              |
| HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE <b>DL</b>                                | 5    | PA,QL(4.8 per 28 days)              |
| HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE <b>DL</b>                  | 5    | PA,QL(3.6 per 28 days)              |
| HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR <b>DL</b>                                          | 5    | PA,QL(2.4 per 28 days)              |
| HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR <b>DL</b>                                          | 5    | PA,QL(4.8 per 28 days)              |
| icatibant 30 mg/3 ml SYRINGE <b>DL</b>                                                       | 5    | PA,QL(18 per 30 days)               |
| IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION <b>AV,DL,GC</b>                           | 1    | BvsD                                |
| INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE <b>DL,GC</b>                           | 1    |                                     |
| IPOL 40-8-32 UNIT/0.5 ML SUSPENSION <b>AV,DL,GC</b>                                          | 1    |                                     |
| IXCHIQ (PF) 1,000 TCID50/0.5 ML RECON SOLUTION <b>AV,DL,GC</b>                               | 1    |                                     |
| IXIARO (PF) 6 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                             | 1    |                                     |
| JYLAMVO 2 MG/ML SOLUTION <b>DL</b>                                                           | 4    | PA                                  |
| JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION <b>AV,DL,GC</b>                        | 1    |                                     |
| KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE <b>DL,GC</b>                                   | 1    |                                     |
| leflunomide 10 mg, 20 mg TABLET <b>MO</b>                                                    | 4    | QL(30 per 30 days)                  |
| M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION <b>AV,DL,GC</b>                      | 1    |                                     |
| MENACTRA (PF) 4 MCG/0.5 ML SOLUTION <b>AV,DL,GC</b>                                          | 1    |                                     |
| MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION <b>AV,DL,GC</b>                                        | 1    |                                     |
| MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT <b>AV,DL,GC</b>                              | 1    |                                     |
| MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION <b>AV,DL,GC</b>                         | 1    |                                     |
| methotrexate sodium 2.5 mg TABLET <b>MO</b>                                                  | 3    | BvsD                                |
| methotrexate sodium 25 mg/ml SOLUTION <b>GC,MO</b>                                           | 2    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------|------|-------------------------------------|
| methotrexate sodium (pf) 25 mg/ml SOLUTION <b>GC,MO</b>                                  | 2    |                                     |
| MRESVIA (PF) 50 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                       | 1    |                                     |
| mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>                  | 4    | BvsD                                |
| mycophenolate mofetil 250 mg CAPSULE <b>MO</b>                                           | 3    | BvsD                                |
| mycophenolate mofetil 500 mg TABLET <b>MO</b>                                            | 3    | BvsD                                |
| mycophenolate mofetil (hcl) 500 mg RECON SOLUTION <b>MO</b>                              | 4    | BvsD                                |
| mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC <b>MO</b>                              | 4    | BvsD                                |
| PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE <b>DL,GC</b>                        | 1    |                                     |
| PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION <b>DL,GC</b>                                     | 1    |                                     |
| PEGASYS 180 MCG/0.5 ML SYRINGE <b>DL</b>                                                 | 5    | PA,QL(2 per 28 days)                |
| PEGASYS 180 MCG/ML SOLUTION <b>DL</b>                                                    | 5    | PA,QL(4 per 28 days)                |
| PENBRAYA (PF) 5-120 MCG/0.5 ML KIT <b>AV,DL,GC</b>                                       | 1    |                                     |
| PENTACEL (PF) 15LF-48MCG-62DU -10 MCG/0.5ML KIT <b>DL,GC</b>                             | 1    |                                     |
| PREHEVBRIO (PF) 10 MCG/ML SUSPENSION <b>AV,DL,GC</b>                                     | 1    | BvsD                                |
| PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,GC</b> | 1    |                                     |
| PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET <b>MO</b>                                        | 4    | BvsD                                |
| PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION <b>DL,GC</b>    | 1    |                                     |
| QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION <b>DL,GC</b>                     | 1    |                                     |
| QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE <b>DL,GC</b>                        | 1    |                                     |
| RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION <b>AV,DL,GC</b>                     | 1    | BvsD                                |
| RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION <b>AV,DL,GC</b>         | 1    | BvsD                                |
| RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                       | 1    | BvsD                                |
| REZUROCK 200 MG TABLET <b>DL</b>                                                         | 5    | PA,QL(30 per 30 days)               |
| RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. <b>DL</b>                                          | 5    | PA,QL(30 per 30 days)               |
| RINVOQ 45 MG TABLET, ER 24 HR. <b>DL</b>                                                 | 5    | PA,QL(168 per 365 days)             |
| RINVOQ LQ 1 MG/ML SOLUTION <b>DL</b>                                                     | 5    | PA,QL(360 per 30 days)              |
| ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION <b>DL,GC</b>                                    | 1    |                                     |
| ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION <b>DL,GC</b>                      | 1    |                                     |
| ROTATEQ VACCINE 2 ML SOLUTION <b>DL,GC</b>                                               | 1    |                                     |
| sajazir 30 mg/3 ml SYRINGE <b>DL</b>                                                     | 5    | PA,QL(18 per 30 days)               |
| SANDIMMUNE 100 MG/ML SOLUTION <b>MO</b>                                                  | 4    | BvsD                                |
| SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>                   | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                    | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|----------------------------------------------------------------------------------------------|------|-------------------------------------|
| <i>sirolimus</i> 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>                                         | 4    | BvsD                                |
| <i>sirolimus</i> 1 mg/ml SOLUTION <b>MO</b>                                                  | 4    | BvsD                                |
| SKYRIZI 150 MG/ML PEN INJECTOR                                                               | 5    | PA,QL(6 per 365 days)               |
| SKYRIZI 150 MG/ML SYRINGE                                                                    | 5    | PA,QL(6 per 365 days)               |
| SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>                                | 5    | PA,QL(8.4 per 365 days)             |
| SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>                                | 5    | PA,QL(16.8 per 365 days)            |
| STELARA 45 MG/0.5 ML SOLUTION <b>DL</b>                                                      | 5    | PA,QL(1.5 per 84 days)              |
| STELARA 45 MG/0.5 ML SYRINGE <b>DL</b>                                                       | 5    | PA,QL(1.5 per 84 days)              |
| STELARA 90 MG/ML SYRINGE <b>DL</b>                                                           | 5    | PA,QL(3 per 84 days)                |
| <i>tacrolimus</i> 0.5 mg, 1 mg, 5 mg CAPSULE <b>MO</b>                                       | 4    | BvsD                                |
| TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION <b>AV,DL,GC</b>                                          | 1    |                                     |
| TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION <b>AV,DL,GC</b>                           | 1    |                                     |
| TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE <b>AV,DL,GC</b>                                      | 1    |                                     |
| TETANUS,DIPHtheria TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION <b>DL,GC</b>                   | 1    |                                     |
| TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                              | 1    |                                     |
| TRUMENBA 120 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                              | 1    |                                     |
| TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE <b>AV,DL,GC</b>                               | 1    |                                     |
| TYPHIM VI 25 MCG/0.5 ML SOLUTION <b>AV,DL,GC</b>                                             | 1    |                                     |
| TYPHIM VI 25 MCG/0.5 ML SYRINGE <b>AV,DL,GC</b>                                              | 1    |                                     |
| VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION <b>DL,GC</b>                                            | 1    |                                     |
| VAQTA (PF) 25 UNIT/0.5 ML SYRINGE <b>DL,GC</b>                                               | 1    |                                     |
| VAQTA (PF) 50 UNIT/ML SUSPENSION <b>AV,DL,GC</b>                                             | 1    |                                     |
| VAQTA (PF) 50 UNIT/ML SYRINGE <b>AV,DL,GC</b>                                                | 1    |                                     |
| VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,GC</b>                 | 1    |                                     |
| VAXCHORA VACCINE 4X10EXP8 TO 2X 10EXP9 CF UNIT SUSPENSION FOR RECONSTITUTION <b>AV,GC,MO</b> | 1    |                                     |
| XATMEP 2.5 MG/ML SOLUTION <b>MO</b>                                                          | 4    | PA                                  |
| XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR <b>DL,LA</b>                                     | 5    | PA,QL(8 per 28 days)                |
| XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE <b>DL,LA</b>                                           | 5    | PA,QL(8 per 28 days)                |
| XOLAIR 75 MG/0.5 ML AUTO-INJECTOR <b>DL,LA</b>                                               | 5    | PA,QL(4 per 28 days)                |
| XOLAIR 75 MG/0.5 ML SYRINGE <b>DL,LA</b>                                                     | 5    | PA,QL(4 per 28 days)                |
| YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL,GC</b>             | 1    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                          | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------|------|-------------------------------------|
| <b>INFLAMMATORY BOWEL DISEASE AGENTS</b>                                           |      |                                     |
| balsalazide 750 mg CAPSULE <b>MO</b>                                               | 4    |                                     |
| budesonide 3 mg CAPSULE, DR/EC <b>MO</b>                                           | 4    |                                     |
| budesonide 9 mg TABLET, DR/ER <b>DL</b>                                            | 4    | PA,QL(30 per 30 days)               |
| hydrocortisone 100 mg/60 ml ENEMA <b>MO</b>                                        | 3    |                                     |
| mesalamine 0.375 gram CAPSULE, ER 24 HR. <b>MO</b>                                 | 4    | QL(120 per 30 days)                 |
| mesalamine 4 gram/60 ml ENEMA <b>MO</b>                                            | 4    | QL(1800 per 30 days)                |
| sulfasalazine 500 mg TABLET <b>GC,MO</b>                                           | 2    |                                     |
| sulfasalazine 500 mg TABLET, DR/EC <b>GC,MO</b>                                    | 2    |                                     |
| <b>METABOLIC BONE DISEASE AGENTS</b>                                               |      |                                     |
| alendronate 10 mg, 5 mg TABLET <b>GC,MO</b>                                        | 1    | QL(30 per 30 days)                  |
| alendronate 35 mg TABLET <b>GC,MO</b>                                              | 1    | QL(4 per 28 days)                   |
| alendronate 70 mg TABLET <b>GC,MO</b>                                              | 1    | QL(4 per 28 days)                   |
| calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL <b>MO</b>                | 3    | QL(3.7 per 28 days)                 |
| calcitriol 0.25 mcg, 0.5 mcg CAPSULE <b>GC,MO</b>                                  | 2    |                                     |
| calcitriol 1 mcg/ml SOLUTION <b>MO</b>                                             | 4    |                                     |
| cinacalcet 30 mg, 60 mg TABLET <b>MO</b>                                           | 4    | QL(60 per 30 days)                  |
| cinacalcet 90 mg TABLET <b>MO</b>                                                  | 4    | QL(120 per 30 days)                 |
| FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR <b>DL</b>                           | 5    | PA,QL(2.4 per 28 days)              |
| ibandronate 150 mg TABLET <b>MO</b>                                                | 3    | QL(1 per 28 days)                   |
| NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE <b>DL,LA</b> | 5    | PA,QL(2 per 28 days)                |
| pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION <b>MO</b>                               | 3    | QL(30 per 21 days)                  |
| pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION <b>MO</b>        | 3    | QL(10 per 21 days)                  |
| paricalcitol 1 mcg, 2 mcg CAPSULE <b>MO</b>                                        | 4    | QL(30 per 30 days)                  |
| paricalcitol 4 mcg CAPSULE <b>MO</b>                                               | 4    | QL(12 per 30 days)                  |
| PROLIA 60 MG/ML SYRINGE <b>MO</b>                                                  | 4    | QL(1 per 180 days)                  |
| RAYALDEE 30 MCG CAPSULE, ER 24 HR. <b>DL</b>                                       | 5    | QL(60 per 30 days)                  |
| TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR <b>DL</b>                           | 5    | PA,QL(1.56 per 30 days)             |
| XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION <b>DL</b>                                  | 5    | PA,QL(1.7 per 28 days)              |
| zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK <b>MO</b>                     | 3    | PA,QL(100 per 365 days)             |
| <b>MISCELLANEOUS THERAPEUTIC AGENTS</b>                                            |      |                                     |
| ALCOHOL PADS PADS, MEDICATED <b>GC,MO</b>                                          | 1    |                                     |
| ALCOHOL PREP PADS PADS, MEDICATED <b>GC,MO</b>                                     | 1    |                                     |
| ALCOHOL SWABS PADS, MEDICATED <b>GC,MO</b>                                         | 1    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                                                                                                                                  | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| ALCOHOL WIPES PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                 | 1    |                                     |
| AUTOJECT 2 INJECTION DEVICE INSULIN PEN <b>GC,MO</b>                                                                                                                                                                                                       | 1    |                                     |
| AUTOPEN 1 TO 21 UNITS INSULIN PEN <b>GC,MO</b>                                                                                                                                                                                                             | 1    |                                     |
| AUTOPEN 2 TO 42 UNITS INSULIN PEN <b>GC,MO</b>                                                                                                                                                                                                             | 1    |                                     |
| BAND-AID GAUZE PADS 2 X 2 " BANDAGE <b>GC,MO</b>                                                                                                                                                                                                           | 1    |                                     |
| BD ALCOHOL SWABS PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                              | 1    |                                     |
| BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                      | 1    |                                     |
| BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                          | 1    |                                     |
| BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                                               | 1    |                                     |
| BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                            | 1    |                                     |
| BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                | 1    |                                     |
| BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                 | 1    |                                     |
| BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE <b>PDS,GC,MO</b>                                                        | 1    |                                     |
| BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                   | 1    |                                     |
| BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                        | 1    |                                     |
| BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,GC,MO</b> | 1    |                                     |
| BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                       | 1    |                                     |
| BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                     | 1    |                                     |
| BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                     | 1    |                                     |
| BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                     | 1    |                                     |
| BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                      | 1    |                                     |
| BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                    | 1    |                                     |
| BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                           | 1    |                                     |
| BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,GC,MO</b>                                                                                                                              | 1    |                                     |
| BORDERED GAUZE 2 X 2 " BANDAGE <b>GC,MO</b>                                                                                                                                                                                                                | 1    |                                     |
| butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE <b>DL</b>                                                                                                                                                                                            | 4    | QL(360 per 30 days)                 |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| DRUG NAME                                                                                                                                                                                                                                                                                                                                      | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| butalbital-acetaminophen-caff 50-325-40 mg CAPSULE <b>MO</b>                                                                                                                                                                                                                                                                                   | 4    | QL(180 per 30 days)                 |
| butalbital-acetaminophen-caff 50-325-40 mg TABLET <b>MO</b>                                                                                                                                                                                                                                                                                    | 4    | QL(180 per 30 days)                 |
| butalbital-aspirin-caffeine 50-325-40 mg CAPSULE <b>MO</b>                                                                                                                                                                                                                                                                                     | 4    | QL(180 per 30 days)                 |
| butalbital-aspirin-caffeine 50-325-40 mg TABLET <b>MO</b>                                                                                                                                                                                                                                                                                      | 3    | QL(180 per 30 days)                 |
| caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION <b>GC,MO</b>                                                                                                                                                                                                                                                                                   | 1    |                                     |
| CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                                                                                        | 1    |                                     |
| COBENFY 100-20 MG, 125-30 MG, 50-20 MG CAPSULE <b>DL</b>                                                                                                                                                                                                                                                                                       | 5    | PA,QL(60 per 30 days)               |
| COBENFY STARTER PACK 50 MG-20 MG /100 MG-20 MG CAPSULE, DOSE PACK <b>DL</b>                                                                                                                                                                                                                                                                    | 5    | PA,QL(56 per 28 days)               |
| CURITY ALCOHOL SWABS PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                                                                                              | 1    |                                     |
| CURITY GAUZE 2 X 2 " BANDAGE <b>GC,MO</b>                                                                                                                                                                                                                                                                                                      | 1    |                                     |
| DERMACEA 2 X 2 " BANDAGE <b>GC,MO</b>                                                                                                                                                                                                                                                                                                          | 1    |                                     |
| DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                    | 1    |                                     |
| DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE <b>PDS,GC,MO</b> | 1    |                                     |
| DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                                                                                                             | 1    |                                     |
| DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>PDS,GC,MO</b>                                                                                                                      | 1    |                                     |
| DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                                                                                        | 1    |                                     |
| DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE <b>PDS,GC,MO</b>                                                                                                                                                                                                                                                | 1    |                                     |
| DROXIA 200 MG, 300 MG, 400 MG CAPSULE <b>MO</b>                                                                                                                                                                                                                                                                                                | 3    |                                     |
| EASY COMFORT ALCOHOL PAD PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                                                                                          | 1    |                                     |
| EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                                                                                      | 1    |                                     |
| GAUZE BANDAGE 2 X 2 " BANDAGE <b>GC,MO</b>                                                                                                                                                                                                                                                                                                     | 1    |                                     |
| GAUZE PAD 2 X 2 " BANDAGE <b>GC,MO</b>                                                                                                                                                                                                                                                                                                         | 1    |                                     |
| INCONTROL ALCOHOL PADS PADS, MEDICATED <b>GC,MO</b>                                                                                                                                                                                                                                                                                            | 1    |                                     |
| INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                                                                                                                | 1    |                                     |
| INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                                                                                                                                                                                                | 1    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,GC,MO</b>                                                                            | 1    |                                     |
| IV PREP WIPES PADS, MEDICATED <b>GC,MO</b>                                                                                                            | 1    |                                     |
| KORLYM 300 MG TABLET <b>DL</b>                                                                                                                        | 5    | PA,QL(120 per 30 days)              |
| LAGEVRIO (EUA) 200 MG CAPSULE <b>MO</b>                                                                                                               | 3    | QL(40 per 5 days)                   |
| LITHOSTAT 250 MG TABLET <b>MO</b>                                                                                                                     | 4    |                                     |
| <i>mifepristone 300 mg TABLET</i> <b>DL</b>                                                                                                           | 5    | PA,QL(120 per 30 days)              |
| <i>nitroglycerin 0.4 % (w/w) OINTMENT</i> <b>MO</b>                                                                                                   | 4    | QL(30 per 30 days)                  |
| NOVOPEN ECHO INSULIN PEN <b>GC,MO</b>                                                                                                                 | 1    |                                     |
| PAXLOVID 150-100 MG TABLET, DOSE PACK <b>\$0,MO</b>                                                                                                   | 3    | QL(40 per 10 days)                  |
| PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK <b>\$0,MO</b>                                                                                   | 3    | QL(60 per 10 days)                  |
| PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>PDS,GC,MO</b> | 1    |                                     |
| PRO COMFORT ALCOHOL PADS PADS, MEDICATED <b>GC,MO</b>                                                                                                 | 1    |                                     |
| PURE COMFORT ALCOHOL PADS PADS, MEDICATED <b>GC,MO</b>                                                                                                | 1    |                                     |
| RECTIV 0.4 % (W/W) OINTMENT <b>MO</b>                                                                                                                 | 4    | QL(30 per 30 days)                  |
| <i>ribavirin 6 gram RECON SOLUTION</i> <b>DL</b>                                                                                                      | 5    | BvsD                                |
| <i>sodium benzoate-sod phenylacet 10-10 % SOLUTION</i> <b>DL</b>                                                                                      | 5    |                                     |
| SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED <b>GC,MO</b>                                                                                           | 1    |                                     |
| SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED <b>GC,MO</b>                                                                                              | 1    |                                     |
| TRUE COMFORT ALCOHOL PADS PADS, MEDICATED <b>GC,MO</b>                                                                                                | 1    |                                     |
| TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED <b>GC,MO</b>                                                                                            | 1    |                                     |
| UBRELVY 100 MG, 50 MG TABLET <b>MO</b>                                                                                                                | 3    | PA,QL(16 per 30 days)               |
| ULTILET ALCOHOL SWAB PADS, MEDICATED <b>GC,MO</b>                                                                                                     | 1    |                                     |
| WEBCOL PADS, MEDICATED <b>GC,MO</b>                                                                                                                   | 1    |                                     |
| XDEMVI 0.25 % DROPS <b>MO</b>                                                                                                                         | 4    | PA,QL(10 per 42 days)               |
| <b>OPHTHALMIC AGENTS</b>                                                                                                                              |      |                                     |
| <i>ak-poly-bac 500-10,000 unit/gram OINTMENT</i> <b>GC,MO</b>                                                                                         | 2    |                                     |
| ALCAINE 0.5 % DROPS <b>GC,MO</b>                                                                                                                      | 2    |                                     |
| ALPHAGAN P 0.1 % DROPS <b>MO</b>                                                                                                                      | 3    |                                     |
| <i>apraclonidine 0.5 % DROPS</i> <b>MO</b>                                                                                                            | 3    |                                     |
| <i>atropine 1 % DROPS</i> <b>MO</b>                                                                                                                   | 3    |                                     |
| ATROPINE SULFATE (PF) 1 % DROPPERETTE <b>MO</b>                                                                                                       | 3    |                                     |
| <i>azelastine 0.05 % DROPS</i> <b>MO</b>                                                                                                              | 3    |                                     |
| <i>bacitracin 500 unit/gram OINTMENT</i> <b>MO</b>                                                                                                    | 4    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                      | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------|------|-------------------------------------|
| bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT <b>GC,MO</b>              | 2    |                                     |
| BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>                                | 4    |                                     |
| betaxolol 0.5 % DROPS <b>MO</b>                                                | 3    |                                     |
| brimonidine 0.15 % DROPS <b>MO</b>                                             | 4    |                                     |
| brimonidine 0.2 % DROPS <b>GC,MO</b>                                           | 1    |                                     |
| carteolol 1 % DROPS <b>GC,MO</b>                                               | 1    |                                     |
| CILOXAN 0.3 % OINTMENT <b>MO</b>                                               | 4    |                                     |
| ciprofloxacin hcl 0.3 % DROPS <b>GC,MO</b>                                     | 2    |                                     |
| COMBIGAN 0.2-0.5 % DROPS <b>MO</b>                                             | 3    | QL(5 per 25 days)                   |
| cromolyn 4 % DROPS <b>GC,MO</b>                                                | 2    |                                     |
| cyclopentolate 0.5 %, 1 %, 2 % DROPS <b>MO</b>                                 | 4    |                                     |
| CYSTARAN 0.44 % DROPS <b>DL</b>                                                | 5    | PA,QL(60 per 28 days)               |
| dexamethasone sodium phosphate 0.1 % DROPS <b>GC,MO</b>                        | 2    |                                     |
| diclofenac sodium 0.1 % DROPS <b>GC,MO</b>                                     | 2    |                                     |
| dorzolamide 2 % DROPS <b>GC,MO</b>                                             | 2    |                                     |
| dorzolamide-timolol 22.3-6.8 mg/ml DROPS <b>GC,MO</b>                          | 2    |                                     |
| erythromycin 5 mg/gram (0.5 %) OINTMENT <b>GC,MO</b>                           | 2    | QL(3.5 per 28 days)                 |
| EYSUVIS 0.25 % DROPS, SUSPENSION <b>MO</b>                                     | 3    | QL(16.6 per 30 days)                |
| flurbiprofen sodium 0.03 % DROPS <b>GC,MO</b>                                  | 2    |                                     |
| gentak 0.3 % (3 mg/gram) OINTMENT <b>GC,MO</b>                                 | 2    |                                     |
| gentamicin 0.3 % DROPS <b>GC,MO</b>                                            | 2    |                                     |
| ILEVRO 0.3 % DROPS, SUSPENSION <b>MO</b>                                       | 3    | QL(3 per 30 days)                   |
| ketorolac 0.4 % DROPS <b>GC,MO</b>                                             | 2    | QL(10 per 30 days)                  |
| ketorolac 0.5 % DROPS <b>GC,MO</b>                                             | 2    | QL(10 per 30 days)                  |
| latanoprost 0.005 % DROPS <b>GC,MO</b>                                         | 1    | QL(5 per 25 days)                   |
| levobunolol 0.5 % DROPS <b>GC,MO</b>                                           | 1    |                                     |
| LOTEMAX SM 0.38 % DROPS, GEL <b>MO</b>                                         | 4    |                                     |
| LUMIGAN 0.01 % DROPS <b>MO</b>                                                 | 3    | QL(2.5 per 25 days)                 |
| moxifloxacin 0.5 % DROPS <b>MO</b>                                             | 3    |                                     |
| NATACYN 5 % DROPS, SUSPENSION <b>MO</b>                                        | 4    |                                     |
| neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>                   | 3    |                                     |
| neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>                  | 3    |                                     |
| neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>     | 3    |                                     |
| neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b> | 3    |                                     |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                  | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------------------------------------------------|------|-------------------------------------|
| neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT <b>GC,MO</b>           | 2    |                                     |
| neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION <b>GC,MO</b> | 2    |                                     |
| neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS <b>MO</b>               | 3    |                                     |
| neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION <b>MO</b>              | 4    |                                     |
| ofloxacin 0.3 % DROPS <b>GC,MO</b>                                                         | 2    |                                     |
| olopatadine 0.1 % DROPS <b>MO</b>                                                          | 3    |                                     |
| olopatadine 0.2 % DROPS <b>GC,MO</b>                                                       | 2    |                                     |
| PHOSPHOLINE IODIDE 0.125 % DROPS <b>MO</b>                                                 | 4    |                                     |
| pilocarpine hcl 1 %, 2 %, 4 % DROPS <b>MO</b>                                              | 3    |                                     |
| polycin 500-10,000 unit/gram OINTMENT <b>GC,MO</b>                                         | 2    |                                     |
| polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS <b>GC,MO</b>                      | 1    |                                     |
| PRED-G 0.3-1 % DROPS, SUSPENSION <b>MO</b>                                                 | 4    |                                     |
| prednisolone acetate 1 % DROPS, SUSPENSION <b>MO</b>                                       | 3    |                                     |
| prednisolone sodium phosphate 1 % DROPS <b>MO</b>                                          | 3    |                                     |
| proparacaine 0.5 % DROPS <b>GC,MO</b>                                                      | 2    |                                     |
| RESTASIS 0.05 % DROPPERETTE <b>MO</b>                                                      | 3    | QL(60 per 30 days)                  |
| RESTASIS MULTIDOSE 0.05 % DROPS <b>MO</b>                                                  | 3    | QL(5.5 per 25 days)                 |
| RHOPRESSA 0.02 % DROPS <b>MO</b>                                                           | 3    | ST,QL(2.5 per 25 days)              |
| ROCKLATAN 0.02-0.005 % DROPS <b>MO</b>                                                     | 3    | ST,QL(2.5 per 25 days)              |
| SIMBRINZA 1-0.2 % DROPS, SUSPENSION <b>MO</b>                                              | 4    | QL(16 per 30 days)                  |
| sulfacetamide sodium 10 % DROPS <b>GC,MO</b>                                               | 2    |                                     |
| sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS <b>GC,MO</b>                         | 2    |                                     |
| timolol maleate 0.25 % DROPS <b>GC,MO</b>                                                  | 1    |                                     |
| timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>                               | 4    |                                     |
| timolol maleate 0.5 % DROPS <b>GC,MO</b>                                                   | 1    |                                     |
| timolol maleate 0.5 % DROPS, ONCE DAILY <b>MO</b>                                          | 4    |                                     |
| timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>                                   | 4    |                                     |
| tobramycin 0.3 % DROPS <b>GC,MO</b>                                                        | 2    |                                     |
| tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>                             | 4    |                                     |
| trifluridine 1 % DROPS <b>MO</b>                                                           | 4    |                                     |
| VYZULTA 0.024 % DROPS <b>MO</b>                                                            | 4    | QL(2.5 per 25 days)                 |
| ZERVIAE 0.24 % DROPPERETTE <b>MO</b>                                                       | 4    | QL(60 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                           | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|-------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| <b>OTIC AGENTS</b>                                                                                                                  |      |                                     |
| fluocinolone acetonide oil 0.01 % DROPS <b>MO</b>                                                                                   | 3    |                                     |
| hydrocortisone-acetic acid 1-2 % DROPS <b>MO</b>                                                                                    | 4    |                                     |
| neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION <b>MO</b>                                                      | 3    |                                     |
| neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION <b>MO</b>                                                               | 3    |                                     |
| ofloxacin 0.3 % DROPS <b>MO</b>                                                                                                     | 3    |                                     |
| <b>RESPIRATORY TRACT/PULMONARY AGENTS</b>                                                                                           |      |                                     |
| acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION <b>MO</b>                                                                | 4    | BvsD                                |
| ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL,LA</b>                                                                      | 5    | PA,QL(90 per 30 days)               |
| ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>                            | 3    | QL(12 per 30 days)                  |
| albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION <b>GC,MO</b> | 2    | BvsD                                |
| albuterol sulfate 2 mg, 4 mg TABLET <b>MO</b>                                                                                       | 4    |                                     |
| albuterol sulfate 2 mg/5 ml SYRUP <b>GC,MO</b>                                                                                      | 2    |                                     |
| albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. <b>MO</b>                                                                            | 4    |                                     |
| albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER <b>MO</b>                                                                    | 3    | QL(36 per 30 days)                  |
| alyq 20 mg TABLET <b>MO</b>                                                                                                         | 4    | PA,QL(60 per 30 days)               |
| ambrisentan 10 mg, 5 mg TABLET <b>DL</b>                                                                                            | 5    | PA,QL(30 per 30 days)               |
| aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION <b>MO</b>                                                                         | 4    |                                     |
| ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>                                | 3    | QL(30 per 30 days)                  |
| ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>                                                                         | 4    | QL(25.8 per 30 days)                |
| AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>                                                        | 3    | QL(4 per 30 days)                   |
| azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL <b>MO</b>                                                                             | 3    | QL(30 per 25 days)                  |
| BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER <b>MO</b>                                                                          | 4    | QL(10.7 per 30 days)                |
| BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>                                                         | 3    | QL(60 per 30 days)                  |
| BREO ELLIPTA 50-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>                                                                           | 3    | QL(60 per 30 days)                  |
| BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>                                                            | 3    | QL(10.7 per 30 days)                |
| budesonide 0.25 mg/2 ml, 0.5 mg/2 ml SUSPENSION FOR NEBULIZATION <b>MO</b>                                                          | 4    | BvsD                                |
| CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL</b>                                                                                | 5    | PA,QL(84 per 28 days)               |
| cetirizine 1 mg/ml SOLUTION <b>GC,MO</b>                                                                                            | 2    | QL(300 per 30 days)                 |
| COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST <b>MO</b>                                                                              | 4    | QL(4 per 20 days)                   |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                                             | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|---------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| cromolyn 100 mg/5 ml CONCENTRATE <b>MO</b>                                                                                            | 4    |                                     |
| cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>                                                                               | 4    | BvsD                                |
| cyproheptadine 4 mg TABLET <b>MO</b>                                                                                                  | 4    |                                     |
| desloratadine 5 mg TABLET <b>MO</b>                                                                                                   | 3    | QL(30 per 30 days)                  |
| diphenhydramine hcl 50 mg/ml SOLUTION <b>MO</b>                                                                                       | 4    |                                     |
| epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR <b>MO</b>                                                    | 3    | QL(4 per 30 days)                   |
| fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>                                         | 3    | QL(60 per 30 days)                  |
| fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. <b>MO</b> | 3    | QL(1 per 30 days)                   |
| fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>                                                          | 3    | QL(60 per 30 days)                  |
| fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION <b>GC,MO</b>                                                                | 2    | QL(16 per 30 days)                  |
| hydroxyzine pamoate 100 mg, 50 mg CAPSULE <b>MO</b>                                                                                   | 3    |                                     |
| hydroxyzine pamoate 25 mg CAPSULE <b>MO</b>                                                                                           | 3    |                                     |
| ipratropium bromide 0.02 % SOLUTION <b>GC,MO</b>                                                                                      | 2    | BvsD                                |
| ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL <b>GC,MO</b>                                                                   | 2    | QL(30 per 30 days)                  |
| ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL <b>GC,MO</b>                                                                   | 2    | QL(45 per 30 days)                  |
| ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION <b>GC,MO</b>                                            | 2    | BvsD                                |
| KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET <b>DL</b>                                                            | 5    | PA,QL(56 per 28 days)               |
| levocetirizine 5 mg TABLET <b>GC,MO</b>                                                                                               | 2    | QL(30 per 30 days)                  |
| montelukast 10 mg TABLET <b>GC,MO</b>                                                                                                 | 1    | QL(30 per 30 days)                  |
| montelukast 4 mg GRANULES IN PACKET <b>MO</b>                                                                                         | 4    | QL(30 per 30 days)                  |
| montelukast 4 mg, 5 mg CHEWABLE TABLET <b>GC,MO</b>                                                                                   | 1    | QL(30 per 30 days)                  |
| NUCALA 100 MG/ML AUTO-INJECTOR <b>DL</b>                                                                                              | 5    | PA,QL(3 per 28 days)                |
| NUCALA 100 MG/ML SYRINGE <b>DL</b>                                                                                                    | 5    | PA,QL(3 per 28 days)                |
| NUCALA 40 MG/0.4 ML SYRINGE <b>DL</b>                                                                                                 | 5    | PA,QL(0.4 per 28 days)              |
| OFEV 100 MG, 150 MG CAPSULE <b>DL,LA</b>                                                                                              | 5    | PA,QL(60 per 30 days)               |
| OPSUMIT 10 MG TABLET <b>DL,LA</b>                                                                                                     | 5    | PA,QL(30 per 30 days)               |
| ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET <b>DL</b>                                                                 | 5    | PA,QL(56 per 28 days)               |
| ORKAMBI 100-125 MG, 200-125 MG TABLET <b>DL</b>                                                                                       | 5    | PA,QL(112 per 28 days)              |
| pirfenidone 267 mg CAPSULE <b>DL</b>                                                                                                  | 5    | PA,QL(270 per 30 days)              |
| pirfenidone 267 mg TABLET <b>DL</b>                                                                                                   | 5    | PA,QL(270 per 30 days)              |
| pirfenidone 534 mg, 801 mg TABLET <b>DL</b>                                                                                           | 5    | PA,QL(90 per 30 days)               |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                                                                                  | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|------------------------------------------------------------------------------------------------------------|------|-------------------------------------|
| PULMOZYME 1 MG/ML SOLUTION <b>DL</b>                                                                       | 5    | BvsD                                |
| roflumilast 250 mcg TABLET <b>MO</b>                                                                       | 3    | QL(28 per 365 days)                 |
| roflumilast 500 mcg TABLET <b>MO</b>                                                                       | 3    | QL(30 per 30 days)                  |
| sildenafil (pulm.hypertension) 20 mg TABLET <b>MO</b>                                                      | 3    | PA,QL(90 per 30 days)               |
| SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST <b>MO</b>                                      | 3    | QL(4 per 28 days)                   |
| SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE <b>MO</b>                                      | 3    | QL(30 per 30 days)                  |
| STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST <b>MO</b>                                                      | 3    | QL(4 per 28 days)                   |
| STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST <b>MO</b>                                                        | 3    | QL(4 per 30 days)                   |
| SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>                        | 3    | QL(30.6 per 30 days)                |
| tadalafil (pulm. hypertension) 20 mg TABLET <b>MO</b>                                                      | 4    | PA,QL(60 per 30 days)               |
| theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. <b>MO</b>                                    | 4    |                                     |
| theophylline 400 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>                                                    | 4    |                                     |
| TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE <b>MO</b>                             | 3    | QL(60 per 30 days)                  |
| TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL <b>DL</b>             | 5    | PA,QL(84 per 28 days)               |
| TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL <b>DL</b> | 5    | PA,QL(56 per 28 days)               |
| VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>                                                     | 5    | PA,QL(150 per 30 days)              |
| VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>                                                     | 5    | PA,QL(90 per 30 days)               |
| VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>                                                | 3    | QL(36 per 30 days)                  |
| wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>               | 3    | QL(60 per 30 days)                  |
| zafirlukast 10 mg TABLET <b>MO</b>                                                                         | 4    | QL(60 per 30 days)                  |
| zafirlukast 20 mg TABLET <b>MO</b>                                                                         | 4    | QL(60 per 30 days)                  |
| <b>SKELETAL MUSCLE RELAXANTS</b>                                                                           |      |                                     |
| carisoprodol 350 mg TABLET <b>GC,MO</b>                                                                    | 2    | QL(120 per 30 days)                 |
| cyclobenzaprine 10 mg, 5 mg TABLET <b>GC,MO</b>                                                            | 2    |                                     |
| FEXMID 7.5 MG TABLET <b>MO</b>                                                                             | 4    | ST,QL(90 per 30 days)               |
| methocarbamol 500 mg, 750 mg TABLET <b>GC,MO</b>                                                           | 2    |                                     |
| orphenadrine citrate 100 mg TABLET ER <b>MO</b>                                                            | 4    |                                     |
| vanadom 350 mg TABLET <b>GC,MO</b>                                                                         | 2    | QL(120 per 30 days)                 |
| <b>SLEEP DISORDER AGENTS</b>                                                                               |      |                                     |
| BELSOMRA 10 MG TABLET <b>MO</b>                                                                            | 3    | QL(60 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

| DRUG NAME                                        | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
|--------------------------------------------------|------|-------------------------------------|
| BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>           | 3    | QL(30 per 30 days)                  |
| BELSOMRA 5 MG TABLET <b>MO</b>                   | 3    | QL(120 per 30 days)                 |
| eszopiclone 1 mg, 2 mg, 3 mg TABLET <b>GC,MO</b> | 2    | QL(30 per 30 days)                  |
| HETLIOZ LQ 4 MG/ML SUSPENSION <b>DL</b>          | 5    | PA,QL(158 per 30 days)              |
| modafinil 100 mg, 200 mg TABLET <b>MO</b>        | 3    | PA,QL(60 per 30 days)               |
| sodium oxybate 500 mg/ml SOLUTION <b>DL</b>      | 5    | PA,QL(540 per 30 days)              |
| tasimelteon 20 mg CAPSULE <b>DL</b>              | 5    | PA,QL(30 per 30 days)               |
| temazepam 15 mg, 30 mg CAPSULE <b>DL,GC</b>      | 2    | QL(30 per 30 days)                  |
| zolpidem 10 mg, 5 mg TABLET <b>GC,MO</b>         | 2    | QL(30 per 30 days)                  |

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy



| Humana Coverage of Additional Prescription Drugs |      |                                     |
|--------------------------------------------------|------|-------------------------------------|
| DRUG NAME                                        | TIER | UTILIZATION MANAGEMENT REQUIREMENTS |
| <b>Erectile Dysfunction</b>                      |      |                                     |
| <i>sildenafil 100 mg, 25 mg, 50 mg TABLET</i>    | 2    | QL(6 per 30 days)                   |

Your Humana Plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • GC - Gap Coverage • ST - Step Therapy

# Index

## A

|                             |                            |                                      |
|-----------------------------|----------------------------|--------------------------------------|
| abacavir... 38              | afirmelle... 65            | amethia... 65                        |
| abacavir-lamivudine... 38   | AIMOVIG AUTOINJECTOR... 26 | amethyst (28)... 65                  |
| ABELCET... 25               | ak-poly-bac... 82          | amikacin... 14                       |
| ABILIFY ASIMTUFI... 35      | AKEEGA... 28               | amiloride... 48                      |
| ABILIFY MAINTENA... 35      | albendazole... 34          | amiloride-hydrochlorothiazide... 48  |
| abiraterone... 28           | albuterol sulfate... 85    | aminocaproic acid... 46              |
| ABRYSVO (PF)... 73          | ALCAINE... 82              | aminophylline... 85                  |
| acamprosate... 13           | ALCOHOL PADS... 79         | AMINOSYN II 10 %... 58               |
| acarbose... 43              | ALCOHOL PREP PADS... 79    | AMINOSYN II 15 %... 58               |
| accutane... 55              | ALCOHOL SWABS... 79        | AMINOSYN II 7 %... 58                |
| acebutolol... 48            | ALCOHOL WIPES... 80        | AMINOSYN II 8.5 %... 58              |
| acetaminophen-codeine... 11 | ALECENSA... 28             | AMINOSYN II 8.5                      |
| acetazolamide... 48         | alendronate... 79          | %-ELECTROLYTES... 58                 |
| acetic acid... 14           | alfuzosin... 64            | AMINOSYN M 3.5 %... 58               |
| acetylcysteine... 85        | allopurinol... 26          | AMINOSYN 10 %... 58                  |
| acitretin... 56             | alosetron... 62            | AMINOSYN 7 % WITH                    |
| ACTHIB (PF)... 73           | ALPHAGAN P... 82           | ELECTROLYTES... 58                   |
| ACTIMMUNE... 73             | alprazolam... 42           | AMINOSYN 8.5 %... 58                 |
| acyclovir sodium... 38, 39  | altavera (28)... 65        | AMINOSYN 8.5 %-ELECTROLYTES... 58    |
| acyclovir... 38             | ALUNBRIG... 28             | AMINOSYN-PF 10 %... 58               |
| ADACEL(TDAP                 | alyacen 1/35 (28)... 65    | AMINOSYN-PF 7 % (SULFITE-FREE)... 58 |
| ADOLESN/ADULT)(PF)... 74    | alyacen 7/7/7 (28)... 65   | AMINOSYN-RF 5.2 %... 58              |
| adapalene... 56             | alyq... 85                 | amiodarone... 48                     |
| adefovir... 39              | amabelz... 65              | amitriptyline... 22                  |
| ADEMPAS... 85               | amantadine hcl... 35       | amlodipine... 48                     |
| ADVAIR HFA... 85            | ambrisentan... 85          |                                      |

|                                   |                                         |                                       |
|-----------------------------------|-----------------------------------------|---------------------------------------|
| amlodipine-benazepril... 48       | asenapine maleate... 36                 | AUTOPEN 2 TO 42 UNITS... 80           |
| amlodipine-olmesartan... 48       | ashlyna... 66                           | AUVELITY... 22                        |
| amlodipine-valsartan... 48        | aspirin-dipyridamole... 46              | AUVI-Q... 85                          |
| ammonium lactate... 56            | atazanavir... 39                        | aviane... 66                          |
| amnesteam... 56                   | atenolol... 48                          | ayuna... 66                           |
| amoxapine... 22                   | atenolol-chlorthalidone... 48           | AYVAKIT... 28                         |
| amoxicillin... 14                 | atomoxetine... 54                       | azathioprine... 74                    |
| amoxicillin-pot clavulanate... 14 | atorvastatin... 48                      | azelastine... 82, 85                  |
| amphotericin b liposome... 25     | atovaquone... 34                        | azithromycin... 14                    |
| amphotericin b... 25              | atovaquone-proguanil... 34              | aztreonam... 14                       |
| ampicillin sodium... 14           | ATROPINE SULFATE (PF)... 82             | azurette (28)... 66                   |
| ampicillin... 14                  | atropine... 82                          | <b>B</b>                              |
| ampicillin-sulbactam... 14        | ATROVENT HFA... 85                      | bacitracin... 14, 82                  |
| anagrelide... 46                  | aubra eq... 66                          | bacitracin-polymyxin b... 83          |
| anastrozole... 28                 | aubra... 66                             | baclofen... 38                        |
| apraclonidine... 82               | AUGTYRO... 28                           | bal-care dha... 58                    |
| aprepitant... 24                  | aurovela fe 1.5/30 (28)... 66           | balsalazide... 79                     |
| APRETUDE... 39                    | aurovela fe 1-20 (28)... 66             | BALVERSA... 28                        |
| apri... 66                        | aurovela 1.5/30 (21)... 66              | balziva (28)... 66                    |
| APTIOM... 19                      | aurovela 1/20 (21)... 66                | BAND-AID GAUZE PADS... 80             |
| APTIVUS... 39                     | aurovela 24 fe... 66                    | BAQSIMI... 43                         |
| aranelle (28)... 66               | AUSTEDO XR TITRATION<br>KT(WK1-4)... 54 | BARACLUDE... 39                       |
| ARCALYST... 74                    | AUSTEDO XR... 54                        | BCG VACCINE, LIVE (PF)... 74          |
| AREXVY (PF)... 74                 | AUSTEDO... 54                           | BD ALCOHOL SWABS... 80                |
| aripiprazole... 35                | AUTOJECT 2 INJECTION DEVICE...<br>80    | BD AUTOSHIELD DUO PEN NEEDLE...<br>80 |
| ARISTADA INITIO... 36             | AUTOPEN 1 TO 21 UNITS... 80             | BD ECLIPSE LUER-LOK... 80             |
| ARISTADA... 36                    |                                         |                                       |
| ARNUITY ELLIPTA... 85             |                                         |                                       |

|                                         |                                         |                                     |
|-----------------------------------------|-----------------------------------------|-------------------------------------|
| BD INSULIN SYRINGE (HALF UNIT)...<br>80 | BENLYSTA... 74                          | BREO ELLIPTA... 85                  |
| BD INSULIN SYRINGE MICRO-FINE...<br>80  | benztropine... 35                       | BREZTRI AEROSPHERE... 85            |
| BD INSULIN SYRINGE U-500... 80          | BESREMI... 74                           | briellyn... 66                      |
| BD INSULIN SYRINGE ULTRA-FINE...<br>80  | BETADINE OPHTHALMIC PREP... 83          | BRILINTA... 46                      |
| BD INSULIN SYRINGE... 80                | betaine... 63                           | brimonidine... 83                   |
| BD LO-DOSE MICRO-FINE IV... 80          | betamethasone dipropionate... 56        | BRIVIACT... 19                      |
| BD NANO 2ND GEN PEN NEEDLE...<br>80     | betamethasone valerate... 56            | bromocriptine... 35                 |
| BD SAFETYGLIDE INSULIN<br>SYRINGE... 80 | betamethasone, augmented... 56          | BRUKINSA... 28                      |
| BD SAFETYGLIDE SYRINGE... 80            | BETASERON... 54                         | budesonide... 79, 85                |
| BD ULTRA-FINE MICRO PEN<br>NEEDLE... 80 | betaxolol... 83                         | bumetanide... 48                    |
| BD ULTRA-FINE MINI PEN NEEDLE...<br>80  | bethanechol chloride... 64              | buprenorphine hcl... 13             |
| BD ULTRA-FINE NANO PEN<br>NEEDLE... 80  | BEVESPI AEROSPHERE... 85                | buprenorphine... 11                 |
| BD ULTRA-FINE ORIG PEN NEEDLE...<br>80  | bexarotene... 28                        | buprenorphine-naloxone... 13        |
| BD ULTRA-FINE SHORT PEN<br>NEEDLE... 80 | BEXSERO... 74                           | bupropion hcl (smoking deter)... 13 |
| BD VEO INSULIN SYR (HALF UNIT)...<br>80 | bicalutamide... 28                      | bupropion hcl... 22                 |
| BD VEO INSULIN SYRINGE UF... 80         | BICILLIN L-A... 15                      | buspirone... 42                     |
| BELBUCA... 11                           | BIKTARVY... 39                          | butalbital-acetaminop-caf-cod... 80 |
| BELSOMRA... 87, 88                      | bismuth subcit k-metronidz-tcn...<br>62 | butalbital-acetaminophen-caff... 81 |
| benazepril... 48                        | bisoprolol fumarate... 48               | butalbital-aspirin-caffeine... 81   |
| benazepril-hydrochlorothiazide... 48    | bisoprolol-hydrochlorothiazide... 48    | BYDUREON BCISE... 43                |
|                                         | blisovi fe 1.5/30 (28)... 66            | <b>C</b>                            |
|                                         | blisovi fe 1/20 (28)... 66              | c-nate dha... 59                    |
|                                         | blisovi 24 fe... 66                     | CABENUVA... 39                      |
|                                         | BOOSTRIX TDAP... 74                     | cabergoline... 72                   |
|                                         | BORDERED GAUZE... 80                    | CABLIVI... 46                       |
|                                         | BOSULIF... 28                           | CABOMETYX... 28                     |
|                                         | BRAFTOVI... 28                          | caffeine citrate... 81              |
|                                         |                                         | calcipotriene... 56                 |

|                                      |                                |                                      |
|--------------------------------------|--------------------------------|--------------------------------------|
| calcitonin (salmon)... 79            | caspofungin... 25              | chlorhexidine gluconate... 55        |
| calcitriol... 79                     | CAYSTON... 85                  | chloroquine phosphate... 34          |
| calcium acetate(phosphat bind)... 59 | caziant (28)... 66             | chlorpromazine... 36                 |
| CALQUENCE (ACALABRUTINIB MAL)... 28  | cefaclor... 15                 | chlorthalidone... 49                 |
| CALQUENCE... 28                      | cefadroxil... 15               | CHOLBAM... 63                        |
| camila... 66                         | cefazolin... 15                | cholestyramine (with sugar)... 49    |
| camrese lo... 66                     | cefdinir... 15                 | cholestyramine light... 49           |
| camrese... 66                        | cefepime in dextrose 5 %... 15 | cholestyramine-aspartame... 49       |
| CAMZYOS... 48                        | cefepime... 15                 | CHORIONIC GONADOTROPIN, HUMAN... 65  |
| candesartan... 48                    | cefixime... 15                 | ciclodan... 25                       |
| candesartan-hydrochlorothiazid... 48 | cefotetan... 15                | ciclopirox... 25                     |
| CAPLYTA... 36                        | cefoxitin... 15                | cilostazol... 46                     |
| CAPRELSA... 28                       | cefpodoxime... 15              | CILOXAN... 83                        |
| captopril... 48                      | cefprozil... 15                | CIMDUO... 39                         |
| captopril-hydrochlorothiazide... 49  | ceftazidime... 15              | cimetidine hcl... 62                 |
| carbamazepine... 19                  | ceftriaxone... 15              | cimetidine... 62                     |
| carbidopa-levodopa... 35             | cefuroxime axetil... 15        | cinacalcet... 79                     |
| carbidopa-levodopa-entacapone... 35  | cefuroxime sodium... 15        | ciprofloxacin hcl... 15, 83          |
| CARETOUCH ALCOHOL PREP PAD... 81     | celecoxib... 11                | ciprofloxacin in 5 % dextrose... 15  |
| carglumic acid... 59                 | cephalexin... 15               | citalopram... 22                     |
| carisoprodol... 87                   | CERDELGA... 63                 | claravis... 56                       |
| carteolol... 83                      | CEREZYME... 63                 | clarithromycin... 15                 |
| cartia xt... 49                      | cetirizine... 85               | CLENPIQ... 62                        |
| carvedilol... 49                     | charlotte 24 fe... 66          | CLEOCIN... 15                        |
|                                      | chateal (28)... 66             | clindamycin hcl... 15, 16            |
|                                      | chateal eq (28)... 66          | clindamycin in 0.9 % sod chlor... 16 |
|                                      | CHEMET... 59                   | clindamycin in 5 % dextrose... 16    |
|                                      | chlordiazepoxide hcl... 42     |                                      |

|                                      |                                    |                                     |
|--------------------------------------|------------------------------------|-------------------------------------|
| clindamycin palmitate hcl... 16      | CLINOLIPID... 59                   | CORLANOR... 49                      |
| clindamycin pediatric... 16          | clobazam... 19                     | COSENTYX (2 SYRINGES)... 74         |
| clindamycin phosphate... 16, 56      | clobetasol... 56                   | COSENTYX PEN (2 PENS)... 74         |
| CLINIMIX E 2.75%/D5W SULF FREE... 59 | clobetasol-emollient... 56         | COSENTYX PEN... 74                  |
| CLINIMIX E 4.25%/D10W SUL FREE... 59 | clomipramine... 22                 | COSENTYX UNOREADY PEN... 74         |
| CLINIMIX E 4.25%/D5W SULF FREE... 59 | clonazepam... 42                   | COSENTYX... 74                      |
| CLINIMIX E 5%/D15W SULFIT FREE... 59 | clonidine hcl... 49                | COTELLIC... 28                      |
| CLINIMIX E 5%/D20W SULFIT FREE... 59 | clonidine... 49                    | CREON... 63                         |
| CLINIMIX E 8%-D10W SULFITEFREE... 59 | clopidogrel... 46                  | cromolyn... 83, 86                  |
| CLINIMIX E 8%-D14W SULFITEFREE... 59 | clorazepate dipotassium... 42      | cryselle (28)... 66                 |
| CLINIMIX 4.25%/D10W SULF FREE... 59  | clotrimazole... 25                 | CURITY ALCOHOL SWABS... 81          |
| CLINIMIX 4.25%/D5W SULFIT FREE... 59 | clotrimazole-betamethasone... 25   | CURITY GAUZE... 81                  |
| CLINIMIX 5%-D20W(SULFITE-FREE)... 59 | clozapine... 36                    | cyclobenzaprine... 87               |
| CLINIMIX 5%/D15W SULFITE FREE... 59  | COARTEM... 34                      | cyclopentolate... 83                |
| CLINIMIX 6%-D5W (SULFITE-FREE)... 59 | COBENFY STARTER PACK... 81         | cyclophosphamide... 28              |
| CLINIMIX 8%-D10W(SULFITE-FREE)... 59 | COBENFY... 81                      | cycloserine... 27                   |
| CLINIMIX 8%-D14W(SULFITE-FREE)... 59 | colchicine... 26                   | cyclosporine modified... 74         |
| CLINISOL SF 15 %... 59               | colestipol... 49                   | cyclosporine... 74                  |
|                                      | colistin (colistimethate na)... 16 | CYLTEZO(CF) PEN CROHN'S-UC-HS... 74 |
|                                      | COMBIGAN... 83                     | CYLTEZO(CF) PEN PSORIASIS-UV... 74  |
|                                      | COMBIVENT RESPIMAT... 85           | CYLTEZO(CF) PEN... 74               |
|                                      | COMETRIQ... 28                     | CYLTEZO(CF)... 74                   |
|                                      | COMPLERA... 39                     | cyproheptadine... 86                |
|                                      | complete natal dha... 59           | cyred eq... 66                      |
|                                      | compro... 24                       | cyred... 66                         |
|                                      | constulose... 62                   | CYSTAGON... 63                      |
|                                      | COPAXONE... 54                     |                                     |
|                                      | COPIKTRA... 28                     |                                     |

CYSTARAN... 83

## D

dabigatran etexilate... 46

dalfampridine... 54

danazol... 66

dantrolene... 38

dapsone... 27

DAPTACEL (DTAP PEDIATRIC) (PF)...  
74

daptomycin in 0.9 % sod chlor... 16

daptomycin... 16

darunavir... 39

dasatinib... 28, 29

dasetta 1/35 (28)... 66

dasetta 7/7/7 (28)... 66

DAURISMO... 29

daysee... 66

deblitane... 66

deferasirox... 59

DELSTRIGO... 39

demeclocycline... 16

DENG VAXIA (PF)... 74

DEPO-SUBQ PROVERA 104... 66

DERMACEA... 81

DESCOVY... 39

desipramine... 23

desloratadine... 86

desmopressin... 65

desog-e.estradiol/e.estradiol... 66

desogestrel-ethinyl estradiol... 67

desvenlafaxine succinate... 23

dexamethasone intensol... 64

dexamethasone sodium  
phosphate... 83

dexamethasone... 64

dexmethylphenidate... 54

dextroamphetamine sulfate... 54

dextroamphetamine-amphetamine...  
54, 55

dextrose 10 % and 0.2 % nacl... 59

dextrose 10 % in water (d10w)... 59

dextrose 20 % in water (d20w)... 59

dextrose 25 % in water (d25w)... 59

dextrose 30 % in water (d30w)... 59

dextrose 40 % in water (d40w)... 59

dextrose 5 % in water (d5w)... 59,  
60

dextrose 5 %-lactated ringers... 60

dextrose 5%-0.2 % sod chloride...  
60

dextrose 5%-0.3 % sod.chloride...  
60

dextrose 50 % in water (d50w)... 60

dextrose 70 % in water (d70w)... 60

DIACOMIT... 19

diazepam intensol... 43

diazepam... 19, 42

diazoxide... 43

diclofenac sodium... 11, 56, 83

dicloxacillin... 16

dicyclomine... 62

didanosine... 39

DIFICID... 16

digitek... 49

digox... 49

digoxin... 49

dihydroergotamine... 26

DILANTIN INFATABS... 19

DILANTIN-125... 19

dilt-xr... 49

diltiazem hcl... 49

dimethyl fumarate... 55

diphenhydramine hcl... 86

diphenoxylate-atropine... 62

dipyridamole... 46

disulfiram... 13

DIURIL... 49

divalproex... 19

dofetilide... 49

dolishale... 67

donepezil... 22

dorzolamide... 83

dorzolamide-timolol... 83

dotti... 67

DOVATO... 39

|                                      |                                      |                                |
|--------------------------------------|--------------------------------------|--------------------------------|
| doxazosin... 49                      | EASY TOUCH ALCOHOL PREP PADS... 81   | ENBREL SURECLICK... 75         |
| doxepin... 43                        | ec-naproxen... 11                    | ENBREL... 75                   |
| doxy-100... 16                       | EDURANT... 39                        | endocet... 11                  |
| doxycycline hyclate... 16            | efavirenz... 39                      | ENDOMETRIN... 67               |
| doxycycline monohydrate... 16        | efavirenz-emtricitabin-tenofov... 39 | ENERGIX-B (PF)... 75           |
| DRIZALMA SPRINKLE... 23              | efavirenz-lamivu-tenofov disop... 39 | ENERGIX-B PEDIATRIC (PF)... 75 |
| dronabinol... 24                     | EGRIFTA SV... 65                     | enilloring... 67               |
| DROPLET INSULIN SYR(HALF UNIT)... 81 | electrolyte-48 in d5w... 60          | enoxaparin... 46               |
| DROPLET INSULIN SYRINGE... 81        | ELELYSO... 63                        | enpresse... 67                 |
| DROPLET MICRON PEN NEEDLE... 81      | elinest... 67                        | enskyce... 67                  |
| DROPLET PEN NEEDLE... 81             | ELIQUIS DVT-PE TREAT 30D START... 46 | ENSTILAR... 56                 |
| DROPSAFE ALCOHOL PREP PADS... 81     | ELIQUIS... 46                        | entacapone... 35               |
| DROPSAFE PEN NEEDLE... 81            | ELLA... 67                           | entecavir... 39                |
| drospirenone-ethinyl estradiol... 67 | ELMIRON... 64                        | ENTRESTO SPRINKLE... 50        |
| DROXIA... 81                         | eluryng... 67                        | ENTRESTO... 50                 |
| DUAVEE... 67                         | EMCYT... 29                          | enulose... 62                  |
| duloxetine... 23                     | EMGALITY PEN... 27                   | ENVARUS XR... 75               |
| DUPIXENT PEN... 74                   | EMGALITY SYRINGE... 27               | EPCLUSA... 39                  |
| DUPIXENT SYRINGE... 75               | EMSAM... 23                          | EPIDIOLEX... 19                |
| dutasteride... 64                    | emtricitabine... 39                  | epinephrine... 86              |
| d10 %-0.45 % sodium chloride... 59   | emtricitabine-tenofov (tdf)... 39    | epitol... 19                   |
| d2.5 %-0.45 % sodium chloride... 59  | EMTRIVA... 39                        | EPIVIR HBV... 39               |
| d5 % and 0.9 % sodium chloride... 59 | emzahh... 67                         | EPRONTIA... 27                 |
| d5 %-0.45 % sodium chloride... 59    | enalapril maleate... 49              | ergotamine-caffeine... 27      |
| <b>E</b>                             | enalapril-hydrochlorothiazide... 50  | ERIVEDGE... 29                 |
| EASY COMFORT ALCOHOL PAD... 81       | ENBREL MINI... 75                    | ERLEADA... 29                  |
|                                      |                                      | erlotinib... 29                |
|                                      |                                      | errin... 67                    |



|                                         |                                        |                                             |
|-----------------------------------------|----------------------------------------|---------------------------------------------|
| ertapenem... 16                         | ezetimibe... 50                        | FIRMAGON KIT W DILUENT<br>SYRINGE... 72, 73 |
| ery pads... 56                          | ezetimibe-simvastatin... 50            | FIRMAGON... 72                              |
| ERYTHROCIN... 16                        | <b>F</b>                               | flecainide... 50                            |
| erythromycin lactobionate... 16         | falmina (28)... 67                     | fluconazole in nacl (iso-osm)... 25         |
| erythromycin with ethanol... 56         | famciclovir... 40                      | fluconazole... 25                           |
| erythromycin... 16, 83                  | famotidine... 62                       | flucytosine... 26                           |
| escitalopram oxalate... 23              | FANAPT... 36                           | fludrocortisone... 64                       |
| esomeprazole magnesium... 62            | FARXIGA... 43                          | fluocinolone acetonide oil... 85            |
| estradiol valerate... 67                | felbamate... 19                        | fluocinolone and shower cap... 57           |
| estradiol... 67                         | felodipine... 50                       | fluocinolone... 57                          |
| estradiol-norethindrone acet... 67      | FEMLYV... 67                           | fluocinonide... 57                          |
| ESTRING... 67                           | femynor... 67                          | fluorouracil... 57                          |
| eszopiclone... 88                       | fenofibrate micronized... 50           | fluoxetine... 23                            |
| ethambutol... 27                        | fenofibrate nanocrystallized... 50     | fluphenazine decanoate... 36                |
| ethosuximide... 19                      | fenofibrate... 50                      | fluphenazine hcl... 36                      |
| ethynodiol diac-eth estradiol... 67     | fentanyl citrate (pf)... 11            | flurbiprofen sodium... 83                   |
| etodolac... 11                          | fentanyl citrate... 11                 | flurbiprofen... 11                          |
| etonogestrel-ethinyl estradiol... 67    | fentanyl... 11                         | flutamide... 29                             |
| etravirine... 39, 40                    | fesoterodine... 64                     | fluticasone propion-salmeterol... 86        |
| EULEXIN... 29                           | FETZIMA... 23                          | fluticasone propionate... 57, 86            |
| EUTHYROX... 72                          | FEXMID... 87                           | fluvoxamine... 23                           |
| everolimus (antineoplastic)... 29       | FIASP FLEXTOUCH U-100 INSULIN...<br>43 | FORTEO... 79                                |
| everolimus (immunosuppressive)...<br>75 | FIASP PENFILL U-100 INSULIN... 43      | fosamprenavir... 40                         |
| EVOTAZ... 40                            | FIASP U-100 INSULIN... 43              | fosinopril... 50                            |
| exemestane... 29                        | finasteride... 64                      | fosinopril-hydrochlorothiazide... 50        |
| EXKIVITY... 29                          | fingolimod... 55                       | FOTIVDA... 29                               |
| EYSUVIS... 83                           | FINTEPLA... 19                         | FRUZAQLA... 29                              |

FULPHILA... 46

furosemide... 50

FUZEON... 40

FYCOMPA... 19

## G

gabapentin... 19, 20

galantamine... 22

gallifrey... 67

GAMUNEX-C... 75

GARDASIL 9 (PF)... 75

GATTEX ONE-VIAL... 62

GATTEX 30-VIAL... 62

GAUZE BANDAGE... 81

GAUZE PAD... 81

gavilyte-c... 62

gavilyte-g... 62

gavilyte-n... 62

GAVRETO... 29

gefitinib... 29

gemfibrozil... 50

GEMTESA... 64

generlac... 62

gengraf... 75

gentak... 83

gentamicin... 16, 17, 83

GENVOYA... 40

GILOTRIF... 29

glatiramer... 55

glatopa... 55

GLEOSTINE... 29

glimepiride... 43

glipizide... 43

glipizide-metformin... 43

GLUCAGEN HYPOKIT... 43

glyburide micronized... 44

glyburide... 44

glyburide-metformin... 44

glycopyrrolate... 62

GLYXAMBI... 44

granisetron (pf)... 24

granisetron hcl... 24

griseofulvin microsize... 26

griseofulvin ultramicrosize... 26

guanfacine... 50, 55

GVOKE HYPOPEN 1-PACK... 44

GVOKE HYPOPEN 2-PACK... 44

GVOKE PFS 1-PACK SYRINGE... 44

GVOKE PFS 2-PACK SYRINGE... 44

GVOKE... 44

## H

HAEGARDA... 75

hailey fe 1.5/30 (28)... 67

hailey fe 1/20 (28)... 67

hailey 24 fe... 67

hailey... 67

haloette... 68

haloperidol decanoate... 36

haloperidol lactate... 36

haloperidol... 36

HARVONI... 40

HAVRIX (PF)... 75

heather... 68

heparin (porcine)... 46, 47

heparin, porcine (pf)... 47

HEPLISAV-B (PF)... 75

HETLIOZ LQ... 88

HIBERIX (PF)... 75

HUMATIN... 17

HUMIRA PEN CROHNS-UC-HS  
START... 75

HUMIRA PEN PSOR-UEITS-ADOL  
HS... 75

HUMIRA PEN... 75

HUMIRA... 75

HUMIRA(CF) PEDI CROHNS  
STARTER... 76

HUMIRA(CF) PEN CROHNS-UC-HS...  
76

HUMIRA(CF) PEN PEDIATRIC UC... 76

HUMIRA(CF) PEN PSOR-UV-ADOL  
HS... 76

HUMIRA(CF) PEN... 76

HUMIRA(CF)... 75

HUMULIN R U-500 (CONC)  
INSULIN... 44

|                                      |                                    |                                      |
|--------------------------------------|------------------------------------|--------------------------------------|
| HUMULIN R U-500 (CONC)               | iclevia... 68                      | INVEGA HAFYERA... 36                 |
| KWIKPEN... 44                        | ICLUSIG... 29                      | INVEGA SUSTENNA... 36, 37            |
| hydralazine... 50                    | IDHIFA... 29                       | INVEGA TRINZA... 37                  |
| hydrochlorothiazide... 50            | ILEVRO... 83                       | INVOKAMET XR... 44                   |
| hydrocodone-acetaminophen... 11, 12  | imatinib... 29                     | INVOKAMET... 44                      |
| hydrocodone-ibuprofen... 12          | IMBRUVICA... 29, 30                | INVOKANA... 44                       |
| hydrocortisone... 57, 79             | imipenem-cilastatin... 17          | IPOL... 76                           |
| hydrocortisone-acetic acid... 85     | imipramine hcl... 23               | ipratropium bromide... 86            |
| hydromorphone... 12                  | imipramine pamoate... 23           | ipratropium-albuterol... 86          |
| hydroxychloroquine... 34             | imiquimod... 57                    | irbesartan... 50                     |
| hydroxyurea... 29                    | IMOVAX RABIES VACCINE (PF)... 76   | irbesartan-hydrochlorothiazide... 50 |
| hydroxyzine hcl... 43                | INBRIJA... 35                      | ISENTRESS HD... 40                   |
| hydroxyzine pamoate... 86            | incassia... 68                     | ISENTRESS... 40                      |
| HYFTOR... 57                         | INCONTROL ALCOHOL PADS... 81       | isibloom... 68                       |
| HYRIMOZ PEN CROHN'S-UC STARTER... 76 | INCRELEX... 65                     | isoniazid... 27                      |
| HYRIMOZ PEN PSORIASIS STARTER... 76  | indapamide... 50                   | isosorbide dinitrate... 50           |
| HYRIMOZ(CF) PEDI CROHN STARTER... 76 | indomethacin... 12                 | isosorbide mononitrate... 51         |
| HYRIMOZ(CF) PEN... 76                | INFANRIX (DTAP) (PF)... 76         | isosorbide-hydralazine... 51         |
| HYRIMOZ(CF)... 76                    | INLYTA... 30                       | isotretinoin... 57                   |
| <b>I</b>                             | INQOVI... 30                       | isradipine... 51                     |
| ibandronate... 79                    | INREBIC... 30                      | ISTURISA... 72                       |
| IBRANCE... 29                        | INSULIN LISPRO... 44               | itraconazole... 26                   |
| ibu... 12                            | INSULIN SYRINGE MICROFINE... 81    | IV PREP WIPES... 82                  |
| ibuprofen... 12                      | INSULIN SYRINGE... 81              | ivabradine... 51                     |
| icatibant... 76                      | INSULIN SYRINGE-NEEDLE U-100... 82 | ivermectin... 34                     |
|                                      | INTELENCE... 40                    | IWILFIN... 30                        |
|                                      | INTRALIPID... 60                   | IXCHIQ (PF)... 76                    |
|                                      |                                    | IXIARO (PF)... 76                    |

**J**

jaimiess... 68  
 JAKAFI... 30  
 jantoven... 47  
 JANUMET XR... 44  
 JANUMET... 44  
 JANUVIA... 44  
 JARDIANCE... 44  
 jasmiel (28)... 68  
 javygtor... 63  
 JAYPIRCA... 30  
 jencycla... 68  
 JENTADUETO XR... 44  
 JENTADUETO... 44  
 juleber... 68  
 JULUCA... 40  
 junel fe 1.5/30 (28)... 68  
 junel fe 1/20 (28)... 68  
 junel fe 24... 68  
 junel 1.5/30 (21)... 68  
 junel 1/20 (21)... 68  
 JYLAMVO... 76  
 JYNNEOS (PF)... 76

**K**

K-TAB... 60  
 KABIVEN... 60  
 kalliga... 68  
 KALYDECO... 86

kariva (28)... 68  
 kelnor 1/35 (28)... 68  
 kelnor 1/50 (28)... 68  
 KERENDIA... 51  
 ketoconazole... 26  
 ketorolac... 12, 83  
 KINRIX (PF)... 76  
 kionex (with sorbitol)... 60  
 KISQALI FEMARA CO-PACK... 30  
 KISQALI... 30  
 klor-con m10... 60  
 KLOR-CON M15... 60  
 klor-con m20... 60  
 KLOR-CON 10... 60  
 KLOR-CON 8... 60  
 KORLYM... 82  
 KOSELUGO... 30  
 kourzeq... 55  
 KRAZATI... 30  
 KRINTAFEL... 34  
 kurvelo (28)... 68

**L**

l norgest/e.estradiol-e.estrad... 68  
 labetalol... 51  
 lacosamide... 20  
 lactulose... 62  
 LAGEVRIO (EUA)... 82  
 lamivudine... 40

lamivudine-zidovudine... 40  
 lamotrigine... 20  
 LAMPIT... 34  
 LANOXIN... 51  
 lansoprazole... 62  
 LANTUS SOLOSTAR U-100  
 INSULIN... 44  
 LANTUS U-100 INSULIN... 44  
 lapatinib... 30  
 larin fe 1.5/30 (28)... 68  
 larin fe 1/20 (28)... 68  
 larin 1.5/30 (21)... 68  
 larin 1/20 (21)... 68  
 larin 24 fe... 68  
 latanoprost... 83  
 LAZCLUZE... 30  
 leena 28... 68  
 leflunomide... 76  
 lenalidomide... 30  
 LENVIMA... 30  
 lessina... 68  
 letrozole... 30  
 leucovorin calcium... 30  
 LEUKERAN... 30  
 leuprolide (3 month)... 73  
 leuprolide... 73  
 levetiracetam... 20  
 LEVO-T... 72

|                                      |                                    |                           |
|--------------------------------------|------------------------------------|---------------------------|
| levobunolol... 83                    | LITHOSTAT... 82                    | LUPRON DEPOT-PED... 73    |
| levocarnitine (with sugar)... 60     | lo-zumandimine (28)... 69          | lurasidone... 37          |
| levocarnitine... 60                  | LOESTRIN FE 1.5/30 (28-DAY)... 69  | luteru (28)... 69         |
| levocetirizine... 86                 | LOESTRIN FE 1/20 (28-DAY)... 69    | LYBALVI... 37             |
| levofloxacin in d5w... 17            | LOESTRIN 1.5/30 (21)... 69         | lyleq... 69               |
| levofloxacin... 17                   | LOESTRIN 1/20 (21)... 69           | lyllana... 69             |
| levonest (28)... 68                  | lojaimiess... 69                   | LYNPARZA... 31            |
| levonorg-eth estrad triphasic... 68  | LONSURF... 30                      | LYSODREN... 72            |
| levonorgestrel-ethinyl estrad... 68  | loperamide... 62                   | LYTGOBI... 31             |
| levora-28... 69                      | lopinavir-ritonavir... 40          | lyza... 69                |
| levothyroxine... 72                  | lorazepam intensol... 43           | <b>M</b>                  |
| LEVOXYL... 72                        | lorazepam... 43                    | M-M-R II (PF)... 76       |
| LEXIVA... 40                         | LORBRENA... 30                     | m-natal plus... 60        |
| LIBERVANT... 20                      | loryna (28)... 69                  | magnesium sulfate... 60   |
| lidocaine hcl... 13                  | losartan... 51                     | malathion... 57           |
| lidocaine viscous... 13              | losartan-hydrochlorothiazide... 51 | maraviroc... 40           |
| lidocaine... 13                      | LOTEMAX SM... 83                   | marlissa (28)... 69       |
| lidocaine-prilocaine... 13           | lovastatin... 51                   | MARPLAN... 23             |
| lindane... 57                        | low-ogestrel (28)... 69            | MATULANE... 31            |
| linezolid in dextrose 5%... 17       | loxapine succinate... 37           | meclizine... 24           |
| linezolid... 17                      | lubiprostone... 62                 | medroxyprogesterone... 69 |
| linezolid-0.9% sodium chloride... 17 | LUMAKRAS... 30, 31                 | mefloquine... 34          |
| LINZESS... 62                        | LUMIGAN... 83                      | megestrol... 69           |
| liothyronine... 72                   | LUPRON DEPOT (3 MONTH)... 73       | MEKINIST... 31            |
| lisinopril... 51                     | LUPRON DEPOT (4 MONTH)... 73       | MEKTOVI... 31             |
| lisinopril-hydrochlorothiazide... 51 | LUPRON DEPOT (6 MONTH)... 73       | meloxicam... 12           |
| lithium carbonate... 43              | LUPRON DEPOT... 73                 | melphalan... 31           |
| lithium citrate... 43                | LUPRON DEPOT-PED (3 MONTH)... 73   | memantine... 22           |

|                                      |                                      |                                      |
|--------------------------------------|--------------------------------------|--------------------------------------|
| MENACTRA (PF)... 76                  | metoprolol succinate... 51           | mono-lynyah... 69                    |
| MENEST... 69                         | metoprolol ta-hydrochlorothiaz... 51 | montelukast... 86                    |
| MENQUADFI (PF)... 76                 | metoprolol tartrate... 51            | morphine concentrate... 12           |
| MENVEO A-C-Y-W-135-DIP (PF)... 76    | metronidazole in nacl (iso-os)... 17 | morphine... 12                       |
| mercaptopurine... 31                 | metronidazole... 17                  | MOUNJARO... 44                       |
| meropenem... 17                      | metyrosine... 51                     | MOVANTIK... 62                       |
| meropenem-0.9% sodium chloride... 17 | miconazole-3... 26                   | moxifloxacin... 17, 83               |
| mesalamine... 79                     | microgestin fe 1.5/30 (28)... 69     | moxifloxacin-sod.chloride(iso)... 17 |
| MESNEX... 31                         | microgestin fe 1/20 (28)... 69       | MOZOBIL... 47                        |
| metformin... 44                      | microgestin 1.5/30 (21)... 69        | MRESVIA (PF)... 77                   |
| methadone intensol... 12             | microgestin 1/20 (21)... 69          | MULTAQ... 51                         |
| methadone... 12                      | microgestin 24 fe... 69              | mupirocin... 57                      |
| methenamine hippurate... 17          | midodrine... 51                      | MYALEPT... 63                        |
| methimazole... 73                    | mifepristone... 82                   | mycophenolate mofetil (hcl)... 77    |
| methocarbamol... 87                  | mili... 69                           | mycophenolate mofetil... 77          |
| methotrexate sodium (pf)... 77       | mimvey... 69                         | mycophenolate sodium... 77           |
| methotrexate sodium... 76            | minocycline... 17                    | myorisan... 57                       |
| methoxsalen... 57                    | minoxidil... 51                      | MYRBETRIQ... 64                      |
| methsuximide... 20                   | MIRCETTE (28)... 69                  | <b>N</b>                             |
| methyldopa... 51                     | mirtazapine... 23                    | nabumetone... 12                     |
| methyldopa-hydrochlorothiazide... 51 | misoprostol... 62                    | nafcillin... 17                      |
| methylphenidate hcl... 55            | MITIGARE... 26                       | nalmefene... 13                      |
| methylprednisolone acetate... 65     | modafinil... 88                      | naloxone... 13                       |
| methylprednisolone... 64, 65         | moexipril... 51                      | naltrexone... 14                     |
| metoclopramide hcl... 24             | molindone... 37                      | NAMZARIC... 22                       |
| metolazone... 51                     | mometasone... 57                     | naproxen sodium... 12                |
|                                      | mondoxyne nl... 17                   | naproxen... 12                       |
|                                      |                                      | naratriptan... 27                    |

|                                     |                                      |                                      |
|-------------------------------------|--------------------------------------|--------------------------------------|
| NATACYN... 83                       | NICOTROL NS... 14                    | NOVOLIN N FLEXPEN... 45              |
| nateglinide... 45                   | nifedipine... 52                     | NOVOLIN N NPH U-100 INSULIN... 45    |
| NATPARA... 79                       | nikki (28)... 69                     | NOVOLIN R FLEXPEN... 45              |
| NAYZILAM... 20                      | nilutamide... 31                     | NOVOLIN R REGULAR U100 INSULIN... 45 |
| nebivolol... 51                     | nimodipine... 52                     | NOVOLIN 70-30 FLEXPEN U-100... 45    |
| NEBUPENT... 34                      | NINLARO... 31                        | NOVOLIN 70/30 U-100 INSULIN... 45    |
| necon 0.5/35 (28)... 69             | nitazoxanide... 34                   | NOVOLOG FLEXPEN U-100 INSULIN... 45  |
| nefazodone... 23                    | nitisinone... 63                     | NOVOLOG MIX 70-30 U-100 INSULN... 45 |
| neo-polycin hc... 83                | nitrofurantoin macrocrystal... 17    | NOVOLOG MIX 70-30FLEXPEN U-100... 45 |
| neo-polycin... 83                   | nitrofurantoin monohyd/m-cryst... 17 | NOVOLOG PENFILL U-100 INSULIN... 45  |
| neomycin... 17                      | nitroglycerin... 52, 82              | NOVOLOG U-100 INSULIN ASPART... 45   |
| neomycin-bacitracin-poly-hc... 83   | NITROSTAT... 52                      | NOVOPEN ECHO... 82                   |
| neomycin-bacitracin-polymyxin... 83 | nizatidine... 63                     | NOXAFIL... 26                        |
| neomycin-polymyxin b-dexameth... 84 | NORA-BE... 69                        | NUBEQA... 31                         |
| neomycin-polymyxin-gramicidin... 84 | norelgestromin-ethin.estradiol... 69 | NUCALA... 86                         |
| neomycin-polymyxin-hc... 84, 85     | noreth-ethinyl estradiol-iron... 70  | NUDEXTA... 55                        |
| NEONATAL COMPLETE... 60             | norethindrone (contraceptive)... 70  | NUPLAZID... 37                       |
| NEONATAL PLUS VITAMIN... 60         | norethindrone ac-eth estradiol... 70 | NUTRILIPID... 60                     |
| NEONATAL-DHA... 60                  | norethindrone acetate... 70          | nylia 1/35 (28)... 70                |
| NERLYNX... 31                       | norethindrone-e.estradiol-iron... 70 | nylia 7/7/7 (28)... 70               |
| NEULASTA ONPRO... 47                | norgestimate-ethinyl estradiol... 70 | nymyo... 70                          |
| NEULASTA... 47                      | nortrel 0.5/35 (28)... 70            |                                      |
| nevirapine... 40                    | nortrel 1/35 (21)... 70              |                                      |
| NEXLETOL... 52                      | nortrel 1/35 (28)... 70              |                                      |
| NEXLIZET... 52                      | nortrel 7/7/7 (28)... 70             |                                      |
| niacin... 52                        | nortriptyline... 23                  |                                      |
|                                     | NORVIR... 40, 41                     |                                      |

nystatin... 26  
nystatin-triamcinolone... 26

## O

ocella... 70  
octreotide acetate... 73  
octreotide,microspheres... 73  
ODEFSEY... 41  
ODOMZO... 31  
OFEV... 86  
ofloxacin... 17, 84, 85  
OGSIVEO... 31  
OJEMDA... 31  
OJJAARA... 31  
olanzapine... 37  
olmesartan... 52  
olmesartan-amlodipin-hcthiacid... 52  
olmesartan-hydrochlorothiazide... 52  
olopatadine... 84  
omega-3 acid ethyl esters... 52  
omeprazole... 63  
OMNITROPE... 65  
ondansetron hcl (pf)... 25  
ondansetron hcl... 25  
ondansetron... 24  
ONUREG... 31  
OPSUMIT... 86  
oralone... 55

ORBACTIV... 17  
ORGOVYX... 73  
ORKAMBI... 86  
orphenadrine citrate... 87  
ORSERDU... 31  
ORTHO-NOVUM 7/7/7 (28)... 70  
oseltamivir... 41  
OSPHENA... 70  
OTEZLA STARTER... 57, 58  
OTEZLA... 57  
oxandrolone... 70  
oxazepam... 43  
oxcarbazepine... 20  
oxybutynin chloride... 64  
oxycodone... 13  
oxycodone-acetaminophen... 13  
OZEMPIC... 45

## P

PACERONE... 52  
paliperidone... 37  
pamidronate... 79  
PANRETIN... 31  
pantoprazole... 63  
paricalcitol... 79  
paroex oral rinse... 55  
paromomycin... 17  
paroxetine hcl... 23  
PASER... 27

PAXLOVID... 82  
pazopanib... 31  
PEDIARIX (PF)... 77  
PEDVAX HIB (PF)... 77  
peg 3350-electrolytes... 63  
peg-electrolyte soln... 63  
PEGASYS... 77  
PEMAZYRE... 31  
PEN NEEDLE, DIABETIC... 82  
PENBRAYA (PF)... 77  
penicillamine... 60  
penicillin g potassium... 17  
penicillin g procaine... 18  
penicillin g sodium... 18  
penicillin v potassium... 18  
PENTACEL (PF)... 77  
PENTAM... 34  
pentamidine... 34  
pentoxifylline... 52  
PERIKABIVEN... 60  
perindopril erbumine... 52  
periogard... 55  
permethrin... 58  
perphenazine... 37  
perphenazine-amitriptyline... 24  
PERSERIS... 37  
pfizerpen-g... 18  
phenelzine... 24



|                                      |                                         |                                      |
|--------------------------------------|-----------------------------------------|--------------------------------------|
| phenobarbital... 20                  | potassium chloride... 60, 61            | PREVYMIS... 41                       |
| PHENYTEK... 20                       | potassium citrate... 61                 | PREZCOBIX... 41                      |
| phenytoin sodium extended... 20      | pr natal 400 ec... 61                   | PREZISTA... 41                       |
| phenytoin... 20                      | pr natal 400... 61                      | PRIFTIN... 27                        |
| philith... 70                        | pr natal 430 ec... 61                   | primaquine... 34                     |
| PHOSPHOLINE IODIDE... 84             | pr natal 430... 61                      | primidone... 20                      |
| PIFELTRO... 41                       | pramipexole... 35                       | PRIMSOL... 18                        |
| pilocarpine hcl... 55, 84            | prasugrel... 47                         | PRIORIX (PF)... 77                   |
| pimecrolimus... 58                   | pravastatin... 52                       | PRO COMFORT ALCOHOL PADS... 82       |
| pimozide... 37                       | praziquantel... 34                      | probenecid... 26                     |
| pimtrea (28)... 70                   | prazosin... 52                          | probenecid-colchicine... 26          |
| pioglitazone... 45                   | PRED-G... 84                            | prochlorperazine edisylate... 25     |
| piperacillin-tazobactam... 18        | prednisolone acetate... 84              | prochlorperazine maleate... 25       |
| PIQRAY... 31                         | prednisolone sodium phosphate... 65, 84 | prochlorperazine... 25               |
| pirfenidone... 86                    | prednisolone... 65                      | PROCRT... 47                         |
| pirmella... 70                       | prednisone intensol... 65               | procto-med hc... 58                  |
| piroxicam... 13                      | prednisone... 65                        | proctosol hc... 58                   |
| PLENAMINE... 60                      | pregabalin... 55                        | proctozone-hc... 58                  |
| plerixafor... 47                     | PREHEVBRIO (PF)... 77                   | progesterone micronized... 70        |
| podofilox... 58                      | PREMARIN... 70                          | progesterone... 70                   |
| polycin... 84                        | PREMASOL 10 %... 61                     | PROGRAF... 77                        |
| polymyxin b sulf-trimethoprim... 84  | PRENATA... 61                           | PROLIA... 79                         |
| polymyxin b sulfate... 18            | PRENATABS FA... 61                      | PROMACTA... 47                       |
| POMALYST... 31                       | prenatal plus (calcium carb)... 61      | promethazine... 25                   |
| portia 28... 70                      | prenatal plus vitamin-mineral... 61     | propafenone... 52                    |
| posaconazole... 26                   | PRENATE ELITE... 61                     | proparacaine... 84                   |
| potassium chlorid-d5-0.45%nacl... 60 | prevalite... 52                         | propranolol... 52                    |
|                                      |                                         | propranolol-hydrochlorothiazid... 52 |

propylthiouracil... 73

PROQUAD (PF)... 77

PROSOL 20 %... 61

protriptyline... 24

PULMOZYME... 87

PURE COMFORT ALCOHOL PADS... 82

PURIXAN... 31

pyrazinamide... 27

pyridostigmine bromide... 27

pyrimethamine... 34

PYRUKYND... 47

## Q

QINLOCK... 32

QUADRACEL (PF)... 77

QUARTETTE... 70

quetiapine... 37

quinapril... 52

quinapril-hydrochlorothiazide... 53

quinidine sulfate... 53

quinine sulfate... 34

QULIPTA... 27

## R

RABAVERT (PF)... 77

raloxifene... 70

ramipril... 53

ranolazine... 53

rasagiline... 35

RAYALDEE... 79

reclipsen (28)... 70

RECOMBIVAX HB (PF)... 77

RECTIV... 82

RELENZA DISKHALER... 41

repaglinide... 45

REPATHA PUSHTRONEX... 53

REPATHA SURECLICK... 53

REPATHA SYRINGE... 53

RESTASIS MULTIDOSE... 84

RESTASIS... 84

RETACRIT... 47

RETEVMO... 32

RETROVIR... 41

REXULTI... 37

REYATAZ... 41

REZLIDHIA... 32

REZUROCK... 77

RHOPRESSA... 84

ribavirin... 41, 82

rifabutin... 27

rifampin... 27

riluzole... 55

rimantadine... 41

RINVOQ LQ... 77

RINVOQ... 77

RISPERDAL CONSTA... 38

risperidone... 38

ritonavir... 41

rivastigmine tartrate... 22

rivelsa... 70

rizatriptan... 27

ROCKLATAN... 84

roflumilast... 87

ropinirole... 35

rosuvastatin... 53

ROTARIX... 77

ROTATEQ VACCINE... 77

roweepra xr... 21

roweepra... 21

ROZLYTREK... 32

RUBRACA... 32

rufinamide... 21

RUKOBIA... 41

RYBELSUS... 45

RYDAPT... 32

RYTARY... 35

## S

sajazir... 77

SANCUSO... 25

SANDIMMUNE... 77

SANDOSTATIN LAR DEPOT... 73

SANTYL... 58

sapropterin... 63

SAVELLA... 55

saxagliptin... 45

SCEMBLIX... 32

|                                      |                                      |                                      |
|--------------------------------------|--------------------------------------|--------------------------------------|
| scopolamine base... 25               | sodium oxybate... 88                 | STIVARGA... 32                       |
| se-natal 19 chewable... 61           | sodium phenylbutyrate... 63          | STRENSIQ... 63                       |
| SECUADO... 38                        | sodium polystyrene sulfonate... 61   | STRIBILD... 41                       |
| selegiline hcl... 35                 | sodium,potassium,mag sulfates... 63  | STRIVERDI RESPIMAT... 87             |
| selenium sulfide... 58               | solifenacin... 64                    | subvenite starter (blue) kit... 21   |
| SELZENTRY... 41                      | SOLQUA 100/33... 45                  | subvenite starter (green) kit... 21  |
| sertraline... 24                     | SOLTAMOX... 32                       | subvenite starter (orange) kit... 21 |
| setlakin... 71                       | SOMATULINE DEPOT... 73               | subvenite... 21                      |
| sevelamer carbonate... 61            | SOMAVERT... 73                       | SUCRAID... 63                        |
| sharobel... 71                       | sorafenib... 32                      | sucrafate... 63                      |
| SHINGRIX (PF)... 77                  | sorine... 53                         | sulfacetamide sodium... 18, 84       |
| SIGNIFOR... 73                       | sotalol af... 53                     | sulfacetamide-prednisolone... 84     |
| sildenafil (pulm.hypertension)... 87 | sotalol... 53                        | sulfadiazine... 18                   |
| sildenafil... 89                     | SPIRIVA RESPIMAT... 87               | sulfamethoxazole-trimethoprim... 18  |
| silodosin... 64                      | SPIRIVA WITH HANDIHALER... 87        | sulfasalazine... 79                  |
| silver sulfadiazine... 58            | spironolacton-hydrochlorothiaz... 53 | sulindac... 13                       |
| SIMBRINZA... 84                      | spironolactone... 53                 | sumatriptan succinate... 27          |
| simliya (28)... 71                   | sprintec (28)... 71                  | sunitinib malate... 32               |
| simpesse... 71                       | SPRITAM... 21                        | SUNLENCA... 41                       |
| simvastatin... 53                    | SPRYCEL... 32                        | SURE COMFORT ALCOHOL PREP PADS... 82 |
| sirolimus... 78                      | SPS (WITH SORBITOL)... 61            | SURE-PREP ALCOHOL PREP PADS... 82    |
| SIRTURO... 27                        | sronyx... 71                         | syeda... 71                          |
| SKYRIZI... 78                        | SSD... 58                            | SYMBICORT... 87                      |
| SMOFLIPID... 61                      | stavudine... 41                      | SYMFI LO... 41                       |
| sodium benzoate-sod phenylacet... 82 | STELARA... 78                        | SYMFI... 41                          |
| sodium chloride 0.45 %... 61         | STIOLTO RESPIMAT... 87               | SYMPAZAN... 21                       |
| sodium chloride 0.9 %... 61          |                                      |                                      |

|                                      |                                         |                                        |
|--------------------------------------|-----------------------------------------|----------------------------------------|
| SYMTUZA... 41                        | TEMIXYS... 41                           | TIVICAY... 41                          |
| SYNAREL... 73                        | TENIVAC (PF)... 78                      | tizanidine... 38                       |
| SYNJARDY XR... 45                    | tenofovir disoproxil fumarate... 41     | tobramycin in 0.225 % nacl... 18       |
| SYNJARDY... 45                       | TEPMETKO... 32                          | tobramycin sulfate... 18               |
| SYNRIBO... 32                        | terazosin... 53                         | tobramycin... 84                       |
| SYNTHROID... 72                      | terbinafine hcl... 26                   | tobramycin-dexamethasone... 84         |
| <b>T</b>                             | terconazole... 26                       | tolterodine... 64                      |
| TABLOID... 32                        | teriflunomide... 55                     | topiramate... 27                       |
| TABRECTA... 32                       | testosterone cypionate... 71            | toremifene... 33                       |
| tacrolimus... 58, 78                 | testosterone enanthate... 71            | torpenz... 33                          |
| tadalafil (pulm. hypertension)... 87 | testosterone... 71                      | torseamide... 53                       |
| TAFINLAR... 32                       | TETANUS,DIPHTHERIA TOX<br>PED(PF)... 78 | TOUJEO MAX U-300 SOLOSTAR... 45        |
| TAGRISSO... 32                       | tetrabenazine... 55                     | TOUJEO SOLOSTAR U-300<br>INSULIN... 45 |
| TALZENNA... 32                       | THALOMID... 32, 33                      | TRADJENTA... 45                        |
| tamoxifen... 32                      | theophylline... 87                      | tramadol... 13                         |
| tamsulosin... 64                     | thioridazine... 38                      | tramadol-acetaminophen... 13           |
| tarina fe 1-20 eq (28)... 71         | thiothixene... 38                       | trandolapril... 53                     |
| tarina fe 1/20 (28)... 71            | tiadylt er... 53                        | tranexamic acid... 47                  |
| tarina 24 fe... 71                   | tiagabine... 21                         | tranylcypromine... 24                  |
| TASIGNA... 32                        | TIBSOVO... 33                           | TRAVASOL 10 %... 61                    |
| tasimelteon... 88                    | TICOVAC... 78                           | trazodone... 24                        |
| tazarotene... 58                     | tigecycline... 18                       | TRECTOR... 27                          |
| taztia xt... 53                      | tilia fe... 71                          | TRELEGY ELLIPTA... 87                  |
| TAZVERIK... 32                       | timolol maleate (pf)... 84              | TRESIBA FLEXTOUCH U-100... 45          |
| TDVAX... 78                          | timolol maleate... 53, 84               | TRESIBA FLEXTOUCH U-200... 45          |
| TEFLARO... 18                        | tinidazole... 18                        | TRESIBA U-100 INSULIN... 45            |
| telmisartan... 53                    | TIVICAY PD... 42                        | tretinoin (antineoplastic)... 33       |
| temazepam... 88                      |                                         |                                        |

|                                      |                                     |                                      |
|--------------------------------------|-------------------------------------|--------------------------------------|
| tretinoin... 58                      | TRIUMEQ PD... 42                    | UNITHROID... 72                      |
| tri femynor... 71                    | TRIUMEQ... 42                       | ursodiol... 63                       |
| tri-legest fe... 71                  | trivora (28)... 71                  | UVADEX... 58                         |
| tri-linyah... 71                     | TRIZIVIR... 42                      | <b>V</b>                             |
| tri-lo-estarylla... 71               | TROGARZO... 42                      | valacyclovir... 42                   |
| tri-lo-marzia... 71                  | TROPHAMINE 10 %... 61               | VALCHLOR... 33                       |
| tri-lo-mili... 71                    | TRUE COMFORT ALCOHOL PADS... 82     | valganciclovir... 42                 |
| tri-lo-sprintec... 71                | TRUE COMFORT PRO ALCOHOL PADS... 82 | valproic acid (as sodium salt)... 21 |
| tri-mili... 71                       | TRULICITY... 46                     | valproic acid... 21                  |
| tri-nymyo... 71                      | TRUMENBA... 78                      | valsartan... 53                      |
| tri-sprintec (28)... 71              | TRUQAP... 33                        | valsartan-hydrochlorothiazide... 53  |
| tri-vylibra lo... 71                 | TRUSELTIQ... 33                     | VALTOCO... 21                        |
| tri-vylibra... 71                    | TUKYSA... 33                        | vanadom... 87                        |
| triamcinolone acetonide... 55, 65    | tulana... 71                        | vancomycin in dextrose 5 %... 18     |
| triamterene-hydrochlorothiazid... 53 | TURALIO... 33                       | vancomycin in 0.9 % sodium chl... 18 |
| triderm... 65                        | turqoz (28)... 71                   | vancomycin... 18                     |
| trientine... 61                      | TWINRIX (PF)... 78                  | vancomycin-diluent combo no.1... 18  |
| trifluoperazine... 38                | TYBLUME... 71                       | VANFLYTA... 33                       |
| trifluridine... 84                   | TYBOST... 42                        | VAQTA (PF)... 78                     |
| trihexyphenidyl... 35                | TYMLOS... 79                        | varenicline... 14                    |
| TRIJARDY XR... 45, 46                | TYPHIM VI... 78                     | VARIVAX (PF)... 78                   |
| TRIKAFTA... 87                       | <b>U</b>                            | VASCEPA... 53, 54                    |
| trimethobenzamide... 25              | UBRELVY... 82                       | VAXCHORA VACCINE... 78               |
| trimethoprim... 18                   | UDENYCA AUTOINJECTOR... 47          | velivet triphasic regimen (28)... 71 |
| trimipramine... 24                   | UDENYCA ONBODY... 47                | VELPHORO... 61                       |
| trinatal rx 1... 61                  | UDENYCA... 47                       | VELTASSA... 61                       |
| TRINTELLIX... 24                     | ULTILET ALCOHOL SWAB... 82          |                                      |

|                               |                                         |                               |
|-------------------------------|-----------------------------------------|-------------------------------|
| VENCLEXTA STARTING PACK... 33 | VOCABRIA... 42                          | XCOPRI MAINTENANCE PACK... 21 |
| VENCLEXTA... 33               | volnea (28)... 72                       | XCOPRI TITRATION PACK... 21   |
| venlafaxine... 24             | VONJO... 33                             | XCOPRI... 21                  |
| VENTAVIS... 87                | VORANIGO... 33                          | XDEMVI... 82                  |
| VENTOLIN HFA... 87            | voriconazole... 26                      | XGEVA... 79                   |
| verapamil... 54               | VOSEVI... 42                            | XIFAXAN... 63                 |
| VERIPRED 20... 65             | VOTRIENT... 33                          | XIGDUO XR... 46               |
| VERQUVO... 54                 | VRAYLAR... 38                           | XOLAIR... 78                  |
| VERSACLOZ... 38               | vyfemla (28)... 72                      | XOSPATA... 33                 |
| VERZENIO... 33                | vylibra... 72                           | XPOVIO... 34                  |
| vestura (28)... 71            | VYNDAQEL... 64                          | XTAMPZA ER... 13              |
| VICTOZA 2-PAK... 46           | VYZULTA... 84                           | XTANDI... 34                  |
| VICTOZA 3-PAK... 46           | <b>W</b>                                | xulane... 72                  |
| vienva... 71                  | warfarin... 47                          | XULTOPHY 100/3.6... 46        |
| vigabatrin... 21              | WEBCOL... 82                            | <b>Y</b>                      |
| vigadrone... 21               | WELIREG... 33                           | YF-VAX (PF)... 78             |
| VIGAFYDE... 21                | wera (28)... 72                         | <b>Z</b>                      |
| vigpoder... 21                | wesnatal dha complete... 61             | zafemy... 72                  |
| VIIBRYD... 24                 | wesnate dha... 62                       | zafirlukast... 87             |
| vilazodone... 24              | westab plus... 62                       | zarah... 72                   |
| violele (28)... 72            | wixela inhub... 87                      | ZARXIO... 48                  |
| VIRACEPT... 42                | wymzya fe... 72                         | ZEGALOGUE AUTOINJECTOR... 46  |
| VIREAD... 42                  | <b>X</b>                                | ZEGALOGUE SYRINGE... 46       |
| virt-nate dha... 61           | XALKORI... 33                           | ZEJULA... 34                  |
| VISTOGARD... 33               | XARELTO DVT-PE TREAT 30D<br>START... 47 | ZELBORAF... 34                |
| VITRAKVI... 33                | XARELTO... 47                           | ZEMAIRA... 64                 |
| VIVITROL... 14                | XATMEP... 78                            | zenatane... 58                |
| VIZIMPRO... 33                |                                         | ZENPEP... 64                  |

ZERVIAE... 84  
zidovudine... 42  
ziprasidone hcl... 38  
ziprasidone mesylate... 38  
ZIRGAN... 42  
ZOKINVY... 64  
zoledronic acid-mannitol-water...  
79  
ZOLINZA... 34  
zolpidem... 88  
ZONISADE... 22  
zonisamide... 22  
zovia 1-35 (28)... 72  
ZTALMY... 22  
ZUBSOLV... 14  
zumandimine (28)... 72  
ZURZUVAE... 24  
ZYDELIG... 34  
ZYKADIA... 34  
ZYPITAMAG... 54  
ZYPREXA RELPREVV... 38

# Important

---

## At Humana, it is important you are treated fairly.

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:  
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618  
If you need help filing a grievance, call **1-877-320-1235** or if you use a TTY, call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at **<https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>**, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at **<https://www.hhs.gov/ocr/office/file/index.html>**.

**Auxiliary aids and services, free of charge, are available to you. 1-877-320-1235 (TTY: 711)**

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.



## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (听障专线：711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (聽障專線：711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخططنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。





20240004PDG2449024C\_v17

This formulary was updated on 11/01/2024. For more recent information or other questions, please contact Humana with any questions at 1-800-281-6918 or, for TTY users, 711, five days a week April 1 – September 30 or seven days a week October 1– March 31 from 8 a.m. - 8 p.m. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day 7 days a week, by visiting **Humana.com**.

S5552-005; S5884-148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180



Humana.com